



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: bluetooth bone conduction headphone

Test Model: ES-BT999

Environmental Conditions

Temperature:	23.5° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Bill Zhu
Supervised by:	Li Huan



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.022	No Limit	Pass
NVNT	1-DH5	2441	Ant1	1.021	No Limit	Pass
NVNT	1-DH5	2480	Ant1	1.024	No Limit	Pass
NVNT	2-DH5	2402	Ant1	1.306	No Limit	Pass
NVNT	2-DH5	2441	Ant1	1.284	No Limit	Pass
NVNT	2-DH5	2480	Ant1	1.285	No Limit	Pass
NVNT	3-DH5	2402	Ant1	1.281	No Limit	Pass
NVNT	3-DH5	2441	Ant1	1.3	No Limit	Pass
NVNT	3-DH5	2480	Ant1	1.304	No Limit	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.58	0	-0.58	21	Pass
NVNT	1-DH5	2441	Ant1	-0.32	0	-0.32	21	Pass
NVNT	1-DH5	2480	Ant1	0.49	0	0.49	21	Pass
NVNT	2-DH5	2402	Ant1	-1.06	0	-1.06	21	Pass
NVNT	2-DH5	2441	Ant1	-0.85	0	-0.85	21	Pass
NVNT	2-DH5	2480	Ant1	-0.48	0	-0.48	21	Pass
NVNT	3-DH5	2402	Ant1	-0.99	0	-0.99	21	Pass
NVNT	3-DH5	2441	Ant1	-0.96	0	-0.96	21	Pass
NVNT	3-DH5	2480	Ant1	-0.3	0	-0.3	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.01	2403.006	0.996	0.681	Pass
NVNT	2-DH5	Ant1	2402.15	2403.15	1	0.871	Pass
NVNT	3-DH5	Ant1	2402.152	2403.008	0.856	0.854	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	299.728	104	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.882	319.902	111	31600	400	Pass
NVNT	1-DH5	2480	Ant1	2.882	276.672	96	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	314.465	109	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.88	290.88	101	31600	400	Pass
NVNT	2-DH5	2480	Ant1	2.885	265.42	92	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	320.457	111	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.885	323.12	112	31600	400	Pass
NVNT	3-DH5	2480	Ant1	2.885	314.465	109	31600	400	Pass






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2441MHz Ant1 One Burst




Dwell NVNT 1-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2480MHz Ant1 One Burst




Dwell NVNT 1-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2441MHz Ant1 One Burst




Dwell NVNT 2-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2480MHz Ant1 One Burst




Dwell NVNT 2-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst




Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2441MHz Ant1 One Burst




Dwell NVNT 3-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2480MHz Ant1 One Burst



Dwell NVNT 3-DH5 2480MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.09	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-58.18	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.85	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.53	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-55.18	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.78	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.78	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.61	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.2	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.69	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-53.1	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.96	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.71	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.51	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.8	-20	Pass
NVNT	2-DH5	2441	Ant1	-38.92	-20	Pass
NVNT	2-DH5	2480	Ant1	-40.64	-20	Pass
NVNT	3-DH5	2402	Ant1	-46.1	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.13	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.53	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.44	2	46.82	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.56	2	36.7	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2352.336	-47.73	2	49.53	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2384.688	-59.92	2	37.34	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.62	2	46.64	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60.21	2	37.05	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.67	2	46.59	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.73	2	37.53	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2494.216	-47.68	2	49.58	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.184	-59.51	2	37.75	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.17	2	47.09	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-59.64	2	37.62	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.96	2	46.3	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.54	2	36.72	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2386.224	-47.97	2	49.29	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2382.096	-60.02	2	37.24	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.66	2	46.6	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.16	2	37.1	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.45	2	46.81	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.65	2	37.61	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2494.624	-46.99	2	50.27	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.704	-59.56	2	37.7	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.77	2	46.49	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-59.83	2	37.43	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.26	2	48	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.29	2	36.97	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2361.264	-47.69	2	49.57	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2383.728	-59.99	2	37.27	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.63	2	47.63	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-60.16	2	37.1	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.05	2	47.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.5	2	37.76	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2488.144	-46.9	2	50.36	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.04	-59.35	2	37.91	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.19	2	47.07	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-59.87	2	37.39	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

