

Wall Plate Stereo Audio Power Amplifier Built-in Bluetooth Receiver Manual

SPECIFICATIONS

- Audio Inputs :Bluetooth Receiver or stereo audio line level
- Bluetooth Version: 3.0 EDR compliant
- Bluetooth Receive Distance:10 Meters
- Power Amplifier Type:Stereo Class-D
- Output power:15W(rms) per channel (@ RL=4 ohm)
- THD+N :0.06 % (@ RL=8 ohm, f = 1 kHz)
- Minimum Load Resistance :4 ohm
- Includes Speaker Protection circuit.
- Power Source:12 VDC/2A

Bluetooth Blue LED Status:

- Power on:0.1s on/off flash 3 times
- Pairing ok:0.5s on/off till link ok
- Link ok:0.05s on/ 0.2s off flash 2 times each 5s
- Standby:0.05s on/ 0.2s off flash 1 times each 5s
- Play music:0.1s on/ 0.1s off flash 1 times each 5s
- Link back:0.05s on/ 0.15s off flash 1 times each 5s

CONNECTIONS

1. Insert the left speaker's + and – wires into the unit's **SPEAKER L+**(left positive) and L-(left negative) terminals, then tighten the screws.
2. Insert the right speaker's + and – wires into the unit's **SPEAKER R+**(right positive) and R-(right negative) terminals, then tighten the screws.
3. Plug audio source cable with 3.5mm stereo plug in the unit's **AUX IN** jack.
4. Plug power adaptor in the unit's DC power socket with cord.

OPERATION

1. Select audio source between **BT** and **AUX**.
2. If switch to BT you must turn on the smart phone and enable the function of Bluetooth to work.

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.