



alice
labs

FiberGateway XSR150DX
AUSA PN: 45598
MAC: 1C573E47430F
S/N: 5054494E3E47430F
HW: 3NTRGW14973P00

Rua Eng. José Ferreira Pinto Basto - 3810-106 Aveiro - Portugal

NETWORK NAME
MyOptimum 47430f

PASSWORD
948-458-crimson

WPA2, PSK

The device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference,
(2) This device must accept any interference received,
including interference that may cause undesired operation.

FC
FCC ID: 2AC1F-PDKABR150EX

INPUT: 12V 3A

ETL
FIBERGATEWAY
XSR150DX
I.T.E.

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:


- (1) this device may not cause harmful interference,
- (2) this device must accept any interference received,
including interference that may cause undesired operation.



Intertek
4010367
I.T.E.



FCC ID: 2ACJF-FGW-XSR150DX



INPUT: 12V  3A



FiberGateway XSR150DX

AUSA PN: 45598

MAC: 6006911A4512



S/N: 5054494E911A45D6



HW: ONTRGWxxxxx





FiberGateway XSR150DX

AUSA PN: 45598

MAC: 6006911A4512



S/N: 5054494E911A45D6



HW: ONTRGWxxxxx

Rua Eng. José Ferreira Pinto Basto - 3810-106 Aveiro - Portugal

NETWORK NAME

MyAltice QW12AS

PASSWORD

pepper.123.deploy

WPA2-PSK