

U100 Safety and Regulatory Leaflet

The CE, FCC and IC markings can be viewed by opening the front cover of the device. See the user guide for the instructions on how to do this.

Les marquages CE, FCC et IC peuvent être consultés en ouvrant le capot avant de l'appareil. Voir le mode d'emploi pour les instructions sur la façon de procéder.

Federal Communications Commission (FCC) Notice

FCC ID: 2ACN9U100GS

Electronic devices, including computers and wireless modems, generate RF energy incidental to their intended function and are therefore subject to FCC rules and regulations.

This equipment has been tested to, and found to be within the acceptable limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a normal environment.

This device complies with Part 15 of the Federal Communications Commission (FCC) Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation. No changes shall be made to the equipment without the manufacturer's permission as this may void the user's authority to operate the equipment.

The U100 has been designed to comply with safety requirements for exposure to radio waves (SAR). SAR testing has been performed as a hot-spot device at 10mm in accordance with FCC rule part §2.1093 and KDB 941225 D06 with the U100 transmitting at its highest certified power level in all used frequency bands. SAR limit is 1.6 W/kg averaged over 1 gram of tissue. The highest SAR value for the U100 when tested was 1.37 W/Kg.

Please follow the instructions included in the user guide for product use.

Industry Canada (IC) Notice

IC: 12195A-U100GS
Model / Modèle: U100

This Class B digital apparatus complies with Canadian ICES-003. U100 device complies with Industry Canada license-exempt RSS standard(s).

Operation is subject to the following two conditions:

- (1) This device may not cause interference, and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device. No changes shall be made to the equipment without the manufacturer's permission as this may void the user's authority to operate the equipment. The U100 has been designed to comply with safety requirements for exposure to radio waves (SAR). SAR testing has been performed as a hot-spot device at 10mm in accordance with IC rule RSS-102 and KDB 941225 D06 with the U100 transmitting at its highest certified power level in all used frequency bands. SAR limit is 1.6 W/kg averaged over 1 gram of tissue. The highest SAR value for the U100 when tested was 1.37 W/Kg.

Please follow the instructions included in the user guide for product use.

Cet appareil électronique de classe B est conforme avec les normes canadiennes ICES-003. Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Aucune modification ne peut être apportée à l'appareil sans l'autorisation du fabricant cela pouvant entraîner l'annulation des droits d'utilisation de l'équipement.

U100 a été testé pour le SAR et est conforme aux recommandations du FCC pour l'exposition aux ondes radio. Des tests de DAS ont été réalisés selon un dispositif hot-spot à 10mm en conformité avec §2,1093 et RSS-102 et KDB 941225 D06, avec le U100 transmettant à sa puissance maximum certifiée dans toutes les fréquences. Le plus fort taux de SAR pour le U100 lors du test était de 1.37 W/kg.

Veuillez respecter les instructions fournies dans le mode d'emploi pour l'installation et l'utilisation de l'appareil.