Request for Modular/Limited Modular Approval

Date: September 26, 2023					
Subject: Manufacturer's Declaration for	⊠ - Modular Approval□ - Limited Modular Approval	□ - Split Modula□ - Limited Split		pproval	
Confidentiality Request for:2ACOE-WG221BL					
	asic Requirements – FCC Part 15.212(a		U D		
	Limited Module Description Must be Inproval Requirement	Filled Out on the Fol		ment Met	
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)			⊠ - YES	□ - NO(*)	
	Details: <example a="" all="" and="" antenna="" board="" circuitry.="" components="" connector="" contains="" covers="" is="" located="" metal="" module="" next="" of="" on="" rf="" shield="" the="" to="" top="" which="" –=""></example>				
2. The modular transmitter must have buffere ensure that the module will comply with FO over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)	
Details: <example application="" as="" buffered="" circuit="" data="" described="" description="" in="" is="" modulation="" operational="" provided="" the="" to="" with="" –=""></example>					
3. The modular transmitter must have its own ensure that the module will comply with FG supplying circuitry in the device into which	CC requirements regardless of the design	of the power	⊠ - YES	□ - NO(*)	
Details: <example application="" contains="" filed="" its="" module="" own="" please="" power="" refer="" regulation.="" schematic="" supply="" the="" this="" to="" with="" –=""></example>					
4. The modular transmitter must comply with 15.203, 15.204(b), 15.204(c), 15.212(a), an attached or employ a "unique" antenna co antenna, including the cable). The "profess to modules but can apply to limited modula	d 2.929(b). The antenna must either be pupler (at all connections between the motional installation' provision of § 15.203	ermanently dule and the is not applicable	⊠ - YES	□ - NO(*)	
Details: <example a="" an="" and="" antenna="" antennas="" application="" approved="" be="" connector="" connector.="" connects="" considered="" device="" found="" in="" is="" its="" list="" manual="" may="" module="" non-standard="" of="" provided="" tested="" the="" this="" to="" ufl="" users="" using="" which="" with="" –=""></example>					
5. The modular transmitter must be tested in a inside another device during testing. This is complying with Part 15 emission limits reg Unless the transmitter module will be batte requirements found in Section 15.207. AC the module must not contain ferrites, unless 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is n equipment. Any accessories, peripherals, or shall be unmodified or commercially availar	s intended to demonstrate that the module ardless of the device into which it is even ry powered, it must comply with the AC or DC power lines and data input/output is they will be marketed with the module (elength typical of actual use or, if that len to coupling between the case of the module rypiport equipment connected to the module.	e is capable of atually installed. line conducted lines connected to see Section agth is unknown, at le and supporting dule during testing	⊠ - YES	□ - NO(*)	
Details: <example application="" as="" filed="" in="" module="" photographs="" setup="" shown="" stand-alone="" test="" tested="" the="" this="" was="" with="" –=""></example>					

Modular Approval Requirement			Requirement Met	
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for	⊠ - YES	□ - NO(*)	
	equipment authorization. 15.212(a)(1)(vi)			
	Details: <example a="" application="" application.="" are="" as="" exhibit="" filed="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" the="" there="" this="" with="" –=""></example>	olication. Hos	t specific	
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
	Details: <example 15c="" application.="" complies="" fcc="" filed="" installation="" instructions="" manual="" module="" oem="" part="" requirements.="" the="" this="" to="" with="" –=""></example>	I installer are	provided in	
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
	Details: <example application.="" as="" exclusion="" exposure="" in="" inform="" levels="" meets="" module="" portable="" rf="" shown="" the="" –=""></example>	ation filed wit	th this	

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement		Requirement Met	
1.	For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	☐ - Provided in Separate Cover Letter	□ - N/A
	Details: <example adjusted="" application.="" be="" by="" can="" device="" filed="" firmware="" letter="" modified="" not="" of="" or="" the="" this="" with="" –=""></example>	e end user as described in a se	parate cover
2.	For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	□ - N/A
	Details: <example -n="" a=""></example>		

Split Modular Requirements			
Requirement Provided in Manu		ual	
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	□ - N/A	
Details: <example a="" n="" –=""></example>			

OEM Integration Manual Guidance – KDB 996369 D03 Section 2			
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.			
Requirement			
•		□ - No,	
Is this module intended for sale to third parties?	□ - YES	If No, and LMA applies, the applicant ca make the following detailed info public. to be basic integration instructions for information below must still be inclu description. If the applicant wishes to k this will require a separate statement comodule is not for sale to third partie instructions are internal confide	However there still needs a users manual and the ded in the operational eep this info confidential, over letter explaining the s and that integration
Item	s required to be in the manu	al – See KDB 996369 D03, Section 2	
As of May 1, 2019, the FCC req applicants should include informati example information on trace ante products and not intended for sale	uires ALL the following info ion in their instructions for a nna design could indicate "N to third parties, the user ins	ormation to be in the installation manual. All these items indicating clearly when the lot Applicable". Also if a module is limited structions may not need to be detailed and this should include a cover letter as cited	y are not applicable. For ed to only a grantees own d the following items can
1. List of applicable FCC rules. Kl			
a. Only list rules rel	ated to the transmitter.		
systems, profession 3. Limited Module Procedures. KE a. Describe alternation limiting condition b. When RF exposu	as limits on antennas, cable los conal installation info DB 996369 D03, Section 2.4 eve means that the grantee uses as re evaluation is necessary, stat	ss, reduction of power for point to point s to verify the host meets the necessary te how control will be maintained such	 ✓ - All Items shown to the left are provided in
4. Trace antenna designs. KDB 996369 D03, Section 2.5 a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for design verification, and production test procedures for ensuring compliance. If confidential, the method used to keep confidential must be identified and information provided in the operational description.			the Modular Integration Guide (or UM) for Full Modular Approval (MA) or LMA. - An LMA applies
a. Clearly and explication Two types of inst conditions (mobil provided to the er	citly state conditions that allow ructions are necessary: first to le, portable – xx cm from body and user in the host product man	w host manufacturers to use the module. the host manufacturer to define y) and second additional text needed to be nuals.	and is approved ONLY for use by the grantee in their own products, and not intended for sale to 3rd parties as provided in
instructions when	ncluded in the application and applicable. The antenna list s	all applicable professional installer hall also identify the antenna types -directional" is not considered a type)	a separate cover letter. Therefore the information shown to the
(monopole, PIFA, dipole, etc – note that "omni-directional" is not considered a type) 7. Label and compliance information. KDB 996369 D03, Section 2.8 a. Advice to host integrators that they need to provide a physical or e-label stating "Contains FCC ID: " with their finished product			
clarifications nec	hould be taken into consideratessary for stand-alone and sime on on how to configure test manual test	tion by host integrators including all ultaneous configurations. andes for evaluation	
Sincerely,		Dama Li	
	anager ture/Title ¹)	(Print name): Dana Li	

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.