




Application Information	
04Version	5.245.351
TotalTime	4m 17s 96ms
AdditionalInfor	NULL
Antenna type	PCB antenna
Antenna manufacturer	OneWave Electronic Co., Ltd.



Passive Test For BT2.4												
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHIS (%)	Max (dB)	Min (dB)	irectivity (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	22.92	-6.4	-1.72	-3.87	0	0	-1.72	-17.92	6.4	30	47.36	46.86
2410	25.99	-5.85	0	-3.45	0	0	0	-18.71	5.85	30	47.4	46.9
2420	23.03	-6.38	-1.91	-4.06	0	0	-1.91	-19.9	6.38	30	47.28	46.76
2430	20.38	-6.91	-2.44	-4.59	0	0	-2.44	-19.95	6.91	30	47.35	46.78
2440	24.53	-6.1	-1.56	-3.71	0	0	-1.56	-18.38	6.1	30	47.15	46.65
2450	24.05	-6.19	-1.67	-3.82	0	0	-1.67	-17.58	6.19	0	47.33	46.85
2460	24.37	-6.13	-1.63	-3.78	0	0	-1.63	-16.43	6.13	0	47.72	47.22
2470	21.91	-6.59	-2.2	-4.35	0	0	-2.2	-16.57	6.59	0	47.36	46.93
2480	26.01	-5.85	-1.71	-3.86	0	0	-1.71	-15.1	5.85	30	47.56	47.1
2490	26.86	-5.71	-1.87	-4.02	0	0	-1.87	-14.65	5.71	30	47.05	46.67
2500	26.49	-5.77	-1.72	-3.87	0	0	-1.72	-14.46	5.77	30	47.01	46.63




2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

