

For LR36 Series

ID and Warning Label

			
<p>Equipment: EchoPro™ Radar Level Instrument Type: LRXX-XXXX-XX</p>			
<p>Ex Marking:  II 1G Ex ia II C T6...T3 Ga  II 1D Ex ia III C T76°C...T146°C Da Ex ia II C T6...T3 Ga Ex ia III C T76°C...T146°C Da Class I, Div 1, Groups A, B, C & D; Class II, Groups E, F & G; Class I, Zone 0 IIC & Zone 20 Group IIC</p>			
<p>Explosion Certificate: TÜV 16 ATEX 7834 X IECEx TUR. 16.0014X</p>			
<p>UI = 26.4V II = 114mA PI = 0.752W CI = 0 LI = 51uH Output: (4...20) mA HART two-wire Ambient Temperature: See manual and instructions</p>			
<p>WARNING POTENTIAL ELECTROSTATIC CHARGING HAZARD: SEE INSTRUCTIONS</p>			
  0035		<p>Address: Flowline Inc. 10600 Humbolt Street Los Alamitos, CA 90720</p>	

This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference,
and (2) this device must accept any interference
received, including interference that may cause
undesired operation

FCC ID: 2ACQELRZZ



For LR41 Series

ID and Warning Label

			
<p>Equipment: EchoPro™ Radar Level Instrument Type: LRXX-XXXX-XX</p>			
<p>Ex Marking:  II 1G Ex ia II C T6...T3 Ga  II 1D Ex ia III C T76°C...T146°C Da Ex ia II C T6...T3 Ga Ex ia III C T76°C...T146°C Da Class I, Div 1, Groups A, B, C & D; Class II, Groups E, F & G; Class I, Zone 0 IIC & Zone 20 Group IIC</p>			
<p>Explosion Certificate: TÜV 16 ATEX 7834 X IECEx TUR. 16.0014X</p>			
<p>UI = 26.4V II = 114mA PI = 0.752W CI = 0 LI = 51uH Output: (4...20) mA HART two-wire Ambient Temperature: See manual and instructions</p>			
<p>WARNING POTENTIAL ELECTROSTATIC CHARGING HAZARD: SEE INSTRUCTIONS</p>			
  0035		<p>Address: Flowline Inc. 10600 Humbolt Street Los Alamitos, CA 90720</p>	

This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference,
and (2) this device must accept any interference
received, including interference that may cause
undesired operation

FCC ID: 2ACQELRZZ



For LR46 Series

ID and Warning Label

 Equipment: EchoPro™ Radar Level Instrument Type: LRXX-XXXX-XX Ex Marking:  II 1G Ex ia II C T6...T3 Ga  II 1D Ex ia III C T76°C...T146°C Da Ex ia II C T6...T3 Ga Ex ia III C T76°C...T146°C Da Class I, Div 1, Groups A, B, C & D; Class II, Groups E, F & G; Class I, Zone 0 IIC & Zone 20 Group IIC Explosion Certificate: TÜV 16 ATEX 7834 X IECEx TUR. 16.0014X UI = 26.4V II = 114mA PI = 0.752W CI = 0 LI = 51uH Output: (4...20) mA HART two-wire Ambient Temperature: See manual and instructions WARNING POTENTIAL ELECTROSTATIC CHARGING HAZARD: SEE INSTRUCTIONS	  Manual and Instructions	<p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation</p> <p>FCC ID: 2ACQELRZZ</p>
  0035	Address: Flowline Inc. 10600 Humbolt Street Los Alamitos, CA 90720	

