

Cover Letter Request for Module Certification for AP 2.4 GHz RF module 2ACQM- APG3-0240-A

Company: SES-imagotag GmBH Date: 07.03.2022

Application for:

□ Modular Approval

⊠ Limited Modular Approval

□ Split Modular Approval

□ Limited Split Modular Approval

- Single-modular transmitter: A complete RF transmission sub-assembly, designed to be incorporated into another device, that must demonstrate compliance with FCC rules and policies independent of any host;
- Limited single-modular transmitter: A single-modular transmitter that complies with the § 15.212(a)(1) modular rules, only when constrained to specific operating host(s) and/or associated grants condition(s);
- Split-modular transmitter: An RF transmission system that complies with the requirements for • a single-modular transmitter, that is separated into a radio front-end section and a controlelement section, and can demonstrate compliance for a range of similar type hosts;
- Limited split-modular transmitter: A split-modular transmitter that complies with the definition and technical rules for split modules only when constrained to specific operating host(s), and/or associated grant condition(s).

*) Split modular transmitters require Pre-Approval Guidance (PAG)

Checklist for § 15.212(a)(1)	
Single modular transmitters must meet the following requirements to obtain a n approval.	nodular transmitter
(i) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	Requirement met? □ yes ⊠ no
Details: The designated user of the modules received dedicated integration knowhow to ensure compliance with FCC standard. The host system is evaluated, tested and approved in order to make sure that the module, especially the antenna, is compliante. Each change on the host system needs to be shared with the module grantee.	
 (ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation. Details: Compliant to FCC part 15. 	Requirement met? ⊠ yes □ no
(iii) The modular transmitter must have its own power supply regulation. Details: Module includes 1.8V step down regulator.	Requirement met? ⊠ yes □ no
(iv) The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	Requirement met? ⊠ yes □ no

Details: When product is assembled, antenna can not be removed.	
Internal antenna.	
(v) The modular transmitter must be tested in a stand-alone configuration, <i>i.e.</i> , the module must not be inside another device during testing for compliance with part 15 requirements. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in § 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see § 15.27(a)). The length of these lines shall be the length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified and commercially available (see § 15.31(i)).	Requirement met? □ yes ⊠ no
Details: Module was tested in a specific host and is not meant to be sold or used as stand alone product.	
(vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.	Requirement met? □ yes ⊠ no
 (A) If using a permanently affixed label, the modular transmitter must be labeled with its own FCC identification number, and, if the FCC identification number is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. (B) If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the module is installed inside another device, then the outside of the device into which the module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions must be included in the application for access the electronic display. A copy of these instructions must be include in the application. 	
(vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	Requirement met? ⊠ yes □ no
Details: Module manufacturer is the same as complete product	
manufacturer. There is no sales to third parties.(viii) Radio frequency devices operating under the provisions of this part are subject to the radio frequency radiation exposure requirements specified in \S 1.1307(b), 1.1310, 2.1091, and 2.1093 of this chapter, as appropriate. Applications for equipment authorization of modular transmitters under this	Requirement met? ⊠ yes □ no

|--|

Details: Module is certified as "Modular certification in a specific host"

A limited modular approval may be granted for single or split modular transmitters that do not comply with all of the above requirements, e.g., shielding, minimum signaling amplitude, buffered modulation/data inputs, or power supply regulation, if the manufacturer can demonstrate by alternative means in the application for equipment authorization that the modular transmitter meets all the applicable part 15 requirements under the operating conditions in which the transmitter will be used. Limited modular approval also may be granted in those instances where compliance with RF exposure rules is demonstrated only for particular product configurations. The applicant for certification must state how control of the end product into which the module will be installed will be maintained such that full compliance of the end product is always ensured.

Checklist for KDB 996369 D03 OEM Manual v01

The grantee must provide clear and specific instructions describing the conditions, limitations, and procedures for third-parties to use and/or integrate the module into a host device

Is the module intended for sale to third parties?	Requirement met?
	🗆 yes 🛛 no
*) If the modular transmitter is only approved for use by the grantee in its own	
products and not intended for sale to third parties, the integration instructions	
may not be detailed but this must be declared in the filing. In that case, it is	
permitted to place the instructions in the theory-of-operation exhibit folder	
using long-term confidentiality. The applicant must include a statement in the	
filing that the module is not for sale and the user manual integration	
instructions are internal confidential manufacturing documents. The grant of	
certification for such a modular transmitter must be limited.	
Details: Module was tested in a specific host and is not meant to be	
sold or used as stand alone product. Module manufacturer is the same	
as complete product manufacturer. There is no sales to third parties.	
Checklist for required items in the manual (KDB 996369 D03 OEN	A Manual v01)
Modular transmitter applicants should include information in their instructions fo	ar all those items
Modular transmitter applicants should include information in their instructions for	
indicating clearly when they are not applicable. For example, information on tra	ice antennaz designs
could indicate "not applicable."	
If the modular transmitter is only approved for use by the grantee in its own pro	
for sale to third parties, the integration instructions may not be detailed but this	
the filing. In that case, it is permitted to place the instructions in the theory-of-o	
using long-term confidentiality. The applicant must include a statement in the fi	
not for sale and the user manual integration instructions are internal confidentia	
documents. The grant of certification for such a modular transmitter must be lir	
(i) List of applicable FCC rules (KDB 996469 D03, Section 2.2)	Included in manual?
List the FCC rules that are applicable to the modular transmitter. These are	🖾 yes 🛛 no
the rules that specifically establish the bands of operation, the power,	
spurious emissions, and operating fundamental frequencies. DO NOT list	
compliance to unintentional-radiator rules (Part 15 Subpart B) since that is	
not a condition of a module grant that is extended to a host manufacturer.	
See also Section 2.10 below concerning the need to notify host	
manufacturers that further testing is required.	
Defeile de la lin (Le menuel	
Details: Included in the manual.	la chude d'in an eau al O
(ii) Summarize the specific operational use conditions (KDB 996469	Included in manual?
D03, Section 2.3)	🖾 yes 🛛 no
Describe use conditions that are applicable to the modular transmitter,	
including for example any limits on antennas, etc. For example, if point-to-	
point antennas are used that require reduction in power or compensation for	
cable loss, then this information must be in the instructions. If the use	
condition limitations extend to professional users, then instructions must	
state that this information also extends to the host manufacturer's instruction	
manual. In addition, certain information may also be needed, such as peak	
gain per frequency band and minimum gain, specifically for master devices in	
5 GHz DFS bands.	
Detailer Our module APC2 0240 A was any tested with this specific	
Details: Our module APG3-0240-A was only tested with this specific antenna inside the host APG3-VGE1-A. Any changes to the antenna, or	
host need to be retested in a new version and might require a Class II Permissive Change.	
(iii) Limited module procedures (KDB 996469 D03, Section 2.4)	Included in manual?
Describe alternative means that the grantee uses to verify that the host	
meets the necessary limiting conditions	🖾 yes 🛛 no
RF exposure evaluation is necessary, state how control will be maintained	
such that compliance is ensured, for example by requiring a Class II	
such that compliance is ensured, for example by requiring a Class II	

Permissive Change for new hosts.	
For details see KDB 996469 D03, Section 2.4	
Details: New host will be added through Class II Permissive Changes.	
 (iv) Trace antenna designs (KDB 996469 D03, Section 2.5) If applicable, describe allowed trace layouts, parts lists, antenna, connectors, isolation requirements, specifications, test procedures for design validation, production test procedures For details see KDB 996469 D03, Section 2.5 	Included in manual? □ yes ⊠ no
Details: Not applicable.	
 (v) RF exposure considerations (KDB 996469 D03, Section 2.6) It is essential for module grantees to clearly and explicitly state the RF exposure conditions that permit a host product manufacturer to use the module. Two types of instructions are required for RF exposure information: (1) to the host product manufacturer, to define the application conditions (mobile, portable – xx cm from a person's body); and (2) additional text needed for the host product manufacturer to provide to end users in their end-product manuals. If RF exposure statements and use conditions are not provided, then the host product manufacturer is required to take responsibility of the module through a change in FCC ID (new application). 	Included in manual? ⊠ yes □ no
Details: It is not meant to be used in a proximity of a human body. Application conditions are defined in the manual. Module grantee and host integrator are the same company.	
 (vi) Antennas (KDB 996469 D03, Section 2.7) A list of antennas included in the application for certification must be provided in the instructions. For modular transmitters approved as limited modules, all applicable professional installer instructions must be included as part of the information to the host product manufacturer. The antenna list shall also identify the antenna types (monopole, PIFA, dipole, etc. (note that for example an "omni-directional antenna" is not considered to be a specific "antenna type")). For situations where the host product manufacturer is responsible for an external connector, for example with an RF pin and antenna trace design, the integration instructions shall inform the installer that unique antenna connector must be used on the Part 15 authorized transmitters used in the host product. The module manufacturers shall provide a list of acceptable unique connectors 	Included in manual? ⊠ yes □ no
Details: Antenna is internal steel antenna attached on a PCB. Tests were performed with antenna in the host.	
(vii) Label and compliance information (KDB 996469 D03, Section 2.8) Grantees are responsible for the continued compliance of their modules to the FCC rules. This includes advising host product manufacturers that they need to provide a physical or e-label stating "Contains FCC ID" with their finished product. See Guidelines for Labeling and User Information for RF Devices – KDB Publication 784748.	Included in manual? ⊠ yes □ no
Details: Compliance information is added to the manual. (viii) Information on test modes and additional testing requirements (KDB 996469 D03, Section 2.9) Additional guidance for testing host products is given in KDB Publication 996369 D04 Module Integration Guide. Test modes should take into consideration different operational conditions for a stand-alone modular transmitter in a host, as well as for multiple simultaneously transmitting modules or other transmitters in a host product. The grantee should provide information on how to configure test modes for host product evaluation for different operational conditions for a stand-alone modular transmitter in a host, versus with multiple, simultaneously transmitting modules or other transmitters in a host.	Included in manual? ⊠ yes □ no

Grantees can increase the utility of their modular transmitters by providing special means, modes, or instructions that simulates or characterizes a connection by enabling a transmitter. This can greatly simplify a host manufacturer's determination that a module as installed in a host complies with FCC requirements.	
Details: Test modes and test procedures are the same as for our other products. The newest applicable operating procedures shall be used. Tests are performed with the host. If the new host includes additional transmitters, then tests should be performed in accordance with FCC multi-transmitter procedures. Simultanous transmission of transmitters in a host shall be tested and shall be considered in the RF exposure evaluation. Module tests were performed with the host.	
(ix) Additional testing, Part 15 Subpart B disclaimer (KDB 996469 D03, Section 2.10) The grantee should include a statement that the modular transmitter is only FCC authorized for the specific rule parts (i.e., FCC transmitter rules) listed on the grant, and that the host product manufacturer is responsible for compliance to any other FCC rules that apply to the host not covered by the modular transmitter grant of certification. If the grantee markets their product as being Part 15 Subpart B compliant (when it also contains unintentional-radiator digital circuity), then the grantee shall provide a notice stating that the final host product still requires Part 15 Subpart B compliance testing with the modular transmitter installed.	Included in manual? ⊠ yes □ no
Details: This limited modular transmitter is only FCC authorized for the Part 15 FCC transmitter rules listed in the grant. The host product manufacturer is responsible for compliance to any other FCC rules that apply to the host not covered by the limited modular transmitter grant of certification. The host product still requires Part 15 Subpart B compliance testing with the modular transmitter installed.	

Sincerely,

R. Janel

Philipp Jauck Head of IP Management & Regulatory Compliance SES-imagotag GmbH