


Maximum Power spectral density (conducted)

**§ 15.407(a)(1)(iv)
6.2.1 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 44-48 (5230 MHz center frequency)



Date: 1.JAN.1997 01:18:48

Power Spectral density: -3,80 dBm @ 5224,489 MHz

LIMIT SUBCLAUSE 15.407(a)(1)(iv) – 6.2.1 (1)

For mobile and portable client devices in the 5.15-5.25 GHz band	the maximum power spectral density shall not exceed 11 dBm (RSS-247: 10dBm) in any 1 megahertz band
--	---


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(1)(iv)
6.2.1 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 36-48 (5210 MHz center frequency)



Date: 1.JAN.1997 01:15:29

Power Spectral density: -7,50 dBm @ 5173,427 MHz

LIMIT SUBCLAUSE 15.407(a)(1)(iv) – 6.2.1 (1)

For mobile and portable client devices in the 5.15-5.25 GHz band	the maximum power spectral density shall not exceed 11 dBm (RSS-247: 10dBm) in any 1 megahertz band
--	---


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.2 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 52 (5260 MHz center frequency)



Date: 1.JAN.1997 01:32:40

Power Spectral density: -1,08 dBm @ 5262,905 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.2 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 64 (5320 MHz center frequency)



Date: 1.JAN.1997 01:34:26

Power Spectral density: -1,35 dBm @ 5318,898 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Test Equipment used: NT-207

Maximum Power spectral density (conducted)


**§ 15.407(a)(2)
6.2.2 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 52-56 (5270 MHz center frequency)



	Delta 2 [T3]	RBW	1 MHz	RF Att	20 dB
Ref Lvl	-27.14 dB	VBW	10 MHz		
10 dBm	17.79559118 MHz	SWT	5 ms	Unit	dBm



Date: 1.JAN.1997 01:22:41

Power Spectral density: -3,22 dBm @ 5272,505 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Test Equipment used: NT-207


Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.2 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 60-64 (5310 MHz center frequency)

	Delta 2 [T3]	RBW	1 MHz	RF Att	20 dB
	Ref Lvl	-26.92 dB	VBW	10 MHz	
	10 dBm	18.07615230 MHz	SWT	5 ms	Unit dBm



Date: 1.JAN.1997 01:24:21

Power Spectral density: -3,13 dBm @ 5312,305 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.2 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 52-64 (5290 MHz center frequency)



Date: 1.JAN.1997 01:13:53

Power Spectral density: -8,07 dBm @ 5256,433 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.3 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 100 (5500 MHz center frequency)



Date: 1.JAN.1997 01:36:01

Power Spectral density: -3,17 dBm @ 5507,515 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Test Equipment used: NT-207


Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.3 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 140 (5700 MHz center frequency)

	Delta 2 [T3]	RBW	1 MHz	RF Att	20 dB
	Ref Lvl	-26.25 dB	VBW	10 MHz	
	10 dBm	19.43887776 MHz	SWT	5 ms	Unit dBm



Date: 1.JAN.1997 01:37:53

Power Spectral density: -2,18 dBm @ 5692,685 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Test Equipment used: NT-207

Maximum Power spectral density (conducted)


**§ 15.407(a)(2)
6.2.3 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 100-104 (5510 MHz center frequency)



	Delta 2 [T3]	RBW	1 MHz	RF Att	20 dB
Ref Lvl	-26.89 dB	VBW	10 MHz		
10 dBm	17.83567134 MHz	SWT	5 ms	Unit	dBm



Date: 1.JAN.1997 01:25:41

Power Spectral density: -4,76 dBm @ 5512,505 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Test Equipment used: NT-207


Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.3 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 132-136 (5670 MHz center frequency)

	Delta 2 [T3]	RBW	1 MHz	RF Att	20 dB
	Ref Lvl	-27.86 dB	VBW	10 MHz	
	10 dBm	18.23647295 MHz	SWT	5 ms	Unit dBm



Date: 1.JAN.1997 01:27:06

Power Spectral density: -2,90 dBm @ 5672,104 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.3 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 100-112 (5530 MHz center frequency)



Date: 1.JAN.1997 01:12:21

Power Spectral density: -9,38 dBm @ 5497,034 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(2)
6.2.3 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 132-144 (5690 MHz center frequency)



Date: 1.JAN.1997 01:10:31

Power Spectral density: -8,74 dBm @ 5654,028 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(3)
6.2.4 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 149 (5745 MHz center frequency)



Date: 1.JAN.1997 00:55:54

Power Spectral density: -3,90 dBm @ 5752,515 MHz

LIMIT SUBCLAUSE 15.407(a)(3) – 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
-----------------------------	--

Test Equipment used: NT-207


Maximum Power spectral density (conducted)

**§ 15.407(a)(3)
6.2.4 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 165 (5825 MHz center frequency)

	Marker 1 [T3]	RBW	500 kHz	RF Att	20 dB
	Ref Lvl	-4.59 dBm	VBW	5 MHz	
	10 dBm	5.81748497 GHz	SWT	5 ms	Unit dBm



Date: 1.JAN.1997 00:58:43

Power Spectral density: -4,59 dBm @ 5817,485 MHz

LIMIT SUBCLAUSE 15.407(a)(3) – 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
-----------------------------	---


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(3)
6.2.4 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 149-153 (5755 MHz center frequency)



Date: 1.JAN.1997 00:52:19

Power Spectral density: -6,40 dBm @ 5757,305 MHz

LIMIT SUBCLAUSE 15.407(a)(3) – 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
-----------------------------	--


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(3)
6.2.4 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 157-161 (5795 MHz center frequency)



Date: 1.JAN.1997 00:53:57

Power Spectral density: -6,31 dBm @ 5797,305 MHz

LIMIT SUBCLAUSE 15.407(a)(3) – 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
-----------------------------	---


Test Equipment used: NT-207

Maximum Power spectral density (conducted)

**§ 15.407(a)(3)
6.2.4 (1)**

Conducted Measurement – Antenna 2

Rated output power: 9,41 mW Channel 149-161 (5775 MHz center frequency)



Date: 1.JAN.1997 00:50:45

Power Spectral density: -9,71 dBm @ 5808,968 MHz

LIMIT SUBCLAUSE 15.407(a)(3) – 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
-----------------------------	--


Test Equipment used: NT-207

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 1

Setup: CH 36: 5180 MHz



Date: 13 MAY 2016 12:02:19

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 1

Setup: CH 48: 5240 MHz



Date: 13 MAY 2016 12:03:48

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 1

Setup: CH 36-40: 5190 MHz



Date: 13 MAY 2016 12:13:03

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.1 (2)

Conducted measurement – Antenna 1

Setup: CH 44-48: 5230 MHz



Date: 13 MAY 2016 12:14:03

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 1

Setup: CH 32-48: 5210 MHz



Date: 13 MAY 2016 12:24:16

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.2 (2)

Conducted measurement – Antenna 1

Setup: CH 52: 5260 MHz



Date: 13 MAY 2016 12:04:54

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 1

Setup: CH 64: 5320 MHz



Date: 13 MAY 2016 12:05:50

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 1

Setup: CH 52-56: 5270 MHz



Date: 13 MAY 2016 12:15:24

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 1

Setup: CH 60-64: 5310 MHz



Date: 13 MAY 2016 12:16:28

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 1

Setup: CH 52-64: 5290 MHz



Date: 13 MAY 2016 12:25:18

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 1

Setup: CH 100: 5500 MHz



Date: 13 MAY 2016 12:07:33

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 1

Setup: CH 140: 5700 MHz



Date: 13 MAY 2016 12:08:40

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.3 (2)

Conducted measurement – Antenna 1

Setup: CH 100-104: 5510 MHz



Date: 13 MAY 2016 12:17:36

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 1

Setup: CH 132-136: 5670 MHz



Date: 13 MAY 2016 12:18:41

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.3 (2)

Conducted measurement – Antenna 1

Setup: CH 100-112: 5530 MHz



Date: 13 MAY 2016 12:26:05

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 1

Setup: CH 132-144: 5690 MHz



Date: 13 MAY 2016 12:27:06

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.4 (2)**

Conducted measurement – Antenna 1

Setup: CH 149: 5745 MHz



Date: 13 MAY 2016 12:10:26

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band	All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.4 (2)**

Conducted measurement – Antenna 1

Setup: CH 165: 5825 MHz



Date: 13 MAY 2016 12:11:49

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

<p>For transmitters operating in the 5.725-5.85 GHz band</p>	<p>All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.</p>
--	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.4 (2)**

Conducted measurement – Antenna 1

Setup: CH 149-153: 5755 MHz



Date: 13 MAY 2016 12:20:12

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band	All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.4 (2)

Conducted measurement – Antenna 1

Setup: CH 157-161: 5795 MHz



Date: 13 MAY 2016 12:23:12

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band	All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.4 (2)

Conducted measurement – Antenna 1

Setup: CH 149-161: 5775 MHz



Date: 13 MAY 2016 12:27:52

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

<p>For transmitters operating in the 5.725-5.85 GHz band</p>	<p>All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.</p>
--	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 2

Setup: CH 36: 5180 MHz



Date: 13 MAY 2016 11:38:26

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.1 (2)

Conducted measurement – Antenna 2

Setup: CH 48: 5240 MHz



Date: 13 MAY 2016 11:37:44

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 2

Setup: CH 36-40: 5190 MHz



Date: 13 MAY 2016 11:45:33

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 2

Setup: CH 44-48: 5230 MHz



Date: 13 MAY 2016 11:46:20

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.1 (2)**

Conducted measurement – Antenna 2

Setup: CH 32-48: 5210 MHz



Date: 13 MAY 2016 11:52:57

LIMIT SUBCLAUSE 15.407(b)(1) – 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.2 (2)

Conducted measurement – Antenna 2

Setup: CH 52: 5260 MHz



Date: 13 MAY 2016 11:39:27

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.2 (2)

Conducted measurement – Antenna 2

Setup: CH 64: 5320 MHz



Date: 13 MAY 2016 11:41:08

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 2

Setup: CH 52-56: 5270 MHz



Date: 13 MAY 2016 11:47:16

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 2

Setup: CH 60-64: 5310 MHz



Date: 13 MAY 2016 11:48:06

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.2 (2)**

Conducted measurement – Antenna 2

Setup: CH 52-64: 5290 MHz



Date: 13 MAY 2016 11:54:04

LIMIT SUBCLAUSE 15.407(b)(2) – 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
--	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 2

Setup: CH 100: 5500 MHz



Date: 13 MAY 2016 11:42:09

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 2

Setup: CH 140: 5700 MHz



Date: 13 MAY 2016 11:42:50

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.3 (2)

Conducted measurement – Antenna 2

Setup: CH 100-104: 5510 MHz



Date: 13 MAY 2016 11:48:51

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 2

Setup: CH 132-136: 5670 MHz



Date: 13 MAY 2016 11:49:28

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.3 (2)

Conducted measurement – Antenna 2

Setup: CH 100-112: 5530 MHz



Date: 13 MAY 2016 11:55:06

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.3 (2)**

Conducted measurement – Antenna 2

Setup: CH 132-144: 5690 MHz



Date: 13 MAY 2016 11:55:58

LIMIT SUBCLAUSE 15.407(b)(3) – 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	---


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.4 (2)

Conducted measurement – Antenna 2

Setup: CH 149: 5745 MHz



Date: 13 MAY 2016 11:43:40

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

<p>For transmitters operating in the 5.725-5.85 GHz band</p>	<p>All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.</p>
--	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.4 (2)**

Conducted measurement – Antenna 2

Setup: CH 165: 5825 MHz



Date: 13 MAY 2016 11:44:44

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

<p>For transmitters operating in the 5.725-5.85 GHz band</p>	<p>All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.</p>
--	---


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.4 (2)**

Conducted measurement – Antenna 2

Setup: CH 149-153: 5755 MHz



Date: 13 MAY 2016 11:50:53

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band	All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	--


Test Equipment used: EMV-205

Undesirable Emission Limits

§ 15.407(b)
6.2.4 (2)

Conducted measurement – Antenna 2

Setup: CH 157-161: 5795 MHz



Date: 13 MAY 2016 11:52:03

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band	All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.
---	--


Test Equipment used: EMV-205

Undesirable Emission Limits

**§ 15.407(b)
6.2.4 (2)**

Conducted measurement – Antenna 2

Setup: CH 149-161: 5775 MHz



Date: 13 MAY 2016 11:57:38

LIMIT SUBCLAUSE 15.407(b)(4) – 6.2.4 (2)

<p>For transmitters operating in the 5.725-5.85 GHz band</p>	<p>All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.</p>
--	---

Test Equipment used: EMV-205