



SAR REPORT

Report Reference No	TRE14070006	R/C: 20570		
FCC ID		100		
	2ACVFVT-8			
Applicant's name:	Shenzhen ChangTaiWei Elect	ronic CO.,LTD		
Address	5/F., 6 Block, XinGu Industrial z Town, BaoAn District, Shenzher China			
Manufacturer	Shenzhen ChangTaiWei Electro	onic CO.,LTD		
Address	5/F., 6 Block, XinGu Industrial z Town, BaoAn District, Shenzher China			
Test item description:	TWO WAY RADIO, WalkieTalki	e(PMR Radio)		
Trade Mark	1			
Model/Type reference	VT-8			
List Model:	VT-400			
Standard:	OET 65C			
Date of receipt of test sample	Jun 01,2014			
Date of testing	Jun 01,2014- Jun 02, 2014			
Date of issue	Jun 23, 2014			
Result:	PASS			
Compiled by		Adres Id		
(position+printed name+signature):	File administrators May Hu	low the		
Supervised by		T,		
(position+printed name+signature):	Test Engineer Jerome Luo	Jerome hur		
Approved by		11. 14		
(position+printed name+signature):	Manager Hans Hu	1 Jours Ma		
		[
Testing Laboratory Name: :	Shenzhen Huatongwei Interna	ational Inspection Co., Ltd		
Address	Keji Nan No.12 Road, Hi-tech P	ark, Shenzhen, China		
Shenzhen Huatongwei International I	nspection Co., Ltd. All rights re	served.		
This publication may be reproduced in whole or in part for non-commercial purposes as long as the Shenzhen Huatongwei International Inspection Co., Ltd is acknowledged as copyright owner and source of the material. Shenzhen Huatongwei International Inspection Co., Ltd takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.				

The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Contents

<u>1.</u>	TEST STANDARDS	3
<u>2.</u>	SUMMARY	4
2.1.	Client Information	4
2.2.	Product Description	4
2.3.	Equipment under Test	4
2.4.	Short description of the Equipment under Test (EUT)	4
2.5.	TEST Configuration	4
2.6.	EUT operation mode	5
2.7.	EUT configuration	5
2.8.	Modifications	5
<u>3.</u>	TEST ENVIRONMENT	6
3.1.	Address of the test laboratory	6
3.2.	Test Facility	6
3.2. 3.3.	Environmental conditions	0 7
3.3. 3.4.	SAR Limits	7
3.4. 3.5.	Equipments Used during the Test	7
3.5.	Equipments used during the rest	'
<u>4.</u>	SAR MEASUREMENTS SYSTEM CONFIGURATION	8
4.1.	SAR Measurement Set-up	8
4.2.	DASY5 E-field Probe System	9
4.3.	Phantoms	10
4.4.	Device Holder	10
4.5.	Scanning Procedure	11
4.6.	Data Storage and Evaluation	12
4.7.	Tissue Dielectric Parameters for Head and Body Phantoms	13
4.8.	Dielectric Performance	14
4.9.	System Check	14
4.10.	Measurement Procedures	16
<u>5.</u>	TEST CONDITIONS AND RESULTS	20
5.1.	Conducted Power Results	20
5.2.	Test reduction procedure	20
5.3.	SAR Measurement Results	20
5.4.	Measurement Uncertainty	21
5.5.	System Check Results	22
5.6.	SAR Test Graph Results	23
<u>6.</u>	CALIBRATION CERTIFICATE	27
6.1.	Probe Calibration Ceriticate	27
6.2.	D450V3 Dipole Calibration Ceriticate	39
6.3.	DAE4 Calibration Ceriticate	39 47
<u>7.</u>	TEST SETUP PHOTOS	50
8.	EUT PHOTOS	51

1. <u>TEST STANDARDS</u>

The tests were performed according to following standards:

<u>IEEE Std C95.1, 1999:</u> IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 KHz to 300 GHz.

<u>IEEE Std 1528™-2013</u>: IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques.

SUPPLEMENT C Edition 01-01 to OET BULLETIN 65 Edition 97-01 June 2001 including DA 02-1438 June 19, 2002: Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields Additional Information for Evaluation Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions.

KDB 447498 D01 Mobile Portable RF Exposure v04: Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies

2. <u>SUMMARY</u>

2.1. Client Information

Applicant:	Shenzhen ChangTaiWei Electronic CO.,LTD
Address:	5/F., 6 Block, XinGu Industrial zone, GuShu Village, XiXiang Town, BaoAn District, Shenzhen City, GuangDong Province, China
Manufacturer:	Shenzhen ChangTaiWei Electronic CO.,LTD
Address:	5/F., 6 Block, XinGu Industrial zone, GuShu Village, XiXiang Town, BaoAn District, Shenzhen City, GuangDong Province, China

2.2. Product Description

The **Shenzhen ChangTaiWei Electronic CO.,LTD**'s Model: VT-8 or the "EUT" as referred to in this report; more general information as follows, for more details, refer to the user's manual of the EUT.

Name of EUT	TWO WAY RADIO, WalkieTalkie
Model Number	VT-8
Product type	identical prototype
Battery information	DC 6.0V by 4*AAA batteries
Accessories list	1. belt-clip
Rated Output Power	GMRS&FRS<0.5W
Modilation Type	FM
Emission Type	F3E
Channel Separation	25KHz
Antenna Type	Bulit-in Antenna, Antenna Gain: 0dBi
Frequency range	462.5625MHz ~ 462.7125MHz(GMRS 1~7 channel) 467.5625MHz ~ 467.7125MHz(FRS 8~14channel) 462.5500MHz ~ 462.7250MHz(GMRS 15~22 channel)
RF Output Power	GMRS: <0.5W,FRS: <0.5W
RF exposure environment	General Public Use
Maximum SAR Vaule	0.710W/Kg (100% Duty Cycle)/0.355W/Kg (50% Duty Cycle)

2.3. Equipment under Test

Power supply system utilised

Power supply voltage	:	0	120V / 60 Hz	0	115V / 60Hz
		0	12 V DC	0	24 V DC
		\bullet	Other (specified in blank bel	ow)

DC 6.0V from battery

2.4. Short description of the Equipment under Test (EUT)

TWO WAY RADIO, WalkieTalkie (Model: VT-8).

The spatial peak SAR values were assessed for UHF systems. Battery and accessories shell be specified by

the manufacturer. The EUT battery must be fully charged and checked periodically during the test to ascertain

uniform power output.

2.5. TEST Configuration

Face-held Configuration

The front of the EUT is towards the phantom.

The front surface of the EUT is positioned at 25mm parallel to the flat phantom.

Body-worn Configuration

Body-worn Configuration - Default Battery Selection - per FCC KDB 447498,) A): Start by testing a PTT radio with the thinnest battery and a standard (default) Body-worn accessory.

Body-worn Configuration - Default Body-worn Accessory Selection - the belt-clip was selected as the default Body-worn accessory based on the smaller separation distance it provides between the radio and the user in comparison to the remaining accessories. Per FCC KDB 447498, A): "When multiple default Body-worn accessories are supplied with a radio, the standard Body-worn accessory expected to result in the highest SAR based on its construction and exposure conditions is considered the default Body-worn accessory for making Body-worn measurements."

Body-worn Configuration - Additional Body-worn Accessories - the remaining Body-worn accessories were evaluated based on the "additional Body-worn accessory" guidance provided in FCC KDB 447498). The remaining Body-worn accessories can be utilized with all the audio accessory options.

Body-worn Configuration - Selection of Default Audio Accessories by Category - the Default Audio Accessories by Category were selected based on the guidance provided in FCC KDB 447498, Section "Body SAR Test Considerations for Audio Accessories without Built-in Antenna", Page 10: "For audio accessories with similar construction and operating requirements, test only the audio accessory within the group that is expected to result in the highest SAR, with respect to changes in RF characteristics and exposure conditions for the combination. If it is unclear which audio accessory within a group of similar accessories is expected to result in the highest SAR, good engineering judgment and preliminary testing should be applied to select the accessory that is expected to result in the highest SAR." The Remaining Audio Accessories by Category were evaluated on the highest SAR channel from the Default Audio Accessory evaluations.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

2.6. EUT operation mode

The EUT has been tested under typical operating condition and The Transmitter was operated in the normal

operating mode. The TX frequency was fixed which was for the purpose of the measurements.

2.7. EUT configuration

The following peripheral devices and interface cables were connected during the measurement:

- - supplied by the manufacturer
- $\ensuremath{\bigcirc}$ supplied by the lab

0	Power Cable	Length (m) :	/
		Shield :	/
		Detachable :	1
0	Multimeter	Manufacturer :	/
		Model No. :	/

2.8. Modifications

No modifications were implemented to meet testing criteria.

3. TEST ENVIRONMENT

3.1. Address of the test laboratory

Shenzhen Huatongwei International Inspection Co., Ltd. Keji Nan No.12 Road, Hi-tech Park, Shenzhen, China Phone: 86-755-26748019 Fax: 86-755-26748089

3.2. Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L1225

Shenzhen Huatongwei International Inspection Co., Ltd. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories, Date of Registration: Mar. 01, 2012. Valid time is until February 28, 2015.

A2LA-Lab Cert. No. 2243.01

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing. Valid time is until Sept 30, 2015.

FCC-Registration No.: 662850

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration 662850, Renewal date Jul. 01, 2012, valid time is until Jun. 01, 2015.

IC-Registration No.: 5377A

The 3m Alternate Test Site of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 5377A on Dec. 31, 2013, valid time is until Dec. 31, 2016.

ACA

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory can also perform testing for the Australian C-Tick mark as a result of our A2LA accreditation.

VCCI

The 3m Semi-anechoic chamber (12.2m×7.95m×6.7m) of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.:R-2484. Date of Registration: Dec. 20, 2012. Valid time is until Dec. 29, 2015. Radiated disturbance above 1GHz measurement of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration.

has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-292. Date of Registration: Dec. 24, 2013. Valid time is until Dec. 23, 2016.

Main Ports Conducted Interference Measurement of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: C-2726. Date of Registration: Dec. 20, 2012. Valid time is until Dec. 19, 2015.

Telecommunication Ports Conducted Interference Measurement of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: T-1837. Date of Registration: May 07, 2013. Valid time is until May 06, 2016.

DNV

Shenzhen Huatongwei International Inspection Co., Ltd. has been found to comply with the requirements of DNV towards subcontractor of EMC and safety testing services in conjunction with the EMC and Low voltage Directives and in the voluntary field. The acceptance is based on a formal quality Audit and follow-ups

according to relevant parts of ISO/IEC Guide 17025 (2005), in accordance with the requirements of the DNV Laboratory Quality Manual towards subcontractors. Valid time is until Aug. 24, 2016.

3.3. Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	18-25 ° C
Humidity:	40-65 %
Atmospheric pressure:	950-1050mbar

3.4. SAR Limits

	SAR (W/kg)		
EXPOSURE LIMITS	(General Population / Uncontrolled Exposure Environment)	(Occupational / Controlled Exposure Environment)	
Spatial Average (averaged over the whole body)	0.08	0.4	
Spatial Peak (averaged over any 1 g of tissue)	1.60	8.0	
Spatial Peak (hands/wrists/feet/ankles averaged over 10 g)	4.0	20.0	

Population/Uncontrolled Environments are defined as locations where there is the exposure of individual who have no knowledge or control of their exposure.

Occupational/Controlled Environments are defined as locations where there is exposure that may be incurred by people who are aware of the potential for exposure (i.e. as a result of employment or occupation).

3.5. Equipments Used during the Test

				Calib	ration
Test Equipment	Manufacturer	Type/Model	Serial Number	Last Calibration	Calibration Interval
Data Acquisition Electronics DAEx	SPEAG	DAE4	1315	2013/11/25	1
E-field Probe	SPEAG	EX3DV4	3842	2013/06/06	1
System Validation Dipole D450V3	SPEAG	D450V3	1079	2014/2/28	1
Network analyzer	Agilent	8753E	US37390562	2014/3/26	1
Signal generator	IFR	2032	203002/100	2013/10/27	1
Amplifier	AR	75A250	302205	2013/10/27	1

FCC Limit (1g Tissue)

4. SAR Measurements System configuration

4.1. SAR Measurement Set-up

The DASY5 system for performing compliance tests consists of the following items:

A standard high precision 6-axis robot (Stäubli RX family) with controller and software. An arm extension for accommodating the data acquisition electronics (DAE).

A dosimetric probe, i.e. an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.

A data acquisition electronic (DAE) which performs the signal amplification, signal multiplexing, ADconversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

A unit to operate the optical surface detector which is connected to the EOC.

The Electro-Optical Coupler (EOC) performs the conversion from the optical into a digital electric signal of the DAE. The EOC is connected to the DASY5 measurement server.

The DASY5 measurement server, which performs all real-time data evaluation for field measurements and surface detection, controls robot movements and handles safety operation. A computer operating Windows 2003.

DASY5 software and SEMCAD data evaluation software.


Remote control with teach panel and additional circuitry for robot safety such as warning lamps, etc.

The generic twin phantom enabling the testing of left-hand and right-hand usage.

The device holder for handheld mobile phones.

Tissue simulating liquid mixed according to the given recipes.

System validation dipoles allowing to validate the proper functioning of the system.



4.2. DASY5 E-field Probe System

The SAR measurements were conducted with the dosimetric probe ES3DV3 (manufactured by SPEAG), designed in the classical triangular configuration and optimized for dosimetric evaluation.


Probe Specification

Construction	Symmetrical design with triangular core Interleaved sensors Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	ISO/IEC 17025 calibration service available.
Frequency	10 MHz to 4 GHz; Linearity: ± 0.2 dB (30 MHz to 4 GHz)
Directivity	± 0.2 dB in HSL (rotation around probe axis) ± 0.3 dB in tissue material (rotation normal to probe axis)
Dynamic Range	5 μW/g to > 100 mW/g; Linearity: ± 0.2 dB
Dimensions	Overall length: 337 mm (Tip: 20 mm) Tip diameter: 3.9 mm (Body: 12 mm) Distance from probe tip to dipole centers: 2.0 mm
Application	General dosimetry up to 4 GHz Dosimetry in strong gradient fields Compliance tests of mobile phones
Compatibility	DASY3, DASY4, DASY52 SAR and higher, EASY4/MRI

Isotropic E-Field Probe

The isotropic E-Field probe has been fully calibrated and assessed for isotropicity, and boundary effect within a controlled environment. Depending on the frequency for which the probe is calibrated the method utilized for calibration will change.

The E-Field probe utilizes a triangular sensor arrangement as detailed in the diagram below:



4.3. Phantoms

The phantom used for all tests i.e. for both system checks and device testing, was the twin-headed "SAM Phantom", manufactured by SPEAG. The SAM twin phantom is a fiberglass shell phantom with 2mm shell thickness (except the ear region, where shell thickness increases to 6mm).

System checking was performed using the flat section, whilst Head SAR tests used the left and right head profile sections. Body SAR testing also used the flat section between the head profiles.



SAM Twin Phantom

4.4. Device Holder

The device was placed in the device holder (illustrated below) that is supplied by SPEAG as an integral part of the DASY system.

The DASY device holder is designed to cope with the different positions given in the standard. It has two scales for device rotation (with respect to the body axis) and device inclination (with respect to the line between the ear reference points). The rotation centers for both scales is the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.



Device holder supplied by SPEAG

4.5. Scanning Procedure

The DASY5 installation includes predefined files with recommended procedures for measurements and validation. They are read-only document files and destined as fully defined but unmeasured masks. All test positions (head or body-worn) are tested with the same configuration of test steps differing only in the grid definition for the different test positions.

The "reference" and "drift" measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure. The indicated drift is mainly the variation of the DUT's output power and should vary max. ± 5 %.

The "surface check" measurement tests the optical surface detection system of the DASY5 system by repeatedly detecting the surface with the optical and mechanical surface detector and comparing the results. The output gives the detecting heights of both systems, the difference between the two systems and the standard deviation of the detection repeatability. Air bubbles or refraction in the liquid due to separation of the sugar-water mixture gives poor repeatability (above ± 0.1 mm). To prevent wrong results tests are only executed when the liquid is free of air bubbles. The difference between the optical surface detection and the actual surface depends on the probe and is specified with each probe (It does not depend on the surface reflectivity or the probe angle to the surface within $\pm 30^{\circ}$.)

Area Scan

The Area Scan is used as a fast scan in two dimensions to find the area of high field values before running a detailed measurement around the hot spot.Before starting the area scan a grid spacing of 15 mm x 15 mm is set. During the scan the distance of the probe to the phantom remains unchanged. After finishing area scan, the field maxima within a range of 2 dB will be ascertained.

Zoom Scan

Zoom Scans are used to estimate the peak spatial SAR values within a cubic averaging volume containing 1 g and 10 g of simulated tissue. The default Zoom Scan is done by 7x7x7 points within a cube whose base is centered around the maxima found in the preceding area scan.

Spatial Peak Detection

The procedure for spatial peak SAR evaluation has been implemented and can determine values of masses of 1g and 10g, as well as for user-specific masses. The DASY5 system allows evaluations that combine measured data and robot positions, such as: • maximum search • extrapolation • boundary correction • peak search for averaged SAR During a maximum search, global and local maxima searches are automatically performed in 2-D after each Area Scan measurement with at least 6 measurement points. It is based on the evaluation of the local SAR gradient calculated by the Quadratic Shepard's method. The algorithm will find the global maximum and all local maxima within -2 dB of the global maxima for all SAR distributions.

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. Several measurements at different distances are necessary for the extrapolation.

Extrapolation routines require at least 10 measurement points in 3-D space. They are used in the Zoom Scan to obtain SAR values between the lowest measurement points and the inner phantom surface. The routine uses the modified Quadratic Shepard's method for extrapolation. For a grid using 7x7x7 measurement points with 5mm resolution amounting to 343 measurement points, the uncertainty of the extrapolation routines is less than 1% for 1g and 10g cubes.

A Z-axis scan measures the total SAR value at the x-and y-position of the maximum SAR value found during the cube 7x7x7 scan. The probe is moved away in z-direction from the bottom of the SAM phantom in 5mm steps.

4.6. Data Storage and Evaluation

Data Storage

The DASY5 software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension ".DA4". The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated.

The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [mW/g], [mW/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

Data Evaluation

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters: -	Sensitivity Conversion factor	Normi, ai0, ai1, ai2 ConvFi
-	Diode compression point	Dcpi
Device parameters: -	Frequency	f
- (Crest factor	cf
Media parameters: -	Conductivity	σ
-	Density	ρ

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY5 components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$

With	Vi = compensated signal of channel i	(i = x, y, z)
	Ui = input signal of channel i	(i = x, y, z)
	cf = crest factor of exciting field	(DASY parameter)
	dcpi = diode compression point	(DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

$$E - \text{fieldprobes}: \qquad E_i = \sqrt{\frac{Norm_i \cdot ConvF}{Norm_i \cdot ConvF}}$$

$$H - \text{fieldprobes}: \qquad H_i = \sqrt{V_i} \cdot \frac{a_{i0} + a_{i1}f + a_{i2}f^2}{f}$$
With Vi = compensated signal of channel i (i = x, y, z)
Normi = sensor sensitivity of channel i (i = x, y, z)
[mV/(V/m)2] for E-field Probes
ConvF = sensitivity enhancement in solution
aij = sensor sensitivity factors for H-field probes
f = carrier frequency [GHz]
Ei = electric field strength of channel i in V/m
Hi = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$$

17

 V_{c}

The primary field data are used to calculate the derived field units.

$$SAR = E_{tot}^2 \cdot \frac{\sigma}{\rho \cdot 1'000}$$

with SAR = local specific absorption rate in mW/g Etot = total field strength in V/m σ = conductivity in [mho/m] or [Siemens/m] ρ = equivalent tissue density in g/cm3

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid.

4.7. Tissue Dielectric Parameters for Head and Body Phantoms

The head tissue dielectric parameters recommended by the IEEE SCC-34/SC-2 in P1528 have been incorporated in the following table. These head parameters are derived from planar layer models simulating the highest expected SAR for the dielectric properties and tissue thickness variations in a human head. Other head and body tissue parameters that have not been specified in P1528 are derived from the tissue dielectric parameters computed from the 4-Cole-Cole equations described in Reference [12] and extrapolated according to the head parameters specified in P1528.

Ingredients				F	requend	cy (MHz)			
(% by weight)	45	50	83	35	91	15	19	00	24	50
Tissue Type	Head	Body	Head	Body	Head	Body	Head	Body	Head	Body
Water	38.56	51.16	41.45	52.4	41.05	56.0	54.9	40.4	62.7	73.2
Salt (Nacl)	3.95	1.49	1.45	1.4	1.35	0.76	0.18	0.5	0.5	0.04
Sugar	56.32	46.78	56.0	45.0	56.5	41.76	0.0	58.0	0.0	0.0
HEC	0.98	0.52	1.0	1.0	1.0	1.21	0.0	1.0	0.0	0.0
Bactericide	0.19	0.05	0.1	0.1	0.1	0.27	0.0	0.1	0.0	0.0
Triton x-100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.8	0.0
DGBE	0.0	0.0	0.0	0.0	0.0	0.0	44.92	0.0	0.0	26.7
Dielectric Constant	43.42	58.0	42.54	56.1	42.0	56.8	39.9	54.0	39.8	52.5
Conductivity (s/m)	0.85	0.83	0.91	0.95	1.0	1.07	1.42	1.45	1.88	1.78

IEEE SCC-34/SC-2 P1528 Recommended Tissue Dielectric Parameters

Frequency	Head T	lissue	Body	Tissue
(MHz)	٤r	O' (S/m)	٤r	O' (S/m)
150	52.3	0.76	61.9	0.80
300	45.3	0.87	58.2	0.92
450	43.5	0.87	56.7	0.94
835	41.5	0.90	55.2	0.97
900	41.5	0.97	55.0	1.05
915	41.5	0.98	55.0	1.06
1450	40.5	1.20	54.0	1.30
1610	40.3	1.29	53.8	1.40
1800-2000	40.0	1.40	53.3	1.52
2450	39.2	1.80	52.7	1.95
3000	38.5	2.40	52.0	2.73
5800	35.3	5.27	48.2	6.00

4.8. Dielectric Performance


	Dielectric Performance of	Body Tissue Simulating Liqu	id
Measurement is made at te	emperature 22.0°C and relation	ative humidity 55%.	
Liquid temperature during t	:he test: 22.0℃		
Measurement Date: 450 M	Hz June 01 th , 2014		
	Frequency	Frequency ε	Conductivity σ (S/m)
Measurement value	450 MHz	44.35	0.88

4.9. System Check

The purpose of the system check is to verify that the system operates within its specifications at the decice test frequency. The system check is simple check of repeatability to make sure that the system works correctly at the time of the compliance test;

System check results have to be equal or near the values determined during dipole calibration with the relevant liquids and test system (± 10 %).

System check is performed regularly on all frequency bands where tests are performed with the DASY5 system.



The output power on dipole port must be calibrated to 26 dBm (398mW) before dipole is connected.




Photo of Dipole Setup

			System Valid	ation of Head			
Measuremer	nt is made at te	emperature 22	.0 °C and relat	ive humidity 5	5%.		
Measuremer	nt is made at te	emperature 22	.0 °C and relat	ive humidity 5	5%.		
Measuremer	nt Date: 450 M	Hz June 01 th ,	2014				
Verification	Frequency		t value /kg)	Measure (W/	ed value /kg)	Devi	ation
results	(MHz)	10 g Average	1 g Average	10 g Average	1 g Average	10 g Average	1 g Average
	450	1.21	1.81	1.16	1.75	-4.13%	-3.31%

4.10. Measurement Procedures

Tests to be performed


In order to determine the highest value of the peak spatial-average SAR of a handset, all device positions, configurations and operational modes shall be tested for each frequency band according to steps 1 to 3 below. A flowchart of the test process is shown in Picture 11

Step 1: The tests described in 11.2 shall be performed at the channel that is closest to the centre of the transmit frequency band (f_c) for:


- a) all device positions (cheek and tilt, for both left and right sides of the SAM phantom, as described in Chapter 8),
- b) all configurations for each device position in a), e.g., antenna extended and retracted, and
- c) all operational modes, e.g., analogue and digital, for each device position in a) and configuration in b) in each frequency band.
- d) If more than three frequencies need to be tested according to 11.1 (i.e., N_c > 3), then all frequencies, configurations and modes shall be tested for all of the above test conditions.

Step 2: For the condition providing highest peak spatial-average SAR determined in Step 1, perform all tests described in 11.2 at all other test frequencies, i.e., lowest and highest frequencies. In addition, for all other conditions (device position, configuration and operational mode) where the peak spatial-average SAR value determined in Step 1 is within 3 dB of the applicable SAR limit, it is recommended that all other test frequencies shall be tested as well.

Step 3: Examine all data to determine the highest value of the peak spatial-average SAR found in Steps 1 to 2.



Picture 11 Block diagram of the tests to be performed



Picture 12 Block diagram of the tests to be performed

Measurement procedure

The following procedure shall be performed for each of the test conditions (see Picture 11) described in 11.1:

- a) Measure the local SAR at a test point within 8 mm or less in the normal direction from the inner surface of the phantom.
- b) Measure the two-dimensional SAR distribution within the phantom (area scan procedure). The boundary of the measurement area shall not be closer than 20 mm from the phantom side walls. The distance between the measurement points should enable the detection of the location of local maximum with an

accuracy of better than half the linear dimension of the tissue cube after interpolation. A maximum grip spacing of 20 mm for frequencies below 3 GHz and (60/f [GHz]) mm for frequencies of 3GHz and greater is recommended. The maximum distance between the geometrical centre of the probe detectors and the inner surface of the phantom shall be 5 mm for frequencies below 3 GHz and $\delta \ln(2)/2$ mm for frequencies of 3 GHz and greater, where δ is the plane wave skin depth and $\ln(x)$ is the natural logarithm. The maximum variation of the sensor-phantom surface shall be ±1 mm for frequencies below 3 GHz and ±0.5 mm for frequencies of 3 GHz and greater. At all measurement points the angle of the probe with respect to the line normal to the surface should be less than 5°. If this cannot be achieved for a measurement distance to the phantom inner surface shorter than the probe diameter, additional measurement distance to the phantom inner surface shorter than the probe diameter, additional

- c) From the scanned SAR distribution, identify the position of the maximum SAR value, in addition identify the positions of any local maxima with SAR values within 2 dB of the maximum value that are not within the zoom-scan volume; additional peaks shall be measured only when the primary peak is within 2 dB of the SAR limit. This is consistent with the 2 dB threshold already stated;
- d) Measure the three-dimensional SAR distribution at the local maxima locations identified in step
- e) The horizontal grid step shall be (24 / f[GHz]) mm or less but not more than 8 mm. The minimum zoom size of 30 mm by 30 mm and 30 mm for frequencies below 3 GHz. For higher frequencies, the minimum zoom size of 22 mm by 22 mm and 22 mm. The grip step in the vertical direction shall be (8-f[GHz]) mm or less but not more than 5 mm, if uniform spacing is used. If variable spacing is used in the vertical direction, the maximum spacing between the two closest measured points to the phantom shell shall be (12 / f[GHz]) mm or less but not more than 4 mm, and the spacing between father points shall increase by an incremental factor not exceeding 1.5. When variable spacing is used, extrapolation routines shall be tested with the same spacing as used in measurements. The maximum distance between the geometrical centre of the probe detectors and the inner surface of the phantom shall be 5 mm for frequencies below 3 GHz and $\delta \ln(2)/2$ mm for frequencies of 3 GHz and greater, where δ is the plane wave skin depth and $\ln(x)$ is the natural logarithm. Separate grids shall be centered on each of the local SAR maxima found in step c). Uncertainties due to field distortion between the media boundary and the dielectric enclosure of the probe should also be minimized, which is achieved is the distance between the phantom surface and physical tip of the probe is larger than probe tip diameter. Other methods may utilize correction procedures for these boundary effects that enable high precision measurements closer than half the probe diameter. For all measurement points, the angle of the probe with respect to the flat phantom surface shall be less than 5. If this cannot be achieved an additional uncertainty evaluation is needed.
- f) Use post processing(e.g. interpolation and extrapolation) procedures to determine the local SAR values at the spatial resolution needed for mass averaging.

Power Drift

To control the output power stability during the SAR test, DASY5 system calculates the power drift by measuring the E-field at the same location at the beginning and at the end of the measurement for each test position. These drift values can be found in Table 2 to Table 6 labeled as: (Power Drift [dB]). This ensures that the power drift during one measurement is within 5%.

5. TEST CONDITIONS AND RESULTS

5.1. Conducted Power Results

Conducted power measurement results

Modulation Type	Channel	Test	Test	Power Level
Modulation Type	Separation	Channel	Frequency	(dBm)
Analog	25KHz	5	462.6625MHz	26.50
Analog	ZOKITZ	12	467.6625MHz	26.42

Manufacturing tolerance

	GMRS	
Test Channel	Channel 5	
Target (dBm)	26.99	
Tolerance ±(dB)	-1.00	
	FRS	
Test Channel	Channel 12	
Target (dBm)	26.99	
Tolerance ±(dB)	-1.00	

5.2. Test reduction procedure

Maximum power level

The maximum power level, $P_{max,m}$, that can be transmitted by a device before the SAR averaged over a mass, m, exceeds a given limit, SAR_{lim}, can be defined. Any device transmitting at power levels below $P_{max,m}$ can then be excluded from SAR testing. The lowest possible value for $P_{max,m}$ is: $P_{max,m} = SAR_{lim}^* \square m$.

5.3. SAR Measurement Results

Test Fr	equency	Mode/Band	Test Configuration	over1g (Incl	ge SAR g(W/kg) uding r drift)	Scaling Factor	over1g (Inclu Powe and S	je SAR (W/kg) uding r Drift caling tor)	SAR limit 1g (W/kg)	Ref. Plot #
Channel	MHz			100% Duty Cycle	50% Duty Cycle		100% Duty Cycle	50% Duty Cycle	(₩/ĸġ)	
5	462.6625	PTT	Body-worn	0.569	0.285	1.12	0.637	0.319	1.6	1
5	462.6625	PTT	Face Held	0.634	0.317	1.12	0.710	0.355	1.6	2
12	467.6625	PTT	Body-worn	0.512	0.256	1.14	0.584	0.292	1.6	3
12	467.6625	PTT	Face Held	0.593	0.297	1.14	0.676	0.339	1.6	4

5.4. Measurement Uncertainty

For IEEE 1528 measurement procedures

Uncertainty Component	Unc. vaule ±%	Prob Dist.	Div.	Ci 1g	C _i 10g	Std.Unc. ±%.1g	Std.Unc. ±%.10g	Vi
Measurement System								
Probe Calibration	5.9	N	1	1	1	5.9	5.9	8
Axial Isotropy	4.7	R	$\sqrt{3}$	0.7	0.7	1.9	1.9	∞
Hemispherical Isotropy	9.6	R	$\sqrt{3}$	0.7	0.7	3.9	3.9	8
Boundary Effect	1.0	R	$\sqrt{3}$	1	1	0.6	0.6	∞
Linearity	4.7	R	$\sqrt{3}$	1	1	2.7	2.7	∞
System Detection Limits	1.0	R	$\sqrt{3}$	1	1	0.6	0.6	8
Readout Electronics	0.3	N	1	1	1	0.3	0.3	∞
Response Time	0.8	R	$\sqrt{3}$	1	1	0.5	0.5	8
Integration Time	2.6	R	$\sqrt{3}$	1	1	1.5	1.5	∞
RF Ambient Conditions - Noise	3.0	R	$\sqrt{3}$	1	1	1.7	1.7	∞
RF Ambient Conditions - Reflections	3.0	R	$\sqrt{3}$	1	1	1.7	1.7	∞
Probe Positioner Mechanical Tolerance	0.4	R	$\sqrt{3}$	1	1	0.2	0.2	∞
Probe Positioning with respect to Phantom Shell	2.9	R	$\sqrt{3}$	1	1	1.7	1.7	∞
Extrapolation, interpolation and Integration Algorithms for Max. SAR Evaluation	1.0	R	$\sqrt{3}$	1	1	0.6	0.6	∞
Test Sample Related				•				
Test Sample Positioning	2.1	N	1	1	1	2.1	2.1	150
Device Holder Uncertainty	3.6	Ν	1	1	1	3.6	3.6	5
Output Power Variation - SAR drift measurement	5.0	R	$\sqrt{3}$	1	1	2.9	2.9	∞
Phantom and Tissue Parameters		•	1	1				
Phantom Uncertainty (shape and thickness tolerances)	4.0	R	$\sqrt{3}$	1	1	2.3	2.3	∞
Conductivity Target - tolerance	5.0	R	$\sqrt{3}$	0.64	0.43	1.8	1.2	8
Conductivity - measurement uncertainty	2.5	N	1	0.64	0.43	1.6	1.1	∞
Permittivity Target - tolerance	5.0	R	$\sqrt{3}$	0.60	0.49	1.7	1.4	∞
Permittivity - measurement uncertainty	1.9	N	1	0.60	0.49	1.5	1.2	5
Combined Standard Uncertainty		R				±11.2%	±10.8%	387
Coverage Factor for 95%			2					
Expanded STD Uncertainty						+22.4%	±21.6%	

5.5. System Check Results

System Performance Check at 450 MHz Head TSL

DUT: Dipole450 MHz; Type: D450V3; Serial: 1079

Date/Time: 01/06/2014 09:10:24 AM

Communication System: DuiJiangJi; Frequency: 450 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 450 MHz; σ = 0.88 S/m; ϵ_r = 44.35; ρ = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.00, 10.00, 10.00); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (41x131x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 2.31 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 53.216 V/m; Power Drift = -0.13 dB

Peak SAR (extrapolated) = 3.54 mW/g

SAR(1 g) = 1.75 mW/g; SAR(10 g) = 1.16 mW/g

Maximum value of SAR (measured) = 3.16 W/kg



 $0 \, dB = 3.16 \, mW/g$

System Performance Check 450MHz 398mW

5.6. SAR Test Graph Results

Body-worn 462.6625 MHz

Communication System: DuiJiangJi; Frequency: 462.6625 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 462.6625 MHz; σ = 0.95 mho/m; ϵ_r = 55.30; ρ = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 0.637 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 19.547 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 0.753 mW/g

SAR(1 g) = 0.569 W/Kg; SAR(10 g) = 0.387 W/Kg

Maximum value of SAR (measured) = 0.753 W/kg



0 dB = 0.753 W/kg = -2.59 dB W/kg

Figure 1: Body-worn 462.6625 MHz

Face Held 462.6625 MHz

Communication System: DuiJiangJi; Frequency: 462.6625 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 462.6625 MHz; σ = 0.92 mho/m; ϵ_r = 44.14; ρ = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.00, 10.00, 10.00); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 0.648 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 20.547 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 0.696 mW/g

SAR(1 g) = 0.634 W/Kg; SAR(10 g) = 0.413 W/Kg

Maximum value of SAR (measured) = 0.693 W/kg



0 dB = 0.693 W/kg = -3.45 dB W/kg



Body-worn 467.6625 MHz

Communication System: DuiJiangJi; Frequency: 467.6625 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 467.6625 MHz; σ = 0.96 mho/m; ϵ_r = 55.30; ρ = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 0.528 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 19.250 V/m; Power Drift = -0.08 dB

Peak SAR (extrapolated) = 0.637 mW/g

SAR(1 g) = 0.512 W/Kg; SAR(10 g) = 0.326 W/Kg

Maximum value of SAR (measured) = 0.453 W/kg



0 dB = 0.453 W/kg = -3.62 dB W/kg

Figure 3: Body-worn 467.6625 MHz

Face Held 467.6625 MHz

Communication System: DuiJiangJi; Frequency: 467.6625 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 467.6625 MHz; σ = 0.92 mho/m; ϵ_r = 44.45; ρ = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.00, 10.00, 10.00); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 0.454 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 20.689 V/m; Power Drift = -0.11 dB

Peak SAR (extrapolated) = 0.637 W/Kg

SAR(1 g) = 0.593 W/Kg; SAR(10 g) = 0.363 W/Kg

Maximum value of SAR (measured) = 0.636 W/kg



⁰ dB = 0.636 W/kg = -2.74 dB W/kg

Figure 4: Face Held 467.6625 MHz

6. Calibration Certificate

6.1. Probe Calibration Ceriticate

ultilateral Agreement for the r	ecognition of calibration	citilitates	
lient CIQ-SZ (Auder	n)	Certificate No:	EX3-3842_Jun13
ALIBRATION	CERTIFICATE		
Dbject	EX3DV4 - SN:38	42	
Calibration procedure(s)		A CAL-12.v7, QA CAL-23.v4, QA dure for dosimetric E-field probes	CAL-25.v4
Calibration date:	June 6, 2013		
~	and the transformed line to write	nal standards, which realize the physical units	of measurements (SI)
		y facility: environment temperature (22 \pm 3)°C a	and humidity < 70%.
Calibration Equipment used (M8	TE critical for calibration)	Transmission and the second	
alibration Equipment used (M8	TE critical for calibration)	Cal Date (Certificate No.)	and humidity < 70%. Scheduled Calibration Apr-14
alibration Equipment used (M8 Primary Standards Power meter E4419B	TE critical for calibration)	Transmission and the second	Scheduled Calibration
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A	TE critical for calibration)	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733)	Scheduled Calibration Apr-14
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator	ID GB41293874 MY41498087	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733)	Scheduled Calibration Apr-14 Apr-14
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator	ID GB41293874 MY41498087 SN: S5054 (3c)	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737)	Scheduled Calibration Apr-14 Apr-14 Apr-14
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5277 (20x)	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5277 (20x) SN: S5129 (30b)	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5277 (20x) SN: S5129 (30b) SN: 3013 SN: 660	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14
Calibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards	ID GB41293874 MY41498087 SN: \$5054 (3c) SN: \$5577 (20x) SN: \$5129 (30b) SN: 3013 SN: 660 ID ID	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C	ID GB41293874 MY41498087 SN: \$5054 (3c) SN: \$5577 (20x) SN: \$5129 (30b) SN: \$5129 (30b) SN: 3013 SN: 660 ID US3642U01700 ID	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 US37390585	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660, Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
Calibration Equipment used (M8 Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	ATE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660, Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15
Il calibrations have been conduction Equipment used (M8 Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 US37390585	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660, Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
alibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	ATE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660, Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
Calibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ATE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660, Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
Calibration Equipment used (M8 Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name Jeton Kastrati	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01736) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
Calibration Equipment used (M8 Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name Jeton Kastrati	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01736) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



GWISS CRUBRATO

S Schweizerischer Kalibrierdienst

- C Service suisse d'étalonnage
- S Servizio svizzero di taratura

Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA

Multilateral Agreement for the recognition of calibration certificates

Glossary:

tissue simulating liquid
sensitivity in free space
sensitivity in TSL / NORMx,y,z
diode compression point
crest factor (1/duty_cycle) of the RF signal
modulation dependent linearization parameters
φ rotation around probe axis
9 rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., 9 = 0 is normal to probe axis

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is
 implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included
 in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom
 exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.

Certificate No: EX3-3842_Jun13

Page 2 of 11

EX3DV4 - SN:3842

June 6, 2013

Probe EX3DV4

SN:3842

Manufactured: Repaired: June 3, 2013 Calibrated: June 6, 2013

October 25, 2011

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: EX3-3842_Jun13

Page 3 of 11

EX3DV4- SN:3842

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (µV/(V/m) ²) ^A	0.35	0.52	0.42	± 10.1 %
DCP (mV) ⁸	104.7	100.4	100.5	

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dBõV	С	D dB	VR mV	Unc ^E (k=2)
0	CW	X	0.0	0.0	1.0	0.00	132.3	±3.5 %
		Y	0.0	0.0	1.0		162.7	
		Z	0.0	0.0	1.0		147.6	200

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

⁶ The uncertainties of NormX,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).
⁹ Numerical linearization parameter: uncertainty not required.
⁶ Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value. field value.

Certificate No: EX3-3842_Jun13

Page 4 of 11

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

f (MHz) ^C	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
450	43.5	0.87	10.00	10.00	10.00	0.15	1.10	± 13.4 %
835	41.5	0.91	8.83	8.83	8.83	0.28	1.07	± 12.0 %
900	41.5	0.97	8.78	8.78	8.78	0.32	1.00	± 12.0 %
1810	40.0	1.40	7.68	7.68	7.68	0.38	0.88	± 12.0 %
1900	40.0	1.40	7.55	7.55	7.55	0.50	0.77	± 12.0 %
2450	39.2	1.80	7.26	7.26	7.26	0.71	0.63	± 12.0 %

Calibration Parameter Determined in Head Tissue Simulating Media

^C Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.
⁷ At frequencies below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

Certificate No: EX3-3842_Jun13

Page 5 of 11

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

f (MHz) ^c	Relative Permittivity	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
450	56.7	0.94	10.34	10.34	10.34	0.09	1.00	± 13.4 %
835	55.2	0.98	9.09	9.09	9.09	0.42	0.84	± 12.0 %
900	55.0	1.05	9.16	9.16	9.16	0.47	0.79	± 12.0 %
1810	53.3	1.52	7.78	7.78	7.78	0.50	0.81	± 12.0 %
1900	53.3	1.52	7.43	7.43	7.43	0.29	1.07	± 12.0 %
2450	52.7	1.95	6.93	6.93	6.93	0.80	0.59	± 12.0 %

Calibration Parameter Determined in Body Tissue Simulating Media


^c Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the CorvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.
^f At frequencies below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the CorvF uncertainty for indicated target tissue parameters.

Certificate No: EX3-3842_Jun13

Page 6 of 11

EX3DV4-SN:3842

June 6, 2013




Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)

Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Page 7 of 11

EX3DV4-SN:3842

June 6, 2013



Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$

Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)


Certificate No: EX3-3842_Jun13

Page 8 of 11

EX3DV4- SN:3842

June 6, 2013


Page 36 of 53



Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: EX3-3842_Jun13

Page 9 of 11



June 6, 2013

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842


Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	-117.4
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	2 mm

Page 11 of 11

6.2. D450V3 Dipole Calibration Ceriticate

Schmid & Partner Engineering AG reughausstrasse 43, 8004 Zurici Accredited by the Swiss Accredita	dion Service (SAS)		Schweizerischer Kalibrierdiens Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service No.: SCS 108
The Swiss Accreditation Service Multilateral Agreement for the re	a is one of the signatories	certificates	
Client CIQ SZ (Auden			D450V3-1079_Feb13
CALIBRATION C	ERTIFICATE		
Object	D450V3 - SN: 107	79	and the second division of the second divisio
Calibration procedure(6)	QA CAL-15.v6 Calibration proces	dure for dipole validation kits bek	ow 700 MHz
Calibration date:	February 28, 2014	4	COLUMN TWO IS NOT
The measurements and the unce	rtainties with confidence pr	onal standards, which realize the physical un robability are given on the following pages an y facility: environment temperature (22 ± 3)*(id are part of the certificate.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&	rtainties with confidence pr cted in the closed laboration TE critical for calibration)	robability are given on the following pages an y facility, environment temperature $(22\pm3)^{11}$	id are part of the certificate. C and humidity < 70%.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards	rtainties with confidence pr cled in the closed laboration TE critical for calibration)	robability are given on the following pages an y facility: environment temperature (22 ± 3)*/ Cal Date (Certificate No.)	d are part of the certificate. C and humidity < 70%. Scinetizated Calibration
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power meter E44198	Interches with confidence proceed in the closed laboration TE critical for calibration) ID # G641293874	Cal Date (Centificate No.) 31-Mar-12 (No. 217-01372)	d are part of the certificate. C and humidity < 70%. Scinetic ded Calibration Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E4412A	Itaktes with confidence pr cled in the closed laborator TE critical for calibration) ID # G641293874 MY41498087	Cal Date (Centificate No.) 31-Mar-12 (No. 217-01372)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power metar E44198 Power sensor E4412A Reference 3 dB Attenuator	Itainties with confidence providence of the closed laboration TE critical for calibration) ID # G641293874 MY41498087 SN: S5054 (3c)	Cal Date (Centificate No.) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01372)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E4412A	Itainbes with confidence pr cled in the closed laborator TE critical for calibration) ID # G641293874 MY41498087	Cal Date (Centificate No.) 31-Mar-12 (No. 217-01372)	d are part of the certificate. C and humidity < 70%. Something Calibration Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E44198 Reference 3 dB Attenuator Reference 20 dB Attenuator	Itainties with confidence proceed in the closed laborator TE critical for calibration) ID # GB41293874 MY41400087 SN: S5054 (3c) SN: S5066 (20b)	Cal Date (Centificate No.) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01367)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power meter E44198 Power meter E44198 Power sensor E4419A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination	Itainties with confidence pro- cted in the closed laborator TE critical for calibration) ID # GB41293874 MY41400087 SN: S5054 (3c) SN: S5045 (20b) SN: S5047, 3 / 06327	Cal Date (Certificate No.) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01367) 29-Mar-12 (No. 217-01367)	d are part of the certificate. C and humidity < 70%. Sufficient Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M& Primary Standards Power metar E44198 Power sensor E44198 Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combinistion Reference Probe ET3DV6 DAE4	rtainbes with confidence pr cted in the closed laborator TE critical for calibration) ID # G641293874 MY41490087 SN: 55054 (3c) SN: 55060 (20b) SN: 55060 (20b) SN: 55067 SN: 654	Cal Date (Certificate No.) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01367) 29-Mar-12 (No. 217-0168) 30-Dec-12 (No. ET3-1507 [Dec11) 03-Mary-12 (No. DAE4-654 [Mary11)	d are part of the certificate. C and humidity < 70%. Sufficient Calibration Apr 13 Apr 13 Apr 13 Apr 13 Dec 13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Power metar E44198 Power sensor E44198 Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6	Itainties with confidence pro- cted in the closed laborator TE onitical for calibration) ID # GB41293874 MY41490087 SN: 55054 (3c) SN: 55045 (20b) SN: 55047 (3 / 06327 SN: 1507	Cal Date (Certificate No.) 31-Mac-12 (No. 217-01372) 31-Mac-12 (No. 217-01372) 31-Mac-12 (No. 217-01372) 31-Mac-12 (No. 217-01372) 29-Mac-12 (No. 217-01369) 29-Mac-12 (No. 217-01367) 29-Mac-12 (No. 217-01367) 29-Mac-12 (No. 217-01168) 30-Dec-12 (No. DAE4-654_(May11)) Check Date (in house)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Disc-13 May-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M& Primary Standards Power meter E44198 Power meter E44198 Power sensor E4412A Reference 2 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Raterence Probe ET3DV6 DAE4 Secondary Standards	rtainbes with confidence pr cted in the closed laborator TE critical for calibration) ID # G641293874 MY41408067 SN: 55064 (30) SN: 55060 (20b) SN: 55060 (20b) SN: 55060 (20b) SN: 55060 (20b) SN: 654 ID #	Cal Date (Certificate No.) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01367) 29-Mar-12 (No. 217-0168) 30-Dec-12 (No. ET3-1507 [Dec11) 03-Mary-12 (No. DAE4-654 [Mary11)	d are part of the certificate. C and humidity < 70%. Screetured Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Doc-13 May-13 Scheduled Check
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&C Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reterence Probe ET3DV8 DAE4 Secondary Standards Power sensor HP 8481A	rtainbes with confidence pr cted in the closed laborator TE critical for calibration) ID # GB41293874 MY41490087 SN: S5046 (3c) SN: S5047 (3c) SN: 55047 (3c) SN: 550	Cal Date (Certificate No.) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 30-Dec-12 (No. 217-01367) 29-Mar-12 (No. 217-01369) 30-Dec-12 (No. ET3-1507_Dec11) 03-May-12 (No. DAE4-654_May11) Check Date (in house) 18-Oct-02 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Sufrequied Calibration Apr-13 Apr-13 Apr-13 Apr-13 Doc-13 May-13 Scheduled Check in house check: Oct-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (MAT Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 30 dB Attenuator Type-N mismatch combination Reference Probe ET3DV8 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	rtainbes with confidence pr cted in the closed laborator TE ontical for calibration) ID # GB41293874 MY41490087 SN: S5064 (3c) SN: S5047 (3/ 06327 SN: 55047 (3/ 06327 SN: 5507 SN: 654 ID # MY41092317 100005	Cal Date (Certificate No.) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 30-Dec-12 (No. 217-01369) 30-Dec-12 (No. ET3-1507_Dec11) 03-May-12 (No. DAE4-654_May11) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Sufrequied Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check in house check: Oct-13 in house check: Oct-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attimustor Reference 30 dB Attimustor Type-N mismatch combination Reference Probe ET3DV8 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-08	rtainbes with confidence pr cted in the closed laborator TE ontical for calibration) ID # G641293874 MY41400087 SN: 55064 (3c) SN: 55047 (3 / 06327 SN: 55047 (3 / 06327 SN: 55047 (3 / 06327 SN: 55047 (3 / 06327 SN: 5504 ID # MY41092317 100005 US37390585 S4206	Cal Date: (Certificate No.) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 30-Dec-12 (No. 217-01368) 30-Dec-12 (No. 217-01368) 30-Dec-12 (No. DAE4-654, May11) Check Date (In house) 18-Oct-02 (In house check Oct-11) 04-Aug-99 (In house check Oct-11) 18-Oct-01 (In house check Oct-11)	d are part of the certificate. C and humidity < 70%. Sufrequied Calibration Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check in house check: Oct-13 in house check: Oct-13 in house check: Oct-13 in house check: Oct-12
The measurements and the unce All calibrations have been conduct Calibration Equipment used (MAT Primary Standards Power metar E44198 Power metars E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV8 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	rtainbes with confidence pr cted in the closed laborator TE onitical for calibration) ID # G641293874 MY41400087 SN: 55047 (3c) SN: 550	Cal Date: (Certificate No.) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 30-Dec-12 (No. 217-01369) 30-Dec-12 (No. 217-01368) 30-Dec-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01369) 30-Dec-12 (No. 217-01369) 30-Dec-12 (No. 217-01369) 30-Mary-12 (No. DAE4-654, May11) Check Date (In house) 18-Oct-02 (In house check Oct-11) 04-Aug-99 (In house check Oct-11) 18-Oct-01 (In house check Oct-11) Function	d are part of the certificate. C and humidity < 70%. Sufrequined Californition Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-12



Measurement Conditions

as not given on page 1.

DASY Version	DASY5	V52.8.0
Extrapolation	Advanced Extrapolation	
Phantom	ELI4 Flat Phantom	Shell thickness: 2 ± 0.2 mm
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	450 MHz ± 1 MHz	
Elednese .		

Head TSL parameters

and calculations were applied.

ne rokowing parameter and	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	43.5	0.87 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	43.6 ± 6 %	0.85 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	398 mW input power	1.81 mW / g
SAR for nominal Head TSL parameters	Normalized to 1W	4.63 mW /g ± 18.1 % (k=2)
SAR averaged over 10 cm ² (10 g) of Head TSL	condition	
		and the state of t

SAR measured	398 mW input power	1.21 mW/g
SAR for nominal Head TSL parameters	normalized to 1W	3.09 mW /g ± 17.6 % (k=2)
SAN IOI NOMINAL HEAD TOL PARAMETERS		

Body TSL parameters The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	56.7	0.94 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	55.0 ± 6 %	0.91 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL

SAR averaged over 1 cm ² (1 g) of Body TSL	Condition	
SAR measured	398 mW input power	1.74 mW / g
SAR for nominal Body TSL parameters	normalized to 1W	4.45 mW / g ± 18.1 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	398 mW input power	1.16 mW / g
SAR for nominal Body TSL parameters	normalized to 1W	2.97 mW / g ± 17.6 % (k=2)

Certificate No: D450V3-1079_Feb13

Page 3 of 8

Appendix

Antenna Parameters with Head TSL

Impedance, transformed to feed point	59.8 Ω ~ 0.5 jΩ	
Return Loss	- 21.0 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	56.4 Ω - 5,9 jΩ	
Return Loss	- 21.7 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.350 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.


No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.


Additional EUT Data


Manufactured by	SPEAG
Manufactured on	March 03, 2011


Certificate No: D450V3-1079_Feb13

Page 4 of 8









6.3. DAE4 Calibration Ceriticate

Tel: +86-10-623	04633-2079 Fa:	an District, Beijing, 100191, C c: +86-10-62304633-2504			校准
E-mail: Inforge	SZ (Auden)	tp://www.enscite.com	Certificate	No: J13-2-30	CNAS LO44
Client : CIO	and the second line from	TE			
Object	DAE	4 - SN: 1315			
Calibration Procedure(s)	TMC	-OS-E-01-198			
		oration Procedure for	the Data Acqui	sition Electronic	\$
Calibration date:	Nove	ember 25, 2013			
This calibration Certifica measurements(SI). The pages and are part of the All calibrations have be	measurements al e certificate.		1 confidence prol	bability are given	on the following
measurements(SI). The pages and are part of the AII calibrations have be humidity<70%.	measurements an e certificate. een conducted i sed (M&TE critica	nd the uncertainties with n the closed laborator al for calibration)	n confidence prot	bability are given	ture(22±3)℃ and
measurements(SI). The pages and are part of the	measurements an e certificate. een conducted i sed (M&TE critica	nd the uncertainties with	n confidence prot	bability are given	ture(22±3)℃ and
measurements(SI). The pages and are part of the AII calibrations have be humidity<70%.	measurements an e certificate. een conducted i sed (M&TE critica	nd the uncertainties with n the closed laborator al for calibration)	n confidence prot y facility: enviro Certificate No.)	bability are given	ture(22±3)℃ and
measurements(SI). The pages and are part of the All calibrations have be numidity<70%. Calibration Equipment us Primary Standards Documenting	e certificate. een conducted i eed (M&TE critica ID # (nd the uncertainties with n the closed laborator al for calibration) Cal Date(Calibrated by,	n confidence prot y facility: enviro Certificate No.)	bability are given onment tempera Scheduled (ture(22±3)℃ and Calibration
neasurements(SI). The bages and are part of the All calibrations have be numidity<70%. Calibration Equipment us Primary Standards Documenting Process Calibrator 753	measurements an e certificate. een conducted i sed (M&TE critica ID # (1971018	nd the uncertainties with n the closed laborator al for calibration) Cal Date(Calibrated by, 01-July-13 (TMC, No Function	n confidence prot y facility: enviro Certificate No.) xJW13-049)	bability are given onment tempera Scheduled (July-	ture(22±3)℃ and Calibration
measurements(SI). The bages and are part of the All calibrations have be numidity<70%. Calibration Equipment us Primary Standards Documenting	neasurements an e certificate. een conducted i sed (M&TE critica ID # (1971018 Name	nd the uncertainties with n the closed laborator al for calibration) Cal Date(Calibrated by, 01-July-13 (TMC, No Function SAR Test Eng	n confidence prot y facility: enviro Certificate No.) xJW13-049)	bability are given onment tempera Scheduled (July-	ture(22±3)℃ and Calibration

Certificate No: J13-2-3048

Page 1 of 3



Glossary:

DAE Connector angle data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters:

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The report provide only calibration results for DAE, it does not contain other performance test results.



DC Voltage Measurement

A/D - Converter Re	solution nomin	nai		
High Range:	1LSB =	6.1µV.,	full range =	-100+300 mV
Low Range:	1LSB =	61nV,	full range =	-1+3mV
DASY measuremen	t parameters:	Auto Zero	Time: 3 sec; Mean	suring time: 3 sec

Calibration Factors	x	Y	Z
High Range	403.915 ± 0.15% (k=2)	405.171 ± 0.15% (k=2)	404.667 ± 0.15% (k=2)
Low Range	3.98903 ± 0.7% (k=2)	3.94180 ± 0.7% (k=2)	3.93862±0.7% (k=2)

Connector Angle

Connector Angle to be used in DASY system	162.5° ± 1 °	
Connector Angle to be used in briot system	102.0 1 1	

Certificate No: J13-2-3048

Page 3 of 3

7. <u>Test Setup Photos</u>



450MHz Liquid of Body





Face Held

Page 51 of 53

8. EUT Photos















.....End of Report.....