



Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.49	10.53	47.02	74.00	-26.98	peak
2	10575.000	35.21	13.10	48.31	74.00	-25.69	peak
3	11840.000	32.20	17.40	49.60	74.00	-24.40	peak
4	12632.000	31.80	17.99	49.79	74.00	-24.21	peak
5	13622.000	29.52	20.95	50.47	74.00	-23.53	peak
6	17989.000	24.11	26.04	50.15	74.00	-23.85	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7803.000	37.81	6.60	44.41	74.00	-29.59	peak
2	9057.000	36.73	10.38	47.11	74.00	-26.89	peak
3	11015.000	34.63	14.79	49.42	74.00	-24.58	peak
4	11917.000	31.77	17.54	49.31	74.00	-24.69	peak
5	13864.000	28.99	21.53	50.52	74.00	-23.48	peak
6	17648.000	26.56	23.72	50.28	74.00	-23.72	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.53	10.43	46.96	74.00	-27.04	peak
2	11059.000	34.33	14.96	49.29	74.00	-24.71	peak
3	11884.000	31.97	17.48	49.45	74.00	-24.55	peak
4	12709.000	32.27	18.09	50.36	74.00	-23.64	peak
5	13622.000	29.42	20.95	50.37	74.00	-23.63	peak
6	17989.000	23.62	26.04	49.66	74.00	-24.34	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.12	10.41	46.53	74.00	-27.47	peak
2	11059.000	33.55	14.96	48.51	74.00	-25.49	peak
3	11928.000	31.29	17.57	48.86	74.00	-25.14	peak
4	13424.000	28.53	20.30	48.83	74.00	-25.17	peak
5	14447.000	29.39	20.00	49.39	74.00	-24.61	peak
6	18000.000	23.83	26.12	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.54	10.49	47.03	74.00	-26.97	peak
2	10212.000	34.73	12.21	46.94	74.00	-27.06	peak
3	11279.000	33.68	15.86	49.54	74.00	-24.46	peak
4	12654.000	31.23	18.01	49.24	74.00	-24.76	peak
5	13457.000	29.19	20.46	49.65	74.00	-24.35	peak
6	17967.000	23.61	25.89	49.50	74.00	-24.50	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.65	10.45	47.10	74.00	-26.90	peak
2	11048.000	35.77	14.91	50.68	74.00	-23.32	peak
3	12511.000	32.02	17.84	49.86	74.00	-24.14	peak
4	12874.000	31.51	18.30	49.81	74.00	-24.19	peak
5	13919.000	28.49	21.68	50.17	74.00	-23.83	peak
6	17967.000	23.70	25.89	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.24	10.43	46.67	74.00	-27.33	peak
2	11004.000	34.93	14.74	49.67	74.00	-24.33	peak
3	11785.000	32.17	17.30	49.47	74.00	-24.53	peak
4	12698.000	32.08	18.08	50.16	74.00	-23.84	peak
5	13919.000	28.85	21.68	50.53	74.00	-23.47	peak
6	17604.000	26.26	23.41	49.67	74.00	-24.33	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.53	10.45	46.98	74.00	-27.02	peak
2	11323.000	33.26	16.05	49.31	74.00	-24.69	peak
3	11917.000	32.35	17.54	49.89	74.00	-24.11	peak
4	12687.000	31.55	18.05	49.60	74.00	-24.40	peak
5	13853.000	29.15	21.52	50.67	74.00	-23.33	peak
6	18000.000	23.54	26.12	49.66	74.00	-24.34	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.65	10.49	47.14	74.00	-26.86	peak
2	11004.000	34.85	14.74	49.59	74.00	-24.41	peak
3	11829.000	32.78	17.38	50.16	74.00	-23.84	peak
4	12687.000	32.54	18.05	50.59	74.00	-23.41	peak
5	13974.000	28.13	21.82	49.95	74.00	-24.05	peak
6	17989.000	24.47	26.04	50.51	74.00	-23.49	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.72	10.41	47.13	74.00	-26.87	peak
2	11004.000	34.72	14.74	49.46	74.00	-24.54	peak
3	11884.000	32.12	17.48	49.60	74.00	-24.40	peak
4	13919.000	29.00	21.68	50.68	74.00	-23.32	peak
5	14403.000	29.65	20.19	49.84	74.00	-24.16	peak
6	18000.000	23.70	26.12	49.82	74.00	-24.18	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.23	10.51	47.74	74.00	-26.26	peak
2	10916.000	34.69	14.39	49.08	74.00	-24.92	peak
3	11400.000	33.50	16.36	49.86	74.00	-24.14	peak
4	13523.000	29.07	20.70	49.77	74.00	-24.23	peak
5	17582.000	25.83	23.26	49.09	74.00	-24.91	peak
6	17989.000	23.62	26.04	49.66	74.00	-24.34	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.05	6.68	43.73	74.00	-30.27	peak
2	9332.000	36.34	10.54	46.88	74.00	-27.12	peak
3	11004.000	34.29	14.74	49.03	74.00	-24.97	peak
4	11884.000	31.43	17.48	48.91	74.00	-25.09	peak
5	13875.000	28.41	21.57	49.98	74.00	-24.02	peak
6	17769.000	25.25	24.53	49.78	74.00	-24.22	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.88	6.68	44.56	74.00	-29.44	peak
2	9189.000	36.85	10.46	47.31	74.00	-26.69	peak
3	11268.000	33.97	15.83	49.80	74.00	-24.20	peak
4	12698.000	31.79	18.08	49.87	74.00	-24.13	peak
5	13413.000	29.59	20.26	49.85	74.00	-24.15	peak
6	18000.000	23.81	26.12	49.93	74.00	-24.07	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.09	10.45	46.54	74.00	-27.46	peak
2	11059.000	33.96	14.96	48.92	74.00	-25.08	peak
3	11510.000	32.24	16.79	49.03	74.00	-24.97	peak
4	13864.000	29.10	21.53	50.63	74.00	-23.37	peak
5	14392.000	30.15	20.24	50.39	74.00	-23.61	peak
6	17967.000	24.15	25.89	50.04	74.00	-23.96	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	35.88	10.54	46.42	74.00	-27.58	peak
2	11004.000	34.01	14.74	48.75	74.00	-25.25	peak
3	11686.000	32.01	17.12	49.13	74.00	-24.87	peak
4	12665.000	32.06	18.04	50.10	74.00	-23.90	peak
5	13611.000	29.34	20.92	50.26	74.00	-23.74	peak
6	17989.000	24.61	26.04	50.65	74.00	-23.35	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7869.000	37.64	6.54	44.18	74.00	-29.82	peak
2	9178.000	35.68	10.45	46.13	74.00	-27.87	peak
3	11059.000	34.11	14.96	49.07	74.00	-24.93	peak
4	11873.000	31.51	17.46	48.97	74.00	-25.03	peak
5	13809.000	29.65	21.41	51.06	74.00	-22.94	peak
6	17989.000	24.88	26.04	50.92	74.00	-23.08	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.16	10.46	46.62	74.00	-27.38	peak
2	11180.000	34.11	15.46	49.57	74.00	-24.43	peak
3	11752.000	33.19	17.24	50.43	74.00	-23.57	peak
4	12236.000	32.96	17.76	50.72	74.00	-23.28	peak
5	13457.000	29.97	20.46	50.43	74.00	-23.57	peak
6	17989.000	24.59	26.04	50.63	74.00	-23.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.27	10.40	46.67	74.00	-27.33	peak
2	11070.000	33.22	15.01	48.23	74.00	-25.77	peak
3	11884.000	31.32	17.48	48.80	74.00	-25.20	peak
4	13853.000	28.79	21.52	50.31	74.00	-23.69	peak
5	17714.000	25.76	24.16	49.92	74.00	-24.08	peak
6	18000.000	24.35	26.12	50.47	74.00	-23.53	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.21	10.51	46.72	74.00	-27.28	peak
2	10795.000	33.87	13.94	47.81	74.00	-26.19	peak
3	11697.000	31.59	17.13	48.72	74.00	-25.28	peak
4	12698.000	31.22	18.08	49.30	74.00	-24.70	peak
5	13468.000	28.37	20.50	48.87	74.00	-25.13	peak
6	17989.000	22.85	26.04	48.89	74.00	-25.11	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	35.87	10.81	46.68	74.00	-27.32	peak
2	11015.000	34.49	14.79	49.28	74.00	-24.72	peak
3	12632.000	31.80	17.99	49.79	74.00	-24.21	peak
4	13919.000	29.24	21.68	50.92	74.00	-23.08	peak
5	17648.000	26.53	23.72	50.25	74.00	-23.75	peak
6	17956.000	24.80	25.82	50.62	74.00	-23.38	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8848.000	37.13	9.29	46.42	74.00	-27.58	peak
2	11059.000	33.82	14.96	48.78	74.00	-25.22	peak
3	12247.000	31.74	17.77	49.51	74.00	-24.49	peak
4	12698.000	31.48	18.08	49.56	74.00	-24.44	peak
5	13886.000	28.55	21.60	50.15	74.00	-23.85	peak
6	18000.000	23.59	26.12	49.71	74.00	-24.29	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.70	10.39	47.09	74.00	-26.91	peak
2	11059.000	34.42	14.96	49.38	74.00	-24.62	peak
3	11466.000	32.54	16.63	49.17	74.00	-24.83	peak
4	12654.000	30.67	18.01	48.68	74.00	-25.32	peak
5	13853.000	28.38	21.52	49.90	74.00	-24.10	peak
6	17637.000	25.84	23.64	49.48	74.00	-24.52	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	38.00	6.60	44.60	74.00	-29.40	peak
2	9376.000	36.22	10.58	46.80	74.00	-27.20	peak
3	11081.000	34.27	15.05	49.32	74.00	-24.68	peak
4	12698.000	31.47	18.08	49.55	74.00	-24.45	peak
5	13809.000	28.68	21.41	50.09	74.00	-23.91	peak
6	17989.000	24.44	26.04	50.48	74.00	-23.52	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.27	10.41	46.68	74.00	-27.32	peak
2	9618.000	36.28	10.92	47.20	74.00	-26.80	peak
3	11048.000	33.80	14.91	48.71	74.00	-25.29	peak
4	11862.000	31.57	17.45	49.02	74.00	-24.98	peak
5	13864.000	28.30	21.53	49.83	74.00	-24.17	peak
6	17703.000	25.82	24.09	49.91	74.00	-24.09	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.45	10.48	46.93	74.00	-27.07	peak
2	11070.000	33.74	15.01	48.75	74.00	-25.25	peak
3	11873.000	31.59	17.46	49.05	74.00	-24.95	peak
4	12709.000	31.46	18.09	49.55	74.00	-24.45	peak
5	13875.000	28.05	21.57	49.62	74.00	-24.38	peak
6	17989.000	23.80	26.04	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.20	10.41	46.61	74.00	-27.39	peak
2	11048.000	34.10	14.91	49.01	74.00	-24.99	peak
3	11873.000	31.07	17.46	48.53	74.00	-25.47	peak
4	12720.000	31.37	18.09	49.46	74.00	-24.54	peak
5	13886.000	29.00	21.60	50.60	74.00	-23.40	peak
6	17802.000	25.98	24.76	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.37	6.68	44.05	74.00	-29.95	peak
2	9233.000	36.16	10.48	46.64	74.00	-27.36	peak
3	11070.000	33.68	15.01	48.69	74.00	-25.31	peak
4	12632.000	31.08	17.99	49.07	74.00	-24.93	peak
5	13919.000	28.61	21.68	50.29	74.00	-23.71	peak
6	17967.000	24.65	25.89	50.54	74.00	-23.46	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.78	10.41	47.19	74.00	-26.81	peak
2	11048.000	34.75	14.91	49.66	74.00	-24.34	peak
3	11466.000	33.13	16.63	49.76	74.00	-24.24	peak
4	12698.000	32.07	18.08	50.15	74.00	-23.85	peak
5	13875.000	29.09	21.57	50.66	74.00	-23.34	peak
6	18000.000	24.03	26.12	50.15	74.00	-23.85	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.68	6.86	44.54	74.00	-29.46	peak
2	9068.000	36.54	10.39	46.93	74.00	-27.07	peak
3	11015.000	34.41	14.79	49.20	74.00	-24.80	peak
4	12555.000	31.35	17.90	49.25	74.00	-24.75	peak
5	13600.000	29.10	20.89	49.99	74.00	-24.01	peak
6	17945.000	24.19	25.75	49.94	74.00	-24.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.86	10.48	47.34	74.00	-26.66	peak
2	11004.000	34.43	14.74	49.17	74.00	-24.83	peak
3	11686.000	32.50	17.12	49.62	74.00	-24.38	peak
4	13875.000	28.82	21.57	50.39	74.00	-23.61	peak
5	17670.000	26.11	23.86	49.97	74.00	-24.03	peak
6	17989.000	24.01	26.04	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.39	10.45	46.84	74.00	-27.16	peak
2	11246.000	32.32	15.73	48.05	74.00	-25.95	peak
3	12654.000	30.80	18.01	48.81	74.00	-25.19	peak
4	13633.000	28.77	20.97	49.74	74.00	-24.26	peak
5	13919.000	28.44	21.68	50.12	74.00	-23.88	peak
6	17989.000	24.15	26.04	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.95	10.51	47.46	74.00	-26.54	peak
2	11015.000	34.42	14.79	49.21	74.00	-24.79	peak
3	11906.000	31.94	17.52	49.46	74.00	-24.54	peak
4	12368.000	32.37	17.80	50.17	74.00	-23.83	peak
5	13897.000	29.15	21.62	50.77	74.00	-23.23	peak
6	17648.000	25.92	23.72	49.64	74.00	-24.36	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.72	10.46	46.18	74.00	-27.82	peak
2	10883.000	34.92	14.27	49.19	74.00	-24.81	peak
3	11455.000	32.69	16.58	49.27	74.00	-24.73	peak
4	12643.000	31.47	18.01	49.48	74.00	-24.52	peak
5	13523.000	29.03	20.70	49.73	74.00	-24.27	peak
6	18000.000	23.65	26.12	49.77	74.00	-24.23	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.44	10.39	46.83	74.00	-27.17	peak
2	11059.000	34.52	14.96	49.48	74.00	-24.52	peak
3	11455.000	33.37	16.58	49.95	74.00	-24.05	peak
4	12698.000	31.67	18.08	49.75	74.00	-24.25	peak
5	13820.000	28.46	21.43	49.89	74.00	-24.11	peak
6	17703.000	25.12	24.09	49.21	74.00	-24.79	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.45	10.49	46.94	74.00	-27.06	peak
2	11059.000	34.63	14.96	49.59	74.00	-24.41	peak
3	11543.000	32.96	16.84	49.80	74.00	-24.20	peak
4	12698.000	32.03	18.08	50.11	74.00	-23.89	peak
5	13886.000	28.65	21.60	50.25	74.00	-23.75	peak
6	18000.000	24.76	26.12	50.88	74.00	-23.12	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	35.62	10.38	46.00	74.00	-28.00	peak
2	11059.000	34.82	14.96	49.78	74.00	-24.22	peak
3	11840.000	31.97	17.40	49.37	74.00	-24.63	peak
4	13380.000	29.38	20.12	49.50	74.00	-24.50	peak
5	13886.000	28.79	21.60	50.39	74.00	-23.61	peak
6	17967.000	24.58	25.89	50.47	74.00	-23.53	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.74	10.41	47.15	74.00	-26.85	peak
2	11070.000	34.21	15.01	49.22	74.00	-24.78	peak
3	11807.000	33.04	17.34	50.38	74.00	-23.62	peak
4	12698.000	32.10	18.08	50.18	74.00	-23.82	peak
5	13919.000	28.45	21.68	50.13	74.00	-23.87	peak
6	17978.000	24.90	25.97	50.87	74.00	-23.13	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.12	10.43	46.55	74.00	-27.45	peak
2	10564.000	34.60	13.06	47.66	74.00	-26.34	peak
3	11752.000	31.59	17.24	48.83	74.00	-25.17	peak
4	12643.000	30.98	18.01	48.99	74.00	-25.01	peak
5	13864.000	28.10	21.53	49.63	74.00	-24.37	peak
6	17703.000	24.89	24.09	48.98	74.00	-25.02	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.67	10.51	47.18	74.00	-26.82	peak
2	10861.000	34.87	14.20	49.07	74.00	-24.93	peak
3	11675.000	33.39	17.10	50.49	74.00	-23.51	peak
4	12632.000	32.27	17.99	50.26	74.00	-23.74	peak
5	13633.000	29.06	20.97	50.03	74.00	-23.97	peak
6	18000.000	24.44	26.12	50.56	74.00	-23.44	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.42	10.46	46.88	74.00	-27.12	peak
2	11059.000	34.63	14.96	49.59	74.00	-24.41	peak
3	11477.000	32.55	16.67	49.22	74.00	-24.78	peak
4	12676.000	31.36	18.05	49.41	74.00	-24.59	peak
5	13919.000	29.02	21.68	50.70	74.00	-23.30	peak
6	17989.000	24.06	26.04	50.10	74.00	-23.90	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8749.000	38.03	8.61	46.64	74.00	-27.36	peak
2	9244.000	36.12	10.49	46.61	74.00	-27.39	peak
3	10916.000	34.70	14.39	49.09	74.00	-24.91	peak
4	12632.000	30.60	17.99	48.59	74.00	-25.41	peak
5	13996.000	27.64	21.87	49.51	74.00	-24.49	peak
6	17989.000	22.68	26.04	48.72	74.00	-25.28	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.99	10.41	48.40	74.00	-25.60	peak
2	11048.000	34.08	14.91	48.99	74.00	-25.01	peak
3	12291.000	31.74	17.78	49.52	74.00	-24.48	peak
4	13875.000	29.40	21.57	50.97	74.00	-23.03	peak
5	14227.000	29.01	20.93	49.94	74.00	-24.06	peak
6	18000.000	24.42	26.12	50.54	74.00	-23.46	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.56	10.46	47.02	74.00	-26.98	peak
2	10916.000	35.72	14.39	50.11	74.00	-23.89	peak
3	11774.000	32.81	17.28	50.09	74.00	-23.91	peak
4	12698.000	32.03	18.08	50.11	74.00	-23.89	peak
5	13589.000	29.62	20.86	50.48	74.00	-23.52	peak
6	17593.000	26.10	23.34	49.44	74.00	-24.56	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.43	10.46	46.89	74.00	-27.11	peak
2	11048.000	34.63	14.91	49.54	74.00	-24.46	peak
3	11884.000	32.82	17.48	50.30	74.00	-23.70	peak
4	12720.000	31.96	18.09	50.05	74.00	-23.95	peak
5	13930.000	28.87	21.71	50.58	74.00	-23.42	peak
6	18000.000	23.62	26.12	49.74	74.00	-24.26	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.61	10.48	47.09	74.00	-26.91	peak
2	11070.000	34.43	15.01	49.44	74.00	-24.56	peak
3	11708.000	33.15	17.16	50.31	74.00	-23.69	peak
4	12621.000	32.30	17.98	50.28	74.00	-23.72	peak
5	13919.000	28.37	21.68	50.05	74.00	-23.95	peak
6	17989.000	23.49	26.04	49.53	74.00	-24.47	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.12	10.40	46.52	74.00	-27.48	peak
2	11026.000	34.66	14.82	49.48	74.00	-24.52	peak
3	11532.000	33.31	16.83	50.14	74.00	-23.86	peak
4	13006.000	31.47	18.47	49.94	74.00	-24.06	peak
5	13886.000	28.65	21.60	50.25	74.00	-23.75	peak
6	17725.000	25.37	24.24	49.61	74.00	-24.39	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.43	10.56	46.99	74.00	-27.01	peak
2	11048.000	33.92	14.91	48.83	74.00	-25.17	peak
3	11400.000	33.33	16.36	49.69	74.00	-24.31	peak
4	12610.000	31.91	17.97	49.88	74.00	-24.12	peak
5	13864.000	28.02	21.53	49.55	74.00	-24.45	peak
6	17989.000	23.25	26.04	49.29	74.00	-24.71	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.63	10.43	47.06	74.00	-26.94	peak
2	9563.000	37.15	10.79	47.94	74.00	-26.06	peak
3	11026.000	34.35	14.82	49.17	74.00	-24.83	peak
4	11873.000	31.46	17.46	48.92	74.00	-25.08	peak
5	13919.000	28.78	21.68	50.46	74.00	-23.54	peak
6	17714.000	25.50	24.16	49.66	74.00	-24.34	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10201.000	35.77	12.19	47.96	74.00	-26.04	peak
2	11059.000	34.34	14.96	49.30	74.00	-24.70	peak
3	11906.000	32.33	17.52	49.85	74.00	-24.15	peak
4	12654.000	32.13	18.01	50.14	74.00	-23.86	peak
5	13974.000	28.74	21.82	50.56	74.00	-23.44	peak
6	17934.000	24.44	25.67	50.11	74.00	-23.89	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.40	10.28	46.68	74.00	-27.32	peak
2	11411.000	34.20	16.41	50.61	74.00	-23.39	peak
3	11906.000	32.67	17.52	50.19	74.00	-23.81	peak
4	12621.000	31.63	17.98	49.61	74.00	-24.39	peak
5	13853.000	28.70	21.52	50.22	74.00	-23.78	peak
6	17989.000	23.78	26.04	49.82	74.00	-24.18	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.80	10.51	47.31	74.00	-26.69	peak
2	11004.000	34.19	14.74	48.93	74.00	-25.07	peak
3	11741.000	32.50	17.22	49.72	74.00	-24.28	peak
4	12643.000	32.28	18.01	50.29	74.00	-23.71	peak
5	13765.000	28.99	21.30	50.29	74.00	-23.71	peak
6	17769.000	24.46	24.53	48.99	74.00	-25.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.55	10.53	47.08	74.00	-26.92	peak
2	11004.000	34.45	14.74	49.19	74.00	-24.81	peak
3	11499.000	32.99	16.77	49.76	74.00	-24.24	peak
4	12709.000	31.71	18.09	49.80	74.00	-24.20	peak
5	13919.000	28.98	21.68	50.66	74.00	-23.34	peak
6	17989.000	24.33	26.04	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.00	10.39	46.39	74.00	-27.61	peak
2	10795.000	34.21	13.94	48.15	74.00	-25.85	peak
3	11785.000	31.75	17.30	49.05	74.00	-24.95	peak
4	12247.000	30.68	17.77	48.45	74.00	-25.55	peak
5	13985.000	27.03	21.85	48.88	74.00	-25.12	peak
6	17989.000	22.58	26.04	48.62	74.00	-25.38	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	37.09	6.69	43.78	74.00	-30.22	peak
2	9189.000	36.31	10.46	46.77	74.00	-27.23	peak
3	11059.000	34.55	14.96	49.51	74.00	-24.49	peak
4	11829.000	32.06	17.38	49.44	74.00	-24.56	peak
5	13930.000	28.64	21.71	50.35	74.00	-23.65	peak
6	17703.000	26.63	24.09	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.32	10.46	46.78	74.00	-27.22	peak
2	10223.000	35.23	12.24	47.47	74.00	-26.53	peak
3	11708.000	31.56	17.16	48.72	74.00	-25.28	peak
4	12731.000	31.46	18.12	49.58	74.00	-24.42	peak
5	13930.000	28.27	21.71	49.98	74.00	-24.02	peak
6	17978.000	23.85	25.97	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.22	10.81	47.03	74.00	-26.97	peak
2	11070.000	34.44	15.01	49.45	74.00	-24.55	peak
3	11664.000	32.51	17.08	49.59	74.00	-24.41	peak
4	12621.000	31.60	17.98	49.58	74.00	-24.42	peak
5	13864.000	28.95	21.53	50.48	74.00	-23.52	peak
6	18000.000	24.14	26.12	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.34	10.51	46.85	74.00	-27.15	peak
2	11015.000	33.72	14.79	48.51	74.00	-25.49	peak
3	11862.000	31.81	17.45	49.26	74.00	-24.74	peak
4	12643.000	31.22	18.01	49.23	74.00	-24.77	peak
5	13919.000	27.86	21.68	49.54	74.00	-24.46	peak
6	17989.000	23.97	26.04	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.46	10.45	46.91	74.00	-27.09	peak
2	10179.000	34.95	12.14	47.09	74.00	-26.91	peak
3	11048.000	34.91	14.91	49.82	74.00	-24.18	peak
4	12555.000	32.20	17.90	50.10	74.00	-23.90	peak
5	13534.000	29.27	20.73	50.00	74.00	-24.00	peak
6	17956.000	23.89	25.82	49.71	74.00	-24.29	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.34	10.54	46.88	74.00	-27.12	peak
2	11026.000	34.84	14.82	49.66	74.00	-24.34	peak
3	11774.000	32.56	17.28	49.84	74.00	-24.16	peak
4	12632.000	31.61	17.99	49.60	74.00	-24.40	peak
5	13633.000	29.08	20.97	50.05	74.00	-23.95	peak
6	18000.000	23.90	26.12	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.56	10.41	46.97	74.00	-27.03	peak
2	11037.000	34.95	14.87	49.82	74.00	-24.18	peak
3	11510.000	32.86	16.79	49.65	74.00	-24.35	peak
4	12643.000	32.79	18.01	50.80	74.00	-23.20	peak
5	13886.000	29.18	21.60	50.78	74.00	-23.22	peak
6	17989.000	24.57	26.04	50.61	74.00	-23.39	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.76	10.51	47.27	74.00	-26.73	peak
2	10894.000	35.07	14.32	49.39	74.00	-24.61	peak
3	11620.000	32.14	16.99	49.13	74.00	-24.87	peak
4	12665.000	31.93	18.04	49.97	74.00	-24.03	peak
5	13963.000	28.36	21.78	50.14	74.00	-23.86	peak
6	18000.000	23.51	26.12	49.63	74.00	-24.37	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.25	10.41	46.66	74.00	-27.34	peak
2	11026.000	35.13	14.82	49.95	74.00	-24.05	peak
3	11873.000	32.28	17.46	49.74	74.00	-24.26	peak
4	12698.000	32.08	18.08	50.16	74.00	-23.84	peak
5	13886.000	28.65	21.60	50.25	74.00	-23.75	peak
6	17648.000	26.16	23.72	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.68	10.05	46.73	74.00	-27.27	peak
2	11070.000	34.03	15.01	49.04	74.00	-24.96	peak
3	11730.000	32.25	17.19	49.44	74.00	-24.56	peak
4	12676.000	31.44	18.05	49.49	74.00	-24.51	peak
5	13930.000	27.83	21.71	49.54	74.00	-24.46	peak
6	18000.000	24.08	26.12	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.80	10.43	47.23	74.00	-26.77	peak
2	11015.000	34.72	14.79	49.51	74.00	-24.49	peak
3	11477.000	33.00	16.67	49.67	74.00	-24.33	peak
4	12621.000	31.78	17.98	49.76	74.00	-24.24	peak
5	13963.000	27.66	21.78	49.44	74.00	-24.56	peak
6	17989.000	23.81	26.04	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.19	10.51	46.70	74.00	-27.30	peak
2	11015.000	34.37	14.79	49.16	74.00	-24.84	peak
3	11741.000	31.72	17.22	48.94	74.00	-25.06	peak
4	12687.000	31.23	18.05	49.28	74.00	-24.72	peak
5	13952.000	27.29	21.76	49.05	74.00	-24.95	peak
6	17978.000	23.90	25.97	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	36.28	10.79	47.07	74.00	-26.93	peak
2	11015.000	34.21	14.79	49.00	74.00	-25.00	peak
3	11862.000	32.25	17.45	49.70	74.00	-24.30	peak
4	12643.000	31.97	18.01	49.98	74.00	-24.02	peak
5	13875.000	28.09	21.57	49.66	74.00	-24.34	peak
6	17967.000	24.14	25.89	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.40	10.51	46.91	74.00	-27.09	peak
2	11059.000	34.60	14.96	49.56	74.00	-24.44	peak
3	11840.000	32.00	17.40	49.40	74.00	-24.60	peak
4	12665.000	32.47	18.04	50.51	74.00	-23.49	peak
5	13853.000	28.83	21.52	50.35	74.00	-23.65	peak
6	17967.000	24.64	25.89	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.94	10.51	47.45	74.00	-26.55	peak
2	11059.000	34.75	14.96	49.71	74.00	-24.29	peak
3	11510.000	33.68	16.79	50.47	74.00	-23.53	peak
4	12621.000	31.28	17.98	49.26	74.00	-24.74	peak
5	13523.000	29.26	20.70	49.96	74.00	-24.04	peak
6	17989.000	23.49	26.04	49.53	74.00	-24.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.29	10.47	46.76	74.00	-27.24	peak
2	11048.000	34.89	14.91	49.80	74.00	-24.20	peak
3	11763.000	32.32	17.26	49.58	74.00	-24.42	peak
4	12709.000	31.71	18.09	49.80	74.00	-24.20	peak
5	14007.000	28.45	21.85	50.30	74.00	-23.70	peak
6	17978.000	24.50	25.97	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.66	10.41	47.07	74.00	-26.93	peak
2	11004.000	35.06	14.74	49.80	74.00	-24.20	peak
3	11928.000	33.03	17.57	50.60	74.00	-23.40	peak
4	12731.000	31.38	18.12	49.50	74.00	-24.50	peak
5	13864.000	29.17	21.53	50.70	74.00	-23.30	peak
6	17725.000	25.34	24.24	49.58	74.00	-24.42	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.73	10.51	47.24	74.00	-26.76	peak
2	10894.000	34.94	14.32	49.26	74.00	-24.74	peak
3	11752.000	33.17	17.24	50.41	74.00	-23.59	peak
4	13556.000	29.49	20.78	50.27	74.00	-23.73	peak
5	13985.000	28.31	21.85	50.16	74.00	-23.84	peak
6	17989.000	24.60	26.04	50.64	74.00	-23.36	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.88	10.41	47.29	74.00	-26.71	peak
2	11059.000	35.03	14.96	49.99	74.00	-24.01	peak
3	11521.000	33.07	16.82	49.89	74.00	-24.11	peak
4	12654.000	31.87	18.01	49.88	74.00	-24.12	peak
5	13864.000	29.05	21.53	50.58	74.00	-23.42	peak
6	17857.000	25.08	25.14	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.03	10.38	46.41	74.00	-27.59	peak
2	11092.000	34.01	15.10	49.11	74.00	-24.89	peak
3	11675.000	32.21	17.10	49.31	74.00	-24.69	peak
4	12687.000	31.99	18.05	50.04	74.00	-23.96	peak
5	13963.000	28.12	21.78	49.90	74.00	-24.10	peak
6	17989.000	24.01	26.04	50.05	74.00	-23.95	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.82	10.41	47.23	74.00	-26.77	peak
2	11059.000	33.44	14.96	48.40	74.00	-25.60	peak
3	11829.000	30.66	17.38	48.04	74.00	-25.96	peak
4	13864.000	28.07	21.53	49.60	74.00	-24.40	peak
5	17714.000	25.22	24.16	49.38	74.00	-24.62	peak
6	17989.000	23.88	26.04	49.92	74.00	-24.08	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	35.94	10.41	46.35	74.00	-27.65	peak
2	10806.000	35.24	13.98	49.22	74.00	-24.78	peak
3	11059.000	34.33	14.96	49.29	74.00	-24.71	peak
4	12665.000	31.62	18.04	49.66	74.00	-24.34	peak
5	13875.000	28.84	21.57	50.41	74.00	-23.59	peak
6	17989.000	23.95	26.04	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.44	10.41	46.85	74.00	-27.15	peak
2	11004.000	34.60	14.74	49.34	74.00	-24.66	peak
3	12742.000	30.98	18.13	49.11	74.00	-24.89	peak
4	13919.000	28.48	21.68	50.16	74.00	-23.84	peak
5	14392.000	29.88	20.24	50.12	74.00	-23.88	peak
6	17989.000	24.21	26.04	50.25	74.00	-23.75	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.38	10.41	46.79	74.00	-27.21	peak
2	11026.000	34.01	14.82	48.83	74.00	-25.17	peak
3	11334.000	33.59	16.09	49.68	74.00	-24.32	peak
4	12676.000	31.45	18.05	49.50	74.00	-24.50	peak
5	13468.000	29.13	20.50	49.63	74.00	-24.37	peak
6	18000.000	23.39	26.12	49.51	74.00	-24.49	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.33	10.51	46.84	74.00	-27.16	peak
2	11059.000	34.09	14.96	49.05	74.00	-24.95	peak
3	11334.000	33.40	16.09	49.49	74.00	-24.51	peak
4	12665.000	30.66	18.04	48.70	74.00	-25.30	peak
5	13589.000	29.12	20.86	49.98	74.00	-24.02	peak
6	17989.000	24.00	26.04	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	35.82	10.53	46.35	74.00	-27.65	peak
2	10916.000	34.23	14.39	48.62	74.00	-25.38	peak
3	11840.000	31.82	17.40	49.22	74.00	-24.78	peak
4	12643.000	30.56	18.01	48.57	74.00	-25.43	peak
5	13611.000	28.92	20.92	49.84	74.00	-24.16	peak
6	18000.000	23.33	26.12	49.45	74.00	-24.55	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.32	10.28	46.60	74.00	-27.40	peak
2	10168.000	35.50	12.13	47.63	74.00	-26.37	peak
3	11026.000	34.75	14.82	49.57	74.00	-24.43	peak
4	11521.000	32.77	16.82	49.59	74.00	-24.41	peak
5	13611.000	29.53	20.92	50.45	74.00	-23.55	peak
6	17714.000	25.52	24.16	49.68	74.00	-24.32	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.01	10.54	46.55	74.00	-27.45	peak
2	11070.000	33.76	15.01	48.77	74.00	-25.23	peak
3	11389.000	32.72	16.31	49.03	74.00	-24.97	peak
4	12599.000	31.79	17.95	49.74	74.00	-24.26	peak
5	13996.000	27.94	21.87	49.81	74.00	-24.19	peak
6	17978.000	22.75	25.97	48.72	74.00	-25.28	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.85	6.68	45.53	74.00	-28.47	peak
2	9134.000	36.96	10.41	47.37	74.00	-26.63	peak
3	11059.000	34.85	14.96	49.81	74.00	-24.19	peak
4	11862.000	31.24	17.45	48.69	74.00	-25.31	peak
5	13897.000	28.64	21.62	50.26	74.00	-23.74	peak
6	17978.000	24.12	25.97	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.36	10.51	46.87	74.00	-27.13	peak
2	11059.000	34.52	14.96	49.48	74.00	-24.52	peak
3	11675.000	32.78	17.10	49.88	74.00	-24.12	peak
4	12665.000	31.44	18.04	49.48	74.00	-24.52	peak
5	13919.000	28.54	21.68	50.22	74.00	-23.78	peak
6	17989.000	23.93	26.04	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7638.000	37.48	6.75	44.23	74.00	-29.77	peak
2	9167.000	36.20	10.45	46.65	74.00	-27.35	peak
3	11092.000	33.70	15.10	48.80	74.00	-25.20	peak
4	12632.000	30.05	17.99	48.04	74.00	-25.96	peak
5	13809.000	28.05	21.41	49.46	74.00	-24.54	peak
6	18000.000	23.48	26.12	49.60	74.00	-24.40	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.21	10.49	46.70	74.00	-27.30	peak
2	11048.000	34.29	14.91	49.20	74.00	-24.80	peak
3	11884.000	31.98	17.48	49.46	74.00	-24.54	peak
4	12687.000	30.97	18.05	49.02	74.00	-24.98	peak
5	13864.000	28.32	21.53	49.85	74.00	-24.15	peak
6	17912.000	24.20	25.52	49.72	74.00	-24.28	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.32	6.68	44.00	74.00	-30.00	peak
2	9189.000	36.49	10.46	46.95	74.00	-27.05	peak
3	11026.000	33.49	14.82	48.31	74.00	-25.69	peak
4	12665.000	30.43	18.04	48.47	74.00	-25.53	peak
5	13974.000	27.29	21.82	49.11	74.00	-24.89	peak
6	18000.000	22.58	26.12	48.70	74.00	-25.30	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.89	10.38	47.27	74.00	-26.73	peak
2	11191.000	34.18	15.50	49.68	74.00	-24.32	peak
3	11851.000	32.92	17.43	50.35	74.00	-23.65	peak
4	12665.000	32.94	18.04	50.98	74.00	-23.02	peak
5	13600.000	29.56	20.89	50.45	74.00	-23.55	peak
6	17934.000	25.24	25.67	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	37.80	6.66	44.46	74.00	-29.54	peak
2	9145.000	36.17	10.43	46.60	74.00	-27.40	peak
3	11004.000	35.14	14.74	49.88	74.00	-24.12	peak
4	11884.000	31.43	17.48	48.91	74.00	-25.09	peak
5	13798.000	28.65	21.38	50.03	74.00	-23.97	peak
6	17956.000	24.55	25.82	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	36.12	10.58	46.70	74.00	-27.30	peak
2	11125.000	33.97	15.22	49.19	74.00	-24.81	peak
3	11466.000	32.54	16.63	49.17	74.00	-24.83	peak
4	12742.000	31.32	18.13	49.45	74.00	-24.55	peak
5	13589.000	28.08	20.86	48.94	74.00	-25.06	peak
6	17978.000	23.49	25.97	49.46	74.00	-24.54	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.81	10.41	47.22	74.00	-26.78	peak
2	11422.000	32.88	16.46	49.34	74.00	-24.66	peak
3	11818.000	32.18	17.36	49.54	74.00	-24.46	peak
4	12698.000	31.60	18.08	49.68	74.00	-24.32	peak
5	13842.000	27.59	21.49	49.08	74.00	-24.92	peak
6	17967.000	24.27	25.89	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.32	6.52	45.84	74.00	-28.16	peak
2	10157.000	35.20	12.10	47.30	74.00	-26.70	peak
3	11059.000	33.80	14.96	48.76	74.00	-25.24	peak
4	12643.000	31.85	18.01	49.86	74.00	-24.14	peak
5	13919.000	27.53	21.68	49.21	74.00	-24.79	peak
6	17989.000	23.77	26.04	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.17	10.41	46.58	74.00	-27.42	peak
2	10520.000	34.86	12.90	47.76	74.00	-26.24	peak
3	11070.000	34.13	15.01	49.14	74.00	-24.86	peak
4	11873.000	32.71	17.46	50.17	74.00	-23.83	peak
5	13919.000	29.00	21.68	50.68	74.00	-23.32	peak
6	17615.000	26.17	23.49	49.66	74.00	-24.34	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.20	10.46	46.66	74.00	-27.34	peak
2	11004.000	33.85	14.74	48.59	74.00	-25.41	peak
3	11719.000	32.72	17.18	49.90	74.00	-24.10	peak
4	12555.000	31.47	17.90	49.37	74.00	-24.63	peak
5	13919.000	27.73	21.68	49.41	74.00	-24.59	peak
6	18000.000	23.70	26.12	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.47	10.43	46.90	74.00	-27.10	peak
2	11070.000	34.64	15.01	49.65	74.00	-24.35	peak
3	11411.000	33.58	16.41	49.99	74.00	-24.01	peak
4	12544.000	31.58	17.88	49.46	74.00	-24.54	peak
5	13809.000	28.68	21.41	50.09	74.00	-23.91	peak
6	17967.000	24.06	25.89	49.95	74.00	-24.05	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.64	10.49	47.13	74.00	-26.87	peak
2	11202.000	33.70	15.55	49.25	74.00	-24.75	peak
3	11719.000	32.41	17.18	49.59	74.00	-24.41	peak
4	12676.000	31.72	18.05	49.77	74.00	-24.23	peak
5	13743.000	28.53	21.24	49.77	74.00	-24.23	peak
6	18000.000	23.64	26.12	49.76	74.00	-24.24	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.09	10.41	46.50	74.00	-27.50	peak
2	11070.000	35.42	15.01	50.43	74.00	-23.57	peak
3	11455.000	33.84	16.58	50.42	74.00	-23.58	peak
4	12742.000	31.04	18.13	49.17	74.00	-24.83	peak
5	13523.000	28.70	20.70	49.40	74.00	-24.60	peak
6	17967.000	24.44	25.89	50.33	74.00	-23.67	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.84	10.51	47.35	74.00	-26.65	peak
2	11059.000	34.57	14.96	49.53	74.00	-24.47	peak
3	11653.000	32.56	17.05	49.61	74.00	-24.39	peak
4	12709.000	31.97	18.09	50.06	74.00	-23.94	peak
5	13897.000	28.37	21.62	49.99	74.00	-24.01	peak
6	17989.000	23.57	26.04	49.61	74.00	-24.39	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.10	10.46	46.56	74.00	-27.44	peak
2	11059.000	33.58	14.96	48.54	74.00	-25.46	peak
3	11884.000	31.48	17.48	48.96	74.00	-25.04	peak
4	12698.000	31.77	18.08	49.85	74.00	-24.15	peak
5	13897.000	27.90	21.62	49.52	74.00	-24.48	peak
6	17989.000	23.84	26.04	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.51	10.54	47.05	74.00	-26.95	peak
2	10982.000	34.40	14.64	49.04	74.00	-24.96	peak
3	11708.000	32.35	17.16	49.51	74.00	-24.49	peak
4	12610.000	31.73	17.97	49.70	74.00	-24.30	peak
5	13908.000	28.28	21.66	49.94	74.00	-24.06	peak
6	17989.000	23.78	26.04	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.82	10.45	47.27	74.00	-26.73	peak
2	11059.000	35.08	14.96	50.04	74.00	-23.96	peak
3	11521.000	34.18	16.82	51.00	74.00	-23.00	peak
4	12621.000	32.16	17.98	50.14	74.00	-23.86	peak
5	13864.000	29.15	21.53	50.68	74.00	-23.32	peak
6	17714.000	26.38	24.16	50.54	74.00	-23.46	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.56	10.41	46.97	74.00	-27.03	peak
2	10443.000	35.18	12.70	47.88	74.00	-26.12	peak
3	11785.000	33.18	17.30	50.48	74.00	-23.52	peak
4	12676.000	32.11	18.05	50.16	74.00	-23.84	peak
5	13974.000	28.13	21.82	49.95	74.00	-24.05	peak
6	17934.000	24.57	25.67	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	37.14	10.40	47.54	74.00	-26.46	peak
2	10553.000	35.60	13.02	48.62	74.00	-25.38	peak
3	11015.000	34.19	14.79	48.98	74.00	-25.02	peak
4	11884.000	31.92	17.48	49.40	74.00	-24.60	peak
5	13875.000	28.09	21.57	49.66	74.00	-24.34	peak
6	18000.000	23.98	26.12	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.60	10.46	47.06	74.00	-26.94	peak
2	10223.000	35.49	12.24	47.73	74.00	-26.27	peak
3	11048.000	34.27	14.91	49.18	74.00	-24.82	peak
4	12687.000	31.46	18.05	49.51	74.00	-24.49	peak
5	13523.000	29.09	20.70	49.79	74.00	-24.21	peak
6	17956.000	24.09	25.82	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.14	10.45	47.59	74.00	-26.41	peak
2	10564.000	34.98	13.06	48.04	74.00	-25.96	peak
3	11081.000	33.71	15.05	48.76	74.00	-25.24	peak
4	11884.000	31.84	17.48	49.32	74.00	-24.68	peak
5	13908.000	28.47	21.66	50.13	74.00	-23.87	peak
6	17978.000	23.28	25.97	49.25	74.00	-24.75	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.56	10.51	47.07	74.00	-26.93	peak
2	11048.000	33.90	14.91	48.81	74.00	-25.19	peak
3	11708.000	32.49	17.16	49.65	74.00	-24.35	peak
4	12676.000	31.91	18.05	49.96	74.00	-24.04	peak
5	13864.000	29.06	21.53	50.59	74.00	-23.41	peak
6	17989.000	24.44	26.04	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.19	10.54	46.73	74.00	-27.27	peak
2	11026.000	34.29	14.82	49.11	74.00	-24.89	peak
3	11906.000	32.04	17.52	49.56	74.00	-24.44	peak
4	13435.000	29.38	20.35	49.73	74.00	-24.27	peak
5	13908.000	29.05	21.66	50.71	74.00	-23.29	peak
6	17989.000	24.44	26.04	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.86	10.49	47.35	74.00	-26.65	peak
2	10938.000	34.82	14.48	49.30	74.00	-24.70	peak
3	11268.000	34.12	15.83	49.95	74.00	-24.05	peak
4	12599.000	31.85	17.95	49.80	74.00	-24.20	peak
5	14018.000	27.89	21.80	49.69	74.00	-24.31	peak
6	17956.000	23.92	25.82	49.74	74.00	-24.26	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.22	10.41	47.63	74.00	-26.37	peak
2	10564.000	35.34	13.06	48.40	74.00	-25.60	peak
3	11059.000	33.86	14.96	48.82	74.00	-25.18	peak
4	12621.000	31.84	17.98	49.82	74.00	-24.18	peak
5	13534.000	29.48	20.73	50.21	74.00	-23.79	peak
6	17978.000	24.36	25.97	50.33	74.00	-23.67	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.59	10.55	47.14	74.00	-26.86	peak
2	10883.000	34.04	14.27	48.31	74.00	-25.69	peak
3	11268.000	32.79	15.83	48.62	74.00	-25.38	peak
4	12698.000	30.79	18.08	48.87	74.00	-25.13	peak
5	13853.000	28.53	21.52	50.05	74.00	-23.95	peak
6	17989.000	24.12	26.04	50.16	74.00	-23.84	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	76.72	-101.40	-24.68	47.60	-72.28	peak
2	0.0114	75.38	-101.40	-26.02	46.46	-72.48	peak
3	0.0160	71.47	-101.37	-29.90	43.52	-73.42	peak
4	0.0221	71.63	-101.35	-29.72	40.71	-70.43	peak
5	0.0279	69.17	-101.38	-32.21	38.69	-70.90	peak
6	0.0362	66.51	-101.42	-34.91	36.43	-71.34	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	76.27	-101.65	-25.38	23.77	-49.15	peak
2	0.1595	75.86	-101.65	-25.79	23.55	-49.34	peak
3	0.1794	73.27	-101.68	-28.41	22.53	-50.94	peak
4	0.2127	69.95	-101.74	-31.79	21.04	-52.83	peak
5	0.2442	67.53	-101.79	-34.26	19.85	-54.11	peak
6	0.2837	64.72	-101.83	-37.11	18.54	-55.65	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5039	64.93	-62.07	2.86	33.56	-30.70	peak
2	0.7641	63.92	-62.12	1.80	29.94	-28.14	peak
3	1.5564	59.68	-62.02	-2.34	23.76	-26.10	peak
4	3.7100	57.20	-61.41	-4.21	29.54	-33.75	peak
5	7.3361	56.08	-61.17	-5.09	29.54	-34.63	peak
6	11.8513	56.06	-60.88	-4.82	29.54	-34.36	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	19392.000	51.12	-5.57	45.55	74.00	-28.45	peak
2	20232.000	51.21	-5.60	45.61	74.00	-28.39	peak
3	22040.000	50.07	-4.44	45.63	74.00	-28.37	peak
4	23480.000	49.04	-3.16	45.88	74.00	-28.12	peak
5	23744.000	49.15	-3.20	45.95	74.00	-28.05	peak
6	25000.000	47.86	-2.10	45.76	74.00	-28.24	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18624.000	50.33	-5.34	44.99	74.00	-29.01	peak
2	19784.000	49.57	-5.28	44.29	74.00	-29.71	peak
3	21544.000	49.26	-4.63	44.63	74.00	-29.37	peak
4	23360.000	48.10	-3.26	44.84	74.00	-29.16	peak
5	24568.000	47.10	-2.33	44.77	74.00	-29.23	peak
6	25784.000	45.35	-0.67	44.68	74.00	-29.32	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28086.000	49.91	-3.49	46.42	74.00	-27.58	peak
2	31012.000	48.33	-0.71	47.62	74.00	-26.38	peak
3	31670.000	48.86	-1.21	47.65	74.00	-26.35	peak
4	33644.000	47.81	0.42	48.23	74.00	-25.77	peak
5	35870.000	44.83	3.75	48.58	74.00	-25.42	peak
6	38320.000	45.06	3.77	48.83	74.00	-25.17	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28828.000	48.63	-0.79	47.84	74.00	-26.16	peak
2	31320.000	49.11	-0.93	48.18	74.00	-25.82	peak
3	32104.000	49.49	-1.75	47.74	74.00	-26.26	peak
4	35828.000	45.25	3.67	48.92	74.00	-25.08	peak
5	37158.000	44.84	3.17	48.01	74.00	-25.99	peak
6	39972.000	43.45	5.13	48.58	74.00	-25.42	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	30.0000	43.37	-18.24	25.13	40.00	-14.87	QP
2	224.9700	42.67	-17.72	24.95	46.00	-21.05	QP
3	275.4100	45.43	-17.02	28.41	46.00	-17.59	QP
4	331.6700	50.93	-13.79	37.14	46.00	-8.86	QP
5	399.5700	48.52	-12.96	35.56	46.00	-10.44	QP
6	450.0100	43.20	-11.84	31.36	46.00	-14.64	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	30.0000	46.05	-18.24	27.81	40.00	-12.19	QP
2	105.6600	45.56	-20.70	24.86	43.50	-18.64	QP
3	332.6400	49.05	-13.74	35.31	46.00	-10.69	QP
4	399.5700	41.00	-12.96	28.04	46.00	-17.96	QP
5	499.4800	44.75	-10.68	34.07	46.00	-11.93	QP
6	874.8700	33.14	-5.44	27.70	46.00	-18.30	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a).

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	25.4°C	Relative Humidity	65%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	September 12, 2023	Test By	Wite Chen
-----------	--------------------	---------	-----------

TEST RESULTS

Test Mode:	802.11a	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1819	15.30	9.59	24.89	64.40	-39.51	QP
2	0.1819	3.88	9.59	13.47	54.40	-40.93	AVG
3	0.4358	18.71	9.60	28.31	57.14	-28.83	QP
4	0.4358	16.32	9.60	25.92	47.14	-21.22	AVG
5	0.7079	14.97	9.60	24.57	56.00	-31.43	QP
6	0.7079	7.75	9.60	17.35	46.00	-28.65	AVG
7	1.0086	12.66	9.61	22.27	56.00	-33.73	QP
8	1.0086	5.84	9.61	15.45	46.00	-30.55	AVG
9	2.6236	11.94	9.65	21.59	56.00	-34.41	QP
10	2.6236	8.15	9.65	17.80	46.00	-28.20	AVG
11	6.4837	15.38	9.73	25.11	60.00	-34.89	QP
12	6.4837	10.05	9.73	19.78	50.00	-30.22	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1647	16.46	9.52	25.98	65.22	-39.24	QP
2	0.1647	3.09	9.52	12.61	55.22	-42.61	AVG
3	0.4313	21.45	9.52	30.97	57.23	-26.26	QP
4	0.4313	14.69	9.52	24.21	47.23	-23.02	AVG
5	0.7966	19.68	9.50	29.18	56.00	-26.82	QP
6	0.7966	12.07	9.50	21.57	46.00	-24.43	AVG
7	2.5956	15.00	9.62	24.62	56.00	-31.38	QP
8	2.5956	8.91	9.62	18.53	46.00	-27.47	AVG
9	6.8146	18.44	9.63	28.07	60.00	-31.93	QP
10	6.8146	12.50	9.63	22.13	50.00	-27.87	AVG
11	13.5352	12.02	9.66	21.68	60.00	-38.32	QP
12	13.5352	6.18	9.66	15.84	50.00	-34.16	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant1	5180	17.640	5171.240	5188.880	PASS
	Ant3	5180	18.560	5170.760	5189.320	PASS
	Ant1	5200	18.360	5190.920	5209.280	PASS
	Ant3	5200	18.720	5190.480	5209.200	PASS
	Ant1	5240	18.520	5230.880	5249.400	PASS
	Ant3	5240	18.080	5230.920	5249.000	PASS
	Ant1	5260	18.360	5250.880	5269.240	PASS
	Ant3	5260	18.080	5251.040	5269.120	PASS
	Ant1	5280	18.000	5271.080	5289.080	PASS
	Ant3	5280	18.440	5270.960	5289.400	PASS
	Ant1	5320	17.720	5311.080	5328.800	PASS
	Ant3	5320	18.360	5310.680	5329.040	PASS
	Ant1	5500	18.320	5490.960	5509.280	PASS
	Ant3	5500	18.080	5490.920	5509.000	PASS
	Ant1	5580	18.520	5570.840	5589.360	PASS
	Ant3	5580	18.280	5570.760	5589.040	PASS
	Ant1	5700	18.120	5691.000	5709.120	PASS
	Ant3	5700	18.160	5691.000	5709.160	PASS
	Ant1	5720	18.480	5710.760	5729.240	PASS
	Ant3	5720	18.320	5710.880	5729.200	PASS
	Ant1	5720_UNII-2C	14.24	5710.760	5725	PASS
	Ant3	5720_UNII-2C	14.12	5710.880	5725	PASS
	Ant1	5720_UNII-3	4.24	5725	5729.240	PASS
	Ant3	5720_UNII-3	4.2	5725	5729.200	PASS
	Ant1	5745	18.440	5735.840	5754.280	PASS
	Ant3	5745	18.240	5735.760	5754.000	PASS
	Ant1	5785	18.200	5775.840	5794.040	PASS
	Ant3	5785	18.440	5776.000	5794.440	PASS
	Ant1	5825	18.480	5815.920	5834.400	PASS
	Ant3	5825	18.200	5815.840	5834.040	PASS
11N20MIMO	Ant1	5180	19.280	5170.200	5189.480	PASS
	Ant3	5180	19.280	5170.480	5189.760	PASS
	Ant1	5200	19.200	5190.320	5209.520	PASS
	Ant3	5200	19.040	5190.400	5209.440	PASS
	Ant1	5240	19.200	5230.360	5249.560	PASS
	Ant3	5240	19.600	5230.240	5249.840	PASS
	Ant1	5260	19.440	5250.200	5269.640	PASS
	Ant3	5260	19.760	5250.160	5269.920	PASS
	Ant1	5280	19.200	5270.320	5289.520	PASS
	Ant3	5280	19.080	5270.440	5289.520	PASS
	Ant1	5320	19.000	5310.440	5329.440	PASS
	Ant3	5320	18.920	5310.800	5329.720	PASS
	Ant1	5500	19.080	5490.440	5509.520	PASS
	Ant3	5500	19.480	5490.280	5509.760	PASS
	Ant1	5580	19.160	5570.400	5589.560	PASS
	Ant3	5580	19.440	5570.320	5589.760	PASS
	Ant1	5700	19.280	5690.320	5709.600	PASS
	Ant3	5700	19.040	5690.440	5709.480	PASS
	Ant1	5720	19.000	5710.600	5729.600	PASS
	Ant3	5720	19.360	5710.240	5729.600	PASS
	Ant1	5720_UNII-2C	14.4	5710.600	5725	PASS
	Ant3	5720_UNII-2C	14.76	5710.240	5725	PASS
	Ant1	5720_UNII-3	4.6	5725	5729.600	PASS
	Ant3	5720_UNII-3	4.6	5725	5729.600	PASS
Ant1	5745	19.120	5735.320	5754.440	PASS	

	Ant3	5745	19.480	5735.280	5754.760	PASS
	Ant1	5785	19.280	5775.400	5794.680	PASS
	Ant3	5785	19.080	5775.480	5794.560	PASS
	Ant1	5825	19.000	5815.560	5834.560	PASS
	Ant3	5825	19.280	5815.320	5834.600	PASS
11N40MIMO	Ant1	5190	38.560	5170.720	5209.280	PASS
	Ant3	5190	39.040	5170.640	5209.680	PASS
	Ant1	5230	38.240	5211.040	5249.280	PASS
	Ant3	5230	38.640	5210.560	5249.200	PASS
	Ant1	5270	38.800	5250.560	5289.360	PASS
	Ant3	5270	38.560	5250.720	5289.280	PASS
	Ant1	5310	39.200	5290.320	5329.520	PASS
	Ant3	5310	38.560	5290.560	5329.120	PASS
	Ant1	5510	38.640	5490.880	5529.520	PASS
	Ant3	5510	44.480	5487.280	5531.760	PASS
	Ant1	5550	38.400	5530.800	5569.200	PASS
	Ant3	5550	39.040	5530.400	5569.440	PASS
	Ant1	5670	38.320	5650.800	5689.120	PASS
	Ant3	5670	39.280	5650.480	5689.760	PASS
	Ant1	5710	38.480	5690.640	5729.120	PASS
	Ant3	5710	38.480	5690.960	5729.440	PASS
	Ant1	5710_UNII-2C	34.36	5690.640	5725	PASS
	Ant3	5710_UNII-2C	34.04	5690.960	5725	PASS
	Ant1	5710_UNII-3	4.12	5725	5729.120	PASS
	Ant3	5710_UNII-3	4.44	5725	5729.440	PASS
	Ant1	5755	38.640	5735.560	5774.200	PASS
	Ant3	5755	38.720	5735.880	5774.600	PASS
	Ant1	5795	38.560	5775.640	5814.200	PASS
	Ant3	5795	38.720	5775.720	5814.440	PASS
11AC80MIMO	Ant1	5210	86.080	5167.280	5253.360	PASS
	Ant3	5210	84.480	5168.080	5252.560	PASS
	Ant1	5290	85.280	5247.760	5333.040	PASS
	Ant3	5290	82.880	5248.240	5331.120	PASS
	Ant1	5530	86.720	5486.000	5572.720	PASS
	Ant3	5530	85.760	5487.280	5573.040	PASS
	Ant1	5610	84.960	5568.080	5653.040	PASS
	Ant3	5610	84.320	5568.080	5652.400	PASS
	Ant1	5690	84.320	5647.920	5732.240	PASS
	Ant3	5690	84.640	5648.240	5732.880	PASS
	Ant1	5690_UNII-2C	77.08	5647.920	5725	PASS
	Ant3	5690_UNII-2C	76.76	5648.240	5725	PASS
	Ant1	5690_UNII-3	7.24	5725	5732.240	PASS
	Ant3	5690_UNII-3	7.88	5725	5732.880	PASS
	Ant1	5775	86.240	5732.280	5818.520	PASS
	Ant3	5775	83.680	5733.720	5817.400	PASS
11AX20MIMO	Ant1	5180	20.320	5170.040	5190.360	PASS
	Ant3	5180	20.280	5169.880	5190.160	PASS
	Ant1	5200	20.080	5190.120	5210.200	PASS
	Ant3	5200	20.040	5190.080	5210.120	PASS
	Ant1	5240	20.000	5230.080	5250.080	PASS
	Ant3	5240	20.120	5229.920	5250.040	PASS
	Ant1	5260	19.800	5250.200	5270.000	PASS
	Ant3	5260	19.920	5250.040	5269.960	PASS
	Ant1	5280	20.120	5270.080	5290.200	PASS
	Ant3	5280	20.280	5269.960	5290.240	PASS
	Ant1	5320	19.880	5310.080	5329.960	PASS
	Ant3	5320	20.080	5310.000	5330.080	PASS
	Ant1	5500	20.000	5489.920	5509.920	PASS
	Ant3	5500	20.160	5489.920	5510.080	PASS
	Ant1	5580	20.200	5570.040	5590.240	PASS
	Ant3	5580	20.040	5569.960	5590.000	PASS
	Ant1	5700	20.200	5689.960	5710.160	PASS
	Ant3	5700	19.880	5690.160	5710.040	PASS
Ant1	5720	20.160	5710.120	5730.280	PASS	

	Ant3	5720	20.080	5710.000	5730.080	PASS
	Ant1	5720_UNII-2C	14.88	5710.120	5725	PASS
	Ant3	5720_UNII-2C	15	5710.000	5725	PASS
	Ant1	5720_UNII-3	5.28	5725	5730.280	PASS
	Ant3	5720_UNII-3	5.08	5725	5730.080	PASS
	Ant1	5745	20.080	5734.920	5755.000	PASS
	Ant3	5745	19.880	5735.120	5755.000	PASS
	Ant1	5785	19.760	5775.120	5794.880	PASS
	Ant3	5785	20.640	5774.680	5795.320	PASS
	Ant1	5825	20.080	5814.960	5835.040	PASS
	Ant3	5825	20.000	5815.120	5835.120	PASS
11AX40MIMO	Ant1	5190	40.000	5170.080	5210.080	PASS
	Ant3	5190	39.200	5170.400	5209.600	PASS
	Ant1	5230	39.680	5210.320	5250.000	PASS
	Ant3	5230	39.360	5210.400	5249.760	PASS
	Ant1	5270	39.200	5250.400	5289.600	PASS
	Ant3	5270	39.600	5250.160	5289.760	PASS
	Ant1	5310	39.280	5290.400	5329.680	PASS
	Ant3	5310	39.280	5290.480	5329.760	PASS
	Ant1	5510	39.840	5490.160	5530.000	PASS
	Ant3	5510	39.280	5490.400	5529.680	PASS
	Ant1	5550	39.680	5530.240	5569.920	PASS
	Ant3	5550	39.440	5530.400	5569.840	PASS
	Ant1	5670	39.920	5650.080	5690.000	PASS
	Ant3	5670	39.440	5650.160	5689.600	PASS
	Ant1	5710	39.600	5690.320	5729.920	PASS
	Ant3	5710	39.440	5690.160	5729.600	PASS
	Ant1	5710_UNII-2C	34.68	5690.320	5725	PASS
	Ant3	5710_UNII-2C	34.84	5690.160	5725	PASS
	Ant1	5710_UNII-3	4.92	5725	5729.920	PASS
	Ant3	5710_UNII-3	4.6	5725	5729.600	PASS
	Ant1	5755	39.520	5735.080	5774.600	PASS
	Ant3	5755	39.760	5735.320	5775.080	PASS
	Ant1	5795	39.520	5775.240	5814.760	PASS
Ant3	5795	39.360	5775.240	5814.600	PASS	
11AX80MIMO	Ant1	5210	84.160	5168.080	5252.240	PASS
	Ant3	5210	83.200	5167.920	5251.120	PASS
	Ant1	5290	84.480	5248.560	5333.040	PASS
	Ant3	5290	85.600	5246.480	5332.080	PASS
	Ant1	5530	85.760	5487.760	5573.520	PASS
	Ant3	5530	84.160	5487.600	5571.760	PASS
	Ant1	5610	86.880	5567.600	5654.480	PASS
	Ant3	5610	86.400	5566.320	5652.720	PASS
	Ant1	5690	84.960	5648.080	5733.040	PASS
	Ant3	5690	87.840	5646.480	5734.320	PASS
	Ant1	5690_UNII-2C	76.92	5648.080	5725	PASS
	Ant3	5690_UNII-2C	78.52	5646.480	5725	PASS
	Ant1	5690_UNII-3	8.04	5725	5733.040	PASS
	Ant3	5690_UNII-3	9.32	5725	5734.320	PASS
	Ant1	5775	82.880	5733.720	5816.600	PASS
Ant3	5775	86.080	5732.920	5819.000	PASS	

11.1.2. Test Graphs



