




**11AX40MIMO\_Ant1\_5795**





## 11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

### 11.4.1. Test Result

Test Mode	Antenna	Frequency [MHz]	Power [dBm]	FCC Limit [dBm]	Verdict	
11A	Ant1	5180	15.73	≤23.98	PASS	
	Ant3	5180	16.08	≤23.98	PASS	
	Ant1	5200	15.36	≤23.98	PASS	
	Ant3	5200	15.86	≤23.98	PASS	
	Ant1	5240	15.13	≤23.98	PASS	
	Ant3	5240	15.78	≤23.98	PASS	
	Ant1	5260	15.09	≤23.64	PASS	
	Ant3	5260	15.09	≤23.57	PASS	
	Ant1	5280	14.86	≤23.55	PASS	
	Ant3	5280	14.79	≤23.66	PASS	
	Ant1	5320	14.66	≤23.48	PASS	
	Ant3	5320	14.02	≤23.64	PASS	
	Ant1	5500	15.49	≤23.63	PASS	
	Ant3	5500	15.47	≤23.57	PASS	
	Ant1	5580	14.55	≤23.68	PASS	
	Ant3	5580	15.19	≤23.62	PASS	
	Ant1	5700	14.10	≤23.58	PASS	
	Ant3	5700	15.12	≤23.59	PASS	
	Ant1	5720_UNII-2C	12.04	≤22.54	PASS	
	Ant3	5720_UNII-2C	13.61	≤22.50	PASS	
	Ant1	5720_UNII-3	4.38	≤30.00	PASS	
	Ant3	5720_UNII-3	6.34	≤30.00	PASS	
	Ant1	5745	15.11	≤30.00	PASS	
	Ant3	5745	15.32	≤30.00	PASS	
	Ant1	5785	15.16	≤30.00	PASS	
	Ant3	5785	15.09	≤30.00	PASS	
	Ant1	5825	15.56	≤30.00	PASS	
	Ant3	5825	15.41	≤30.00	PASS	
	11N20MIMO	Ant1	5180	15.38	≤23.98	PASS
		Ant3	5180	15.98	≤23.98	PASS
total		5180	18.70	≤23.98	PASS	
Ant1		5200	15.19	≤23.98	PASS	
Ant3		5200	15.80	≤23.98	PASS	
total		5200	18.52	≤23.98	PASS	
Ant1		5240	15.01	≤23.98	PASS	
Ant3		5240	15.64	≤23.98	PASS	
total		5240	18.35	≤23.98	PASS	
Ant1		5260	14.73	≤23.89	PASS	
Ant3		5260	14.79	≤23.96	PASS	
total		5260	17.77	≤23.98	PASS	
Ant1		5280	14.65	≤23.83	PASS	
Ant3		5280	14.75	≤23.81	PASS	
total		5280	17.71	≤23.98	PASS	
Ant1		5320	14.34	≤23.79	PASS	
Ant3		5320	14.23	≤23.77	PASS	
total		5320	17.30	≤23.98	PASS	
Ant1		5500	14.30	≤23.81	PASS	
Ant3		5500	15.40	≤23.90	PASS	
total		5500	17.90	≤23.98	PASS	
Ant1		5580	15.33	≤23.82	PASS	
Ant3		5580	16.36	≤23.89	PASS	
total		5580	18.89	≤23.98	PASS	
Ant1		5700	13.52	≤23.85	PASS	
Ant3		5700	14.87	≤23.80	PASS	
total		5700	17.26	≤23.98	PASS	
Ant1		5720_UNII-2C	12.51	≤22.58	PASS	
Ant3		5720_UNII-2C	14.30	≤22.69	PASS	
total		5720_UNII-2C	16.51	≤23.98	PASS	

	Ant1	5720_UNII-3	5.76	≤30.00	PASS
	Ant3	5720_UNII-3	7.60	≤30.00	PASS
	total	5720_UNII-3	9.79	≤30.00	PASS
	Ant1	5745	14.06	≤30.00	PASS
	Ant3	5745	15.02	≤30.00	PASS
	total	5745	17.58	≤30.00	PASS
	Ant1	5785	14.11	≤30.00	PASS
	Ant3	5785	14.93	≤30.00	PASS
	total	5785	17.55	≤30.00	PASS
	Ant1	5825	14.43	≤30.00	PASS
	Ant3	5825	15.04	≤30.00	PASS
	total	5825	17.76	≤30.00	PASS
	Ant1	5190	14.81	≤23.98	PASS
	Ant3	5190	15.31	≤23.98	PASS
	total	5190	18.08	≤23.98	PASS
	Ant1	5230	14.34	≤23.98	PASS
	Ant3	5230	15.08	≤23.98	PASS
	total	5230	17.74	≤23.98	PASS
	Ant1	5270	13.95	≤23.98	PASS
	Ant3	5270	14.17	≤23.98	PASS
	total	5270	17.07	≤23.98	PASS
	Ant1	5310	13.59	≤23.98	PASS
	Ant3	5310	13.71	≤23.98	PASS
	total	5310	16.66	≤23.98	PASS
	Ant1	5510	13.53	≤23.98	PASS
	Ant3	5510	15.04	≤23.98	PASS
	total	5510	17.36	≤23.98	PASS
	Ant1	5550	14.47	≤23.98	PASS
	Ant3	5550	16.32	≤23.98	PASS
	total	5550	18.50	≤23.98	PASS
	Ant1	5670	14.28	≤23.98	PASS
	Ant3	5670	16.26	≤23.98	PASS
	total	5670	18.39	≤23.98	PASS
	Ant1	5710_UNII-2C	13.68	≤23.98	PASS
	Ant3	5710_UNII-2C	15.73	≤23.98	PASS
	total	5710_UNII-2C	17.84	≤23.98	PASS
	Ant1	5710_UNII-3	1.38	≤30.00	PASS
	Ant3	5710_UNII-3	3.56	≤30.00	PASS
	total	5710_UNII-3	5.62	≤30.00	PASS
	Ant1	5755	14.07	≤30.00	PASS
	Ant3	5755	15.10	≤30.00	PASS
	total	5755	17.63	≤30.00	PASS
	Ant1	5795	14.70	≤30.00	PASS
	Ant3	5795	15.64	≤30.00	PASS
	total	5795	18.21	≤30.00	PASS
11N40MIMO	Ant1	5210	13.23	≤23.98	PASS
	Ant3	5210	13.59	≤23.98	PASS
	total	5210	16.42	≤23.98	PASS
	Ant1	5290	12.77	≤23.98	PASS
	Ant3	5290	12.63	≤23.98	PASS
	total	5290	15.71	≤23.98	PASS
	Ant1	5530	12.58	≤23.98	PASS
	Ant3	5530	13.91	≤23.98	PASS
	total	5530	16.31	≤23.98	PASS
	Ant1	5610	13.02	≤23.98	PASS
	Ant3	5610	14.27	≤23.98	PASS
	total	5610	16.70	≤23.98	PASS
	Ant1	5690_UNII-2C	11.76	≤23.98	PASS
	Ant3	5690_UNII-2C	13.61	≤23.98	PASS
	total	5690_UNII-2C	15.79	≤23.98	PASS
	Ant1	5690_UNII-3	-1.74	≤30.00	PASS
	Ant3	5690_UNII-3	-0.18	≤30.00	PASS
	total	5690_UNII-3	2.12	≤30.00	PASS
	Ant1	5775	12.20	≤30.00	PASS
11AC80MIMO					

	Ant3	5775	13.15	≤30.00	PASS
	total	5775	15.71	≤30.00	PASS
11AX20MIMO	Ant1	5180	11.58	≤23.98	PASS
	Ant3	5180	11.74	≤23.98	PASS
	total	5180	14.67	≤23.98	PASS
	Ant1	5200	11.00	≤23.98	PASS
	Ant3	5200	11.32	≤23.98	PASS
	total	5200	14.17	≤23.98	PASS
	Ant1	5240	10.74	≤23.98	PASS
	Ant3	5240	11.22	≤23.98	PASS
	total	5240	14.00	≤23.98	PASS
	Ant1	5260	10.69	≤23.97	PASS
	Ant3	5260	10.60	≤23.98	PASS
	total	5260	13.66	≤23.98	PASS
	Ant1	5280	10.59	≤23.98	PASS
	Ant3	5280	10.44	≤23.98	PASS
	total	5280	13.53	≤23.98	PASS
	Ant1	5320	11.29	≤23.98	PASS
	Ant3	5320	10.83	≤23.98	PASS
	total	5320	14.08	≤23.98	PASS
	Ant1	5500	11.11	≤23.98	PASS
	Ant3	5500	11.93	≤23.98	PASS
	total	5500	14.55	≤23.98	PASS
	Ant1	5580	11.09	≤23.98	PASS
	Ant3	5580	11.94	≤23.98	PASS
	total	5580	14.55	≤23.98	PASS
	Ant1	5700	10.85	≤23.98	PASS
	Ant3	5700	12.66	≤23.98	PASS
	total	5700	14.86	≤23.98	PASS
	Ant1	5720_UNII-2C	9.07	≤22.73	PASS
	Ant3	5720_UNII-2C	10.62	≤22.76	PASS
	total	5720_UNII-2C	12.92	≤23.98	PASS
	Ant1	5720_UNII-3	3.09	≤30.00	PASS
	Ant3	5720_UNII-3	5.03	≤30.00	PASS
total	5720_UNII-3	7.18	≤30.00	PASS	
Ant1	5745	10.55	≤30.00	PASS	
Ant3	5745	11.53	≤30.00	PASS	
total	5745	14.08	≤30.00	PASS	
Ant1	5785	10.58	≤30.00	PASS	
Ant3	5785	11.18	≤30.00	PASS	
total	5785	13.90	≤30.00	PASS	
Ant1	5825	11.20	≤30.00	PASS	
Ant3	5825	11.58	≤30.00	PASS	
total	5825	14.40	≤30.00	PASS	
11AX40MIMO	Ant1	5190	10.70	≤23.98	PASS
	Ant3	5190	11.21	≤23.98	PASS
	total	5190	13.97	≤23.98	PASS
	Ant1	5230	10.36	≤23.98	PASS
	Ant3	5230	10.85	≤23.98	PASS
	total	5230	13.62	≤23.98	PASS
	Ant1	5270	11.17	≤23.98	PASS
	Ant3	5270	11.18	≤23.98	PASS
	total	5270	14.19	≤23.98	PASS
	Ant1	5310	10.91	≤23.98	PASS
	Ant3	5310	10.63	≤23.98	PASS
	total	5310	13.78	≤23.98	PASS
	Ant1	5510	10.35	≤23.98	PASS
	Ant3	5510	11.53	≤23.98	PASS
	total	5510	13.99	≤23.98	PASS
	Ant1	5550	10.40	≤23.98	PASS
	Ant3	5550	11.78	≤23.98	PASS
	total	5550	14.15	≤23.98	PASS
Ant1	5670	10.26	≤23.98	PASS	
Ant3	5670	12.21	≤23.98	PASS	



	total	5670	14.35	≤23.98	PASS
	Ant1	5710_UNII-2C	9.77	≤23.98	PASS
	Ant3	5710_UNII-2C	11.81	≤23.98	PASS
	total	5710_UNII-2C	13.92	≤23.98	PASS
	Ant1	5710_UNII-3	-1.93	≤30.00	PASS
	Ant3	5710_UNII-3	0.18	≤30.00	PASS
	total	5710_UNII-3	2.26	≤30.00	PASS
	Ant1	5755	10.04	≤30.00	PASS
	Ant3	5755	11.25	≤30.00	PASS
	total	5755	13.70	≤30.00	PASS
	Ant1	5795	10.23	≤30.00	PASS
	Ant3	5795	11.25	≤30.00	PASS
	total	5795	13.78	≤30.00	PASS
11AX80MIMO	Ant1	5210	11.23	≤23.98	PASS
	Ant3	5210	11.65	≤23.98	PASS
	total	5210	14.46	≤23.98	PASS
	Ant1	5290	10.79	≤23.98	PASS
	Ant3	5290	10.57	≤23.98	PASS
	total	5290	13.69	≤23.98	PASS
	Ant1	5530	10.60	≤23.98	PASS
	Ant3	5530	11.79	≤23.98	PASS
	total	5530	14.25	≤23.98	PASS
	Ant1	5610	11.11	≤23.98	PASS
	Ant3	5610	12.17	≤23.98	PASS
	total	5610	14.68	≤23.98	PASS
	Ant1	5690_UNII-2C	9.64	≤23.98	PASS
	Ant3	5690_UNII-2C	11.39	≤23.98	PASS
	total	5690_UNII-2C	13.61	≤23.98	PASS
	Ant1	5690_UNII-3	-4.01	≤30.00	PASS
	Ant3	5690_UNII-3	-2.76	≤30.00	PASS
	total	5690_UNII-3	-0.33	≤30.00	PASS
	Ant1	5775	10.09	≤30.00	PASS
	Ant3	5775	11.03	≤30.00	PASS
total	5775	13.60	≤30.00	PASS	




Note: 1. Conducted Power=Meas. Level+ Correction Factor



2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.






### 11.4.1. Test Graphs
































**11AX40MIMO\_Ant3\_5710\_UNII-3**



**11AX80MIMO\_Ant1\_5690\_UNII-3**



## 11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

### 11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	4.91	≤11.00	PASS
	Ant3	5180	4.97	≤11.00	PASS
	Ant1	5200	4.48	≤11.00	PASS
	Ant3	5200	4.98	≤11.00	PASS
	Ant1	5240	4.28	≤11.00	PASS
	Ant3	5240	4.83	≤11.00	PASS
	Ant1	5260	4.39	≤11.00	PASS
	Ant3	5260	4.09	≤11.00	PASS
	Ant1	5280	3.81	≤11.00	PASS
	Ant3	5280	3.69	≤11.00	PASS
	Ant1	5320	3.55	≤11.00	PASS
	Ant3	5320	3.21	≤11.00	PASS
	Ant1	5500	4.48	≤11.00	PASS
	Ant3	5500	4.5	≤11.00	PASS
	Ant1	5580	3.63	≤11.00	PASS
	Ant3	5580	4.29	≤11.00	PASS
	Ant1	5700	2.65	≤11.00	PASS
	Ant3	5700	3.93	≤11.00	PASS
	Ant1	5720_UNII-2C	2.27	≤11.00	PASS
	Ant3	5720_UNII-2C	3.74	≤11.00	PASS
	Ant1	5720_UNII-3	-1.73	≤30.00	PASS
	Ant3	5720_UNII-3	0.02	≤30.00	PASS
	Ant1	5745	1.28	≤30.00	PASS
	Ant3	5745	1.49	≤30.00	PASS
	Ant1	5785	1.31	≤30.00	PASS
	Ant3	5785	1.09	≤30.00	PASS
	Ant1	5825	1.65	≤30.00	PASS
	Ant3	5825	1.6	≤30.00	PASS
11N20MIMO	Ant1	5180	4.32	≤11.00	PASS
	Ant3	5180	4.89	≤11.00	PASS
	total	5180	7.62	≤11.00	PASS
	Ant1	5200	3.86	≤11.00	PASS
	Ant3	5200	4.59	≤11.00	PASS
	total	5200	7.25	≤11.00	PASS
	Ant1	5240	3.76	≤11.00	PASS
	Ant3	5240	4.5	≤11.00	PASS
	total	5240	7.16	≤11.00	PASS
	Ant1	5260	3.84	≤11.00	PASS
	Ant3	5260	4.23	≤11.00	PASS
	total	5260	7.05	≤11.00	PASS
	Ant1	5280	3.52	≤11.00	PASS
	Ant3	5280	3.73	≤11.00	PASS
	total	5280	6.64	≤11.00	PASS
	Ant1	5320	3.14	≤11.00	PASS
	Ant3	5320	3.07	≤11.00	PASS
	total	5320	6.12	≤11.00	PASS
	Ant1	5500	3.01	≤11.00	PASS
	Ant3	5500	4.09	≤11.00	PASS
	total	5500	6.59	≤11.00	PASS
	Ant1	5580	4.32	≤11.00	PASS
	Ant3	5580	5.3	≤11.00	PASS
	total	5580	7.85	≤11.00	PASS
	Ant1	5700	2.07	≤11.00	PASS
	Ant3	5700	3.52	≤11.00	PASS
	total	5700	5.87	≤11.00	PASS
	Ant1	5720_UNII-2C	3.1	≤11.00	PASS
Ant3	5720_UNII-2C	4.53	≤11.00	PASS	
total	5720_UNII-2C	6.88	≤11.00	PASS	

	Ant1	5720_UNII-3	-0.93	≤30.00	PASS	
	Ant3	5720_UNII-3	1.11	≤30.00	PASS	
	total	5720_UNII-3	3.22	≤30.00	PASS	
	Ant1	5745	-0.05	≤30.00	PASS	
	Ant3	5745	1.12	≤30.00	PASS	
	total	5745	3.58	≤30.00	PASS	
	Ant1	5785	0.09	≤30.00	PASS	
	Ant3	5785	1.06	≤30.00	PASS	
	total	5785	3.61	≤30.00	PASS	
	Ant1	5825	0.38	≤30.00	PASS	
	Ant3	5825	1.08	≤30.00	PASS	
	total	5825	3.75	≤30.00	PASS	
11N40MIMO	Ant1	5190	0.91	≤11.00	PASS	
	Ant3	5190	1.36	≤11.00	PASS	
	total	5190	4.15	≤11.00	PASS	
	Ant1	5230	0.35	≤11.00	PASS	
	Ant3	5230	0.96	≤11.00	PASS	
	total	5230	3.68	≤11.00	PASS	
	Ant1	5270	0	≤11.00	PASS	
	Ant3	5270	0.38	≤11.00	PASS	
	total	5270	3.20	≤11.00	PASS	
	Ant1	5310	-0.23	≤11.00	PASS	
	Ant3	5310	-0.1	≤11.00	PASS	
	total	5310	2.85	≤11.00	PASS	
	Ant1	5510	-0.77	≤11.00	PASS	
	Ant3	5510	0.87	≤11.00	PASS	
	total	5510	3.14	≤11.00	PASS	
	Ant1	5550	0.3	≤11.00	PASS	
	Ant3	5550	2.16	≤11.00	PASS	
	total	5550	4.34	≤11.00	PASS	
	Ant1	5670	-0.25	≤11.00	PASS	
	Ant3	5670	2.24	≤11.00	PASS	
	total	5670	4.18	≤11.00	PASS	
		Ant1	5710_UNII-2C	0	≤11.00	PASS
		Ant3	5710_UNII-2C	1.8	≤11.00	PASS
		total	5710_UNII-2C	4.00	≤11.00	PASS
		Ant1	5710_UNII-3	-4.71	≤30.00	PASS
		Ant3	5710_UNII-3	-2.36	≤30.00	PASS
		total	5710_UNII-3	-0.37	≤30.00	PASS
		Ant1	5755	-3.03	≤30.00	PASS
	Ant3	5755	-1.82	≤30.00	PASS	
	total	5755	0.63	≤30.00	PASS	
	Ant1	5795	-2.46	≤30.00	PASS	
	Ant3	5795	-1.45	≤30.00	PASS	
	total	5795	1.08	≤30.00	PASS	
11AC80MIMO	Ant1	5210	-3.68	≤11.00	PASS	
	Ant3	5210	-3.7	≤11.00	PASS	
	total	5210	-0.68	≤11.00	PASS	
	Ant1	5290	-4.39	≤11.00	PASS	
	Ant3	5290	-4.41	≤11.00	PASS	
	total	5290	-1.39	≤11.00	PASS	
	Ant1	5530	-4.43	≤11.00	PASS	
	Ant3	5530	-2.77	≤11.00	PASS	
	total	5530	-0.51	≤11.00	PASS	
	Ant1	5610	-4.01	≤11.00	PASS	
	Ant3	5610	-2.55	≤11.00	PASS	
	total	5610	-0.21	≤11.00	PASS	
		Ant1	5690_UNII-2C	-5.16	≤11.00	PASS
		Ant3	5690_UNII-2C	-3.69	≤11.00	PASS
		total	5690_UNII-2C	-1.35	≤11.00	PASS
		Ant1	5690_UNII-3	-8.49	≤30.00	PASS
		Ant3	5690_UNII-3	-7	≤30.00	PASS
	total	5690_UNII-3	-4.67	≤30.00	PASS	
	Ant1	5775	-7.97	≤30.00	PASS	

	Ant3	5775	-7.09	≤30.00	PASS
	total	5775	-4.50	≤30.00	PASS
11AX20MIMO	Ant1	5180	0.57	≤11.00	PASS
	Ant3	5180	0.7	≤11.00	PASS
	total	5180	3.65	≤11.00	PASS
	Ant1	5200	-0.39	≤11.00	PASS
	Ant3	5200	-0.03	≤11.00	PASS
	total	5200	2.80	≤11.00	PASS
	Ant1	5240	-0.58	≤11.00	PASS
	Ant3	5240	-0.26	≤11.00	PASS
	total	5240	2.59	≤11.00	PASS
	Ant1	5260	-0.42	≤11.00	PASS
	Ant3	5260	-0.4	≤11.00	PASS
	total	5260	2.60	≤11.00	PASS
	Ant1	5280	-0.84	≤11.00	PASS
	Ant3	5280	-0.78	≤11.00	PASS
	total	5280	2.20	≤11.00	PASS
	Ant1	5320	0.07	≤11.00	PASS
	Ant3	5320	-0.75	≤11.00	PASS
	total	5320	2.69	≤11.00	PASS
	Ant1	5500	-0.08	≤11.00	PASS
	Ant3	5500	0.56	≤11.00	PASS
	total	5500	3.26	≤11.00	PASS
	Ant1	5580	-0.15	≤11.00	PASS
	Ant3	5580	0.68	≤11.00	PASS
	total	5580	3.30	≤11.00	PASS
	Ant1	5700	-0.36	≤11.00	PASS
	Ant3	5700	1.18	≤11.00	PASS
	total	5700	3.49	≤11.00	PASS
	Ant1	5720_UNII-2C	-0.68	≤11.00	PASS
	Ant3	5720_UNII-2C	1.62	≤11.00	PASS
	total	5720_UNII-2C	3.63	≤11.00	PASS
	Ant1	5720_UNII-3	-4.21	≤30.00	PASS
	Ant3	5720_UNII-3	-2.54	≤30.00	PASS
	total	5720_UNII-3	-0.28	≤30.00	PASS
Ant1	5745	-3.62	≤30.00	PASS	
Ant3	5745	-2.48	≤30.00	PASS	
total	5745	0.00	≤30.00	PASS	
Ant1	5785	-3.65	≤30.00	PASS	
Ant3	5785	-3.08	≤30.00	PASS	
total	5785	-0.35	≤30.00	PASS	
Ant1	5825	-3.08	≤30.00	PASS	
Ant3	5825	-2.65	≤30.00	PASS	
total	5825	0.15	≤30.00	PASS	
11AX40MIMO	Ant1	5190	-3.25	≤11.00	PASS
	Ant3	5190	-3.13	≤11.00	PASS
	total	5190	-0.18	≤11.00	PASS
	Ant1	5230	-3.73	≤11.00	PASS
	Ant3	5230	-3.23	≤11.00	PASS
	total	5230	-0.46	≤11.00	PASS
	Ant1	5270	-3.29	≤11.00	PASS
	Ant3	5270	-3.33	≤11.00	PASS
	total	5270	-0.30	≤11.00	PASS
	Ant1	5310	-3.37	≤11.00	PASS
	Ant3	5310	-3.63	≤11.00	PASS
	total	5310	-0.49	≤11.00	PASS
	Ant1	5510	-3.84	≤11.00	PASS
	Ant3	5510	-2.91	≤11.00	PASS
	total	5510	-0.34	≤11.00	PASS
	Ant1	5550	-3.79	≤11.00	PASS
	Ant3	5550	-2.47	≤11.00	PASS
	total	5550	-0.07	≤11.00	PASS
Ant1	5670	-4.24	≤11.00	PASS	
Ant3	5670	-2.34	≤11.00	PASS	

	total	5670	-0.18	≤11.00	PASS
	Ant1	5710_UNII-2C	-4.09	≤11.00	PASS
	Ant3	5710_UNII-2C	-2.22	≤11.00	PASS
	total	5710_UNII-2C	-0.04	≤11.00	PASS
	Ant1	5710_UNII-3	-8.78	≤30.00	PASS
	Ant3	5710_UNII-3	-6.65	≤30.00	PASS
	total	5710_UNII-3	-4.58	≤30.00	PASS
	Ant1	5755	-6.77	≤30.00	PASS
	Ant3	5755	-5.62	≤30.00	PASS
	total	5755	-3.15	≤30.00	PASS
	Ant1	5795	-7.01	≤30.00	PASS
	Ant3	5795	-6.07	≤30.00	PASS
	total	5795	-3.50	≤30.00	PASS
11AX80MIMO	Ant1	5210	-5.94	≤11.00	PASS
	Ant3	5210	-5.78	≤11.00	PASS
	total	5210	-2.85	≤11.00	PASS
	Ant1	5290	-6.25	≤11.00	PASS
	Ant3	5290	-6.81	≤11.00	PASS
	total	5290	-3.51	≤11.00	PASS
	Ant1	5530	-6.46	≤11.00	PASS
	Ant3	5530	-5.09	≤11.00	PASS
	total	5530	-2.71	≤11.00	PASS
	Ant1	5610	-5.9	≤11.00	PASS
	Ant3	5610	-4.8	≤11.00	PASS
	total	5610	-2.30	≤11.00	PASS
	Ant1	5690_UNII-2C	-7.03	≤11.00	PASS
	Ant3	5690_UNII-2C	-5.61	≤11.00	PASS
	total	5690_UNII-2C	-3.25	≤11.00	PASS
	Ant1	5690_UNII-3	-10.2	≤30.00	PASS
	Ant3	5690_UNII-3	-8.98	≤30.00	PASS
	total	5690_UNII-3	-6.54	≤30.00	PASS
	Ant1	5775	-10.21	≤30.00	PASS
	Ant3	5775	-9.19	≤30.00	PASS
total	5775	-6.66	≤30.00	PASS	

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



### 11.5.2. Test Graphs



