



## Appendix C

### RF Test Data for 2.4G (Conducted Measurement)

Product Name: Four axis aircraft

Trade Mark: N/A

Test Model: H818

#### Environmental Conditions

Temperature:	25.1° C
Relative Humidity:	53.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



# Contents

	Page
<b>COVER PAGE</b>	
1 Duty Cycle .....	3
1.1 Test Result.....	3
1.2 Test Graphs .....	4
2 -20dB Bandwidth .....	6
2.1 Test Result.....	6
2.2 Test Graphs .....	7




# 1 Duty Cycle


## 1.1 Test Result

Frequency (MHz)	Antenna	Duty Cycle (%)	1/T (kHz)
2416	Ant1	10.15	1.41
2452	Ant1	10.17	1.41
2465	Ant1	9.42	1.39



## 1.2 Test Graphs









## 2 -20dB Bandwidth

### 2.1 Test Result

Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
2416	Ant1	1.89	0	Pass
2452	Ant1	1.168	0	Pass
2465	Ant1	1.436	0	Pass

## 2.2 Test Graphs





---The End---