

## FCC STATEMENT:

FCC ID: 2AD8F-DC141

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party

responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.



CE


All controls support 433MHz  
All controls support 12V/23A

## DC141 Emitter Specification

Version No.: A/00



## Type Specification



- Input voltage: 12V
- Emission Frequency: 433.92MHz ± 100KHz
- Emission Power: 10 milliwatt
- Work temperature: -10°C ~50°C
- Emission distance: open room, two walls 30m
- Transmitter (▲) UP BUTTON
- Transmitter (■) STOP BUTTON
- Transmitter (▼) DOWN BUTTON

Notice: transmitter Do not exposed to moisture and strike, so as not to affect life.  
When you use transmitter, if found emission distance obviously short or less sensitive, please change another same new battery. Please have batteries for recycling.  
Due to environment interference or the wrong copy method, although copy success, but also it is possible that Remote control not work and Many similar situation,Please according to the right method to copy to achieve the ideal effect  
DC697 can copy code of DC141, can operate controller which have been programmed with DC141



## Copy code

Additional Function



DC141 have been programmed successful



When not careful to delete the code on copying machine , press the stop button and the lock button at the same time , LED flash release button after LED light die out,can be recovered



DC141

DC697



DC697

ok  
Copy success



## Cancel Emitter

Additional Function



DC697



LED flash



LED light die out

ok  
setting successful.

Press up button and down button at the same time

LED flash

LED light die out