



## 15 + 15MHz Channel Bandwidth

## 1937.5MHz + 1952.5MHz

## 9kHz ~ 30MHz




## 30MHz ~ 26.5GHz




## 1945.0MHz + 1960.0MHz

## 9kHz ~ 30MHz




## 30MHz ~ 26.5GHz




## 1967.5MHz + 1982.5MHz

## 9kHz ~ 30MHz




## 30MHz ~ 26.5GHz




## 20 + 20MHz Channel Bandwidth

1940.0MHz + 1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




1960.0MHz + 1980.0MHz

9kHz ~ 30MHz



30MHz ~ 26.5GHz




## Conducted Spurious Emissions - Ant 1 (QPSK)

5MHz Channel Bandwidth

1932.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1987.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



## 10MHz Channel Bandwidth

1935.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1985.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



## 15MHz Channel Bandwidth

1937.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1982.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



## 20MHz Channel Bandwidth

1940.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1980.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




## 5 + 5MHz Channel Bandwidth

1932.5MHz + 1937.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




1955.0MHz + 1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




1982.5MHz + 1987.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




## 10 + 10MHz Channel Bandwidth

1935.0MHz + 1945.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




1950.0MHz + 1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



1975.0MHz + 1985.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




## 15 + 15MHz Channel Bandwidth

## 1937.5MHz + 1952.5MHz

## 9kHz ~ 30MHz




## 30MHz ~ 26.5GHz




## 1945.0MHz + 1960.0MHz

## 9kHz ~ 30MHz




## 30MHz ~ 26.5GHz




## 1967.5MHz + 1982.5MHz

## 9kHz ~ 30MHz




## 30MHz ~ 26.5GHz




## 20 + 20MHz Channel Bandwidth

1940.0MHz + 1960.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




1960.0MHz + 1980.0MHz

9kHz ~ 30MHz



30MHz ~ 26.5GHz



|           |                                                            |               |                         |
|-----------|------------------------------------------------------------|---------------|-------------------------|
| Product   | AirScale Indoor Radio ASiR-pRRH                            | Test Engineer | Peter Xu                |
| Test Site | SR2                                                        | Test Date     | 2019/03/14 ~ 2019/05/14 |
| Test Item | Conducted Spurious Emissions - LTE Band 66, Single Carrier |               |                         |

| Channel | Frequency<br>(MHz) | Channel<br>Bandwidth<br>(MHz) | Frequency<br>Range<br>(MHz) | Max Spurious<br>Emissions (dBm) |        | Limit<br>(dBm) | Result |
|---------|--------------------|-------------------------------|-----------------------------|---------------------------------|--------|----------------|--------|
|         |                    |                               |                             | Ant 0                           | Ant 1  |                |        |
| QPSK    |                    |                               |                             |                                 |        |                |        |
| 66461   | 2112.5             | 5                             | 0.009 ~ 30                  | -43.34                          | -42.04 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.83                          | -34.17 | ≤ -16.01       | Pass   |
| 66786   | 2145.0             | 5                             | 0.009 ~ 30                  | -43.34                          | -43.24 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.93                          | -34.33 | ≤ -16.01       | Pass   |
| 67111   | 2177.5             | 5                             | 0.009 ~ 30                  | -42.81                          | -43.44 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -34.19                          | -34.59 | ≤ -16.01       | Pass   |
| 66486   | 2115.0             | 10                            | 0.009 ~ 30                  | -43.21                          | -44.15 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.23                          | -33.61 | ≤ -16.01       | Pass   |
| 66786   | 2145.0             | 10                            | 0.009 ~ 30                  | -44.01                          | -42.13 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -34.21                          | -33.98 | ≤ -16.01       | Pass   |
| 67086   | 2175.0             | 10                            | 0.009 ~ 30                  | -44.75                          | -44.71 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -34.19                          | -33.89 | ≤ -16.01       | Pass   |
| 66511   | 2117.5             | 15                            | 0.009 ~ 30                  | -44.61                          | -42.39 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.63                          | -33.39 | ≤ -16.01       | Pass   |
| 66786   | 2145.0             | 15                            | 0.009 ~ 30                  | -43.30                          | -44.15 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.79                          | -32.90 | ≤ -16.01       | Pass   |
| 67061   | 2172.5             | 15                            | 0.009 ~ 30                  | -42.67                          | -43.97 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.78                          | -33.52 | ≤ -16.01       | Pass   |
| 66536   | 2120.0             | 20                            | 0.009 ~ 30                  | -43.85                          | -43.04 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -33.84                          | -33.95 | ≤ -16.01       | Pass   |
| 66786   | 2145.0             | 20                            | 0.009 ~ 30                  | -43.32                          | -43.27 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -34.20                          | -33.68 | ≤ -16.01       | Pass   |
| 67036   | 2170.0             | 20                            | 0.009 ~ 30                  | -43.50                          | -43.66 | ≤ -16.01       | Pass   |
|         |                    |                               | 30 ~ 26500                  | -34.15                          | -33.73 | ≤ -16.01       | Pass   |


|           |                                                           |               |                         |
|-----------|-----------------------------------------------------------|---------------|-------------------------|
| Product   | AirScale Indoor Radio ASiR-pRRH                           | Test Engineer | Peter Xu                |
| Test Site | SR2                                                       | Test Date     | 2019/03/14 ~ 2019/05/14 |
| Test Item | Conducted Spurious Emissions - LTE Band 66, Multi Carrier |               |                         |

| Channel     | Frequency<br>(MHz) | Channel<br>Bandwidth<br>(MHz) | Frequency<br>Range<br>(MHz) | Max Spurious<br>Emissions (dBm) |        | Limit<br>(dBm) | Result |
|-------------|--------------------|-------------------------------|-----------------------------|---------------------------------|--------|----------------|--------|
|             |                    |                               |                             | Ant 0                           | Ant 1  |                |        |
| QPSK        |                    |                               |                             |                                 |        |                |        |
| 66461+66511 | 2112.5+2117.5      | 5+5                           | 0.009 ~ 30                  | -42.45                          | -42.16 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -35.37                          | -36.31 | ≤ -16.01       | Pass   |
| 66736+66786 | 2140.0+2145.0      | 5+5                           | 0.009 ~ 30                  | -42.76                          | -42.98 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -32.79                          | -32.61 | ≤ -16.01       | Pass   |
| 67061+67111 | 2172.5+2177.5      | 5+5                           | 0.009 ~ 30                  | -42.17                          | -43.07 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -33.14                          | -33.12 | ≤ -16.01       | Pass   |
| 66486+66586 | 2115.0+2125.0      | 10+10                         | 0.009 ~ 30                  | -42.72                          | -44.27 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -39.01                          | -38.44 | ≤ -16.01       | Pass   |
| 66686+66786 | 2135.0+2145.0      | 10+10                         | 0.009 ~ 30                  | -42.60                          | -43.65 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -31.07                          | -32.55 | ≤ -16.01       | Pass   |
| 66986+67086 | 2165.0+2175.0      | 10+10                         | 0.009 ~ 30                  | -43.25                          | -42.98 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -34.56                          | -34.80 | ≤ -16.01       | Pass   |
| 66511+66661 | 2117.5+2132.5      | 15+15                         | 0.009 ~ 30                  | -43.20                          | -43.80 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -38.88                          | -38.43 | ≤ -16.01       | Pass   |
| 66636+66786 | 2130.0+2145.0      | 15+15                         | 0.009 ~ 30                  | -43.34                          | -42.75 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -38.57                          | -37.90 | ≤ -16.01       | Pass   |
| 66911+67061 | 2157.5+2172.5      | 15+15                         | 0.009 ~ 30                  | -42.18                          | -43.38 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -39.10                          | -38.87 | ≤ -16.01       | Pass   |
| 66536+66736 | 2120.0+2140.0      | 20+20                         | 0.009 ~ 30                  | -44.00                          | -41.86 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -33.48                          | -33.83 | ≤ -16.01       | Pass   |
| 66586+66786 | 2125.0+2145.0      | 20+20                         | 0.009 ~ 30                  | -43.81                          | -43.26 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -33.97                          | -33.79 | ≤ -16.01       | Pass   |
| 66836+67036 | 2150.0+2170.0      | 20+20                         | 0.009 ~ 30                  | -44.09                          | -42.87 | ≤ -16.01       | Pass   |
|             |                    |                               | 30 ~ 26500                  | -33.52                          | -33.81 | ≤ -16.01       | Pass   |


## 5 + 5MHz Channel Bandwidth

2112.5MHz + 2117.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




2140.0MHz + 2145.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




2172.5MHz + 2177.5MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




## 10 + 10MHz Channel Bandwidth

2115.0MHz + 2125.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz




2135.0MHz + 2145.0MHz

9kHz ~ 30MHz




30MHz ~ 26.5GHz



2165.0MHz + 2175.0MHz

9kHz ~ 30MHz



30MHz ~ 26.5GHz

