



Nokia Global Product Compliance Laboratory  
600-700 Mountain Avenue, Room 5A-107  
Murray Hill, NJ 07974, USA  
June 1, 2020

**Timco Engineering Inc.**  
**FCC Authorized Telecommunication Certification Body**  
849 N.W. State Road 45, P.O. Box 370  
Newberry, Florida 32669

**Subject: Application for Class II Permissive Change under FCC ID: 2AD8UFW2FMBOM1 for Flexi Zone MBO B2 RF Transceiver**

Dear Examiner:

The Nokia Solutions and Networks **Flexi Zone MBO B2 RF Transceiver** is the subject of this application for a Class II Permissive Change under FCC ID: **2AD8UFW2FMBOM1**. The **Flexi Zone MBO B2 RF Transceiver** (MBO B2) is a LTE Transceiver supporting a carrier bandwidth of 5/10/15/20 MHz and a maximum RF power output capability of 5W at each of its 2 MIMO transmit port outputs. The MBO B2 transceiver module, the subject of this application, is always co-located with an MBO digital system (host) module.

The Nokia Flexi Zone Multiband Outdoor Micro Base Station (MBO) is a small cell that consists of a common digital system module (host) and up to two LTE (Long Term Evolution) RF transceiver modules in various combinations. The **Flexi Zone MBO B2 RF Transceiver** is one of the LTE RF transceiver Modules. Each RF transceiver module supports 2 Tx/Rx branches. The purpose of this Class II Permissive Change is to add NB IoT Inband operation for 5 MHz bandwidth, and NB IoT Inband and Guardband operation for the 15 MHz carrier bandwidth for the **Flexi Zone MBO B2 RF Transceiver** (MBO B2). The Emissions Designator for the 15 MHz bandwidth is obtained from the NB IoT Guard Band test data.

The key data are summarized below.

<b>FCC ID:</b>	<b>2AD8UFW2FMBOM1</b>
<b>FCC Rules:</b>	<b>Part 24</b>
<b>Frequency Range:</b>	<b>Transmit 1930-1990 MHz (PCS Blocks A-D-B-E-F-C)</b>
<b>Output Power:</b>	<b>0.079 to 5 Watts per output</b>
<b>Frequency Tolerance:</b>	<b>± 0.05 ppm</b>
<b>Emission Designators:</b>	<b>13M7F9W</b>

**Nokia - Public**

Enclosed in this application package are FCC 731 Form, agent authorization letter, the required measurement data and other required exhibits specific to this request for authorization of the subject product. The measurement exhibits attached to this application demonstrate full compliance with FCC Part 24 following the procedural requirements specified in FCC Part 2 Subpart J – Equipment Authorization Procedures.

The supporting exhibits are assembled and presented in accordance with the *Table of Contents* attached below.

Should there be any questions or procedural issues please feel free to contact me by email and/or phone.

Sincerely,



Steve Gordon

Member of Technical Staff

email: [Steve.gordon@nokia-bell-labs.com](mailto:Steve.gordon@nokia-bell-labs.com)

Reviewed by:



Raymond J. Johnson

Technical Manager

FCC Compliance Test Group

Nokia, Global Product Compliance Laboratory

Phone: +1 908 679 6220

email: [ray.johnson@nokia-bell-labs.com](mailto:ray.johnson@nokia-bell-labs.com)

## TABLE OF CONTENTS

### Cover Letter

<u>Exhibit #</u>	<u>FCC Rule Number</u>	<u>Description</u>
Exhibit 1	Section 2.1033(a)	FCC Form 731
Exhibit 2	Section 2.911 (d)	Qualifications and Certifications
Exhibit 3		Setup Photographs
Exhibit 4		Test Report