


|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:21 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5454.345        | 65.875                 | 28.328               | -8.125          | 74.000         | 37.548      | PK   |
| 2  |      |      | 5460.000        | 63.958                 | 26.395               | -10.042         | 74.000         | 37.563      | PK   |
| 3  |      |      | 5464.830        | 67.307                 | 29.732               | -6.693          | 74.000         | 37.575      | PK   |
| 4  |      |      | 5470.000        | 65.100                 | 27.511               | -8.900          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5504.700        | 114.352                | 76.723               | N/A             | N/A            | 37.629      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:22 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 51.581                 | 14.018               | -2.419          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 52.303                 | 14.714               | -1.697          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5505.555        | 100.290                | 62.660               | N/A             | N/A            | 37.630      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:23 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5442.195        | 64.585                 | 27.055               | -9.415          | 74.000         | 37.530      | PK   |
| 2  |      |      | 5460.000        | 62.607                 | 25.044               | -11.393         | 74.000         | 37.563      | PK   |
| 3  |      |      | 5468.115        | 65.022                 | 27.438               | -8.978          | 74.000         | 37.583      | PK   |
| 4  |      |      | 5470.000        | 64.034                 | 26.445               | -9.966          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5498.490        | 107.425                | 69.802               | N/A             | N/A            | 37.623      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:24 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 50.628                 | 13.065               | -3.372          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 50.749                 | 13.160               | -3.251          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5505.690        | 94.400                 | 56.769               | N/A             | N/A            | 37.630      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:32 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5701.672        | 115.585                | 77.689               | N/A             | N/A            | 37.897      | PK   |
| 2  |      |      | 5725.000        | 65.679                 | 27.689               | -8.321          | 74.000         | 37.990      | PK   |
| 3  |      |      | 5729.232        | 67.538                 | 29.531               | -6.462          | 74.000         | 38.007      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:32 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5703.882        | 102.043                | 64.140               | N/A             | N/A            | 37.904      | AV   |
| 2  |      |      | 5725.000        | 53.466                 | 15.476               | -0.534          | 54.000         | 37.990      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:33 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5701.900        | 107.171                | 69.274               | N/A             | N/A            | 37.897      | PK   |
| 2  |      |      | 5725.000        | 62.902                 | 24.912               | -11.098         | 74.000         | 37.990      | PK   |
| 3  |      |      | 5733.750        | 65.451                 | 27.425               | -8.549          | 74.000         | 38.026      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/31 - 13:34 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5703.558        | 94.210                 | 56.308               | N/A             | N/A            | 37.901      | AV   |
| 2  |      |      | 5725.000        | 50.923                 | 12.933               | -3.077          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:10 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5710.950        | 66.167                 | 28.234               | -7.833          | 74.000         | 37.932      | PK   |
| 2  |      |      | 5715.000        | 64.617                 | 26.668               | -9.383          | 74.000         | 37.949      | PK   |
| 3  |      |      | 5725.000        | 76.433                 | 38.443               | -1.767          | 78.200         | 37.990      | PK   |
| 4  |      | *    | 5740.850        | 114.777                | 76.723               | N/A             | N/A            | 38.054      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:17 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 51.731                 | 13.782               | -2.269          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5742.575        | 100.718                | 62.657               | N/A             | N/A            | 38.061      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:18 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5711.812        | 65.338                 | 27.402               | -8.662          | 74.000         | 37.937      | PK   |
| 2  |      |      | 5715.000        | 63.740                 | 25.791               | -10.260         | 74.000         | 37.949      | PK   |
| 3  |      |      | 5725.000        | 70.790                 | 32.800               | -7.410          | 78.200         | 37.990      | PK   |
| 4  |      | *    | 5739.873        | 110.456                | 72.405               | N/A             | N/A            | 38.050      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:23 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 51.028                 | 13.079               | -2.972          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5739.010        | 97.065                 | 59.018               | N/A             | N/A            | 38.047      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:25 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5822.670        | 115.232                | 76.886               | N/A             | N/A            | 38.346      | PK   |
| 2  |      |      | 5850.000        | 67.053                 | 28.600               | -11.147         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5850.553        | 67.463                 | 29.008               | -10.737         | 78.200         | 38.455      | PK   |
| 4  |      |      | 5860.000        | 64.662                 | 26.184               | -9.338          | 74.000         | 38.478      | PK   |
| 5  |      |      | 5861.430        | 66.324                 | 27.843               | -7.676          | 74.000         | 38.482      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:33 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5820.675        | 102.463                | 64.125               | N/A             | N/A            | 38.337      | AV   |
| 2  |      |      | 5860.000        | 52.161                 | 13.683               | -1.839          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:34 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5819.155        | 108.841                | 70.510               | N/A             | N/A            | 38.331      | PK   |
| 2  |      |      | 5850.000        | 64.431                 | 25.978               | -13.769         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5858.295        | 65.802                 | 27.328               | -12.398         | 78.200         | 38.473      | PK   |
| 4  |      |      | 5860.000        | 64.324                 | 25.846               | -9.676          | 74.000         | 38.478      | PK   |
| 5  |      |      | 5875.395        | 65.472                 | 26.975               | -8.528          | 74.000         | 38.497      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5827.848        | 94.773                 | 56.406               | N/A             | N/A            | 38.368      | AV   |
| 2  |      |      | 5860.000        | 50.933                 | 12.455               | -3.067          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 10:54 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5149.600        | 69.406                 | 31.954               | -4.594          | 74.000         | 37.452      | PK   |
| 2  |      |      | 5150.000        | 68.455                 | 31.003               | -5.545          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5196.500        | 110.054                | 72.720               | N/A             | N/A            | 37.334      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 10:54 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 53.521                 | 16.069               | -0.479          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5203.000        | 94.082                 | 56.768               | N/A             | N/A            | 37.314      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 10:55 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5190MHz Ant 2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5147.050        | 64.687                 | 27.231               | -9.313          | 74.000         | 37.456      | PK   |
| 2  |      |      | 5150.000        | 64.332                 | 26.880               | -9.668          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5196.950        | 103.437                | 66.104               | N/A             | N/A            | 37.332      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 10:57 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 50.971                 | 13.519               | -3.029          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5198.450        | 87.598                 | 50.269               | N/A             | N/A            | 37.329      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:01 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5313.650        | 111.819                | 74.617               | N/A             | N/A            | 37.202      | PK   |
| 2  |      |      | 5350.000        | 66.049                 | 28.763               | -7.951          | 74.000         | 37.286      | PK   |
| 3  |      |      | 5350.750        | 66.923                 | 29.634               | -7.077          | 74.000         | 37.288      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:01 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5313.150        | 95.324                 | 58.123               | N/A             | N/A            | 37.202      | AV   |
| 2  |      |      | 5350.000        | 53.177                 | 15.891               | -0.823          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5305.650        | 104.871                | 67.678               | N/A             | N/A            | 37.193      | PK   |
| 2  |      |      | 5350.000        | 62.921                 | 25.635               | -11.079         | 74.000         | 37.286      | PK   |
| 3  |      |      | 5355.500        | 65.249                 | 27.947               | -8.751          | 74.000         | 37.302      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5305.700        | 89.428                 | 52.235               | N/A             | N/A            | 37.193      | AV   |
| 2  |      |      | 5350.000        | 50.912                 | 13.626               | -3.088          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5444.850        | 64.996                 | 27.462               | -9.004          | 74.000         | 37.534      | PK   |
| 2  |      |      | 5460.000        | 64.515                 | 26.952               | -9.485          | 74.000         | 37.563      | PK   |
| 3  |      |      | 5469.650        | 69.643                 | 32.055               | -4.357          | 74.000         | 37.588      | PK   |
| 4  |      |      | 5470.000        | 67.880                 | 30.291               | -6.120          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5513.450        | 110.462                | 72.823               | N/A             | N/A            | 37.639      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 51.819                 | 14.256               | -2.181          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 53.732                 | 16.143               | -0.268          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5504.000        | 94.072                 | 56.443               | N/A             | N/A            | 37.629      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5452.350        | 65.167                 | 27.623               | -8.833          | 74.000         | 37.544      | PK   |
| 2  |      |      | 5460.000        | 62.290                 | 24.727               | -11.710         | 74.000         | 37.563      | PK   |
| 3  |      |      | 5468.350        | 65.558                 | 27.974               | -8.442          | 74.000         | 37.584      | PK   |
| 4  |      |      | 5470.000        | 63.478                 | 25.889               | -10.522         | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5499.100        | 102.279                | 64.656               | N/A             | N/A            | 37.624      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 50.798                 | 13.235               | -3.202          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 51.466                 | 13.877               | -2.534          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5500.700        | 86.964                 | 49.339               | N/A             | N/A            | 37.625      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:09 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5670MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5673.800        | 114.007                | 76.193               | N/A             | N/A            | 37.814      | PK   |
| 2  |      |      | 5725.000        | 64.958                 | 26.968               | -9.042          | 74.000         | 37.990      | PK   |
| 3  |      |      | 5727.900        | 66.354                 | 28.352               | -7.646          | 74.000         | 38.002      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:09 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5670MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5667.400        | 97.796                 | 59.990               | N/A             | N/A            | 37.806      | AV   |
| 2  |      |      | 5725.000        | 52.506                 | 14.516               | -1.494          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:10 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5670MHz Ant 2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5673.600        | 105.611                | 67.797               | N/A             | N/A            | 37.814      | PK   |
| 2  |      |      | 5725.000        | 63.157                 | 25.167               | -10.843         | 74.000         | 37.990      | PK   |
| 3  |      |      | 5728.250        | 64.614                 | 26.611               | -9.386          | 74.000         | 38.003      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:11 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5670MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5658.600        | 90.358                 | 52.563               | N/A             | N/A            | 37.795      | AV   |
| 2  |      |      | 5725.000        | 50.860                 | 12.870               | -3.140          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:16 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5713.500        | 68.013                 | 30.070               | -5.987          | 74.000         | 37.943      | PK   |
| 2  |      |      | 5715.000        | 66.099                 | 28.150               | -7.901          | 74.000         | 37.949      | PK   |
| 3  |      |      | 5724.812        | 75.833                 | 37.844               | -2.367          | 78.200         | 37.989      | PK   |
| 4  |      |      | 5725.000        | 74.157                 | 36.167               | -4.043          | 78.200         | 37.990      | PK   |
| 5  |      | *    | 5750.812        | 110.800                | 72.700               | N/A             | N/A            | 38.100      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:15 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 53.761                 | 15.812               | -0.239          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5749.375        | 94.712                 | 56.619               | N/A             | N/A            | 38.093      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:16 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5714.437        | 64.931                 | 26.984               | -9.069          | 74.000         | 37.947      | PK   |
| 2  |      |      | 5715.000        | 63.876                 | 25.927               | -10.124         | 74.000         | 37.949      | PK   |
| 3  |      |      | 5724.687        | 68.638                 | 30.650               | -9.562          | 78.200         | 37.989      | PK   |
| 4  |      |      | 5725.000        | 68.308                 | 30.318               | -9.892          | 78.200         | 37.990      | PK   |
| 5  |      | *    | 5744.312        | 102.356                | 64.288               | N/A             | N/A            | 38.069      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:17 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 51.151                 | 13.202               | -2.849          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5744.000        | 87.013                 | 48.946               | N/A             | N/A            | 38.067      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:18 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5790.062        | 113.164                | 74.933               | N/A             | N/A            | 38.231      | PK   |
| 2  |      |      | 5850.000        | 63.740                 | 25.287               | -14.460         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5857.375        | 65.705                 | 27.234               | -12.495         | 78.200         | 38.472      | PK   |
| 4  |      |      | 5860.000        | 65.058                 | 26.580               | -8.942          | 74.000         | 38.478      | PK   |
| 5  |      |      | 5876.187        | 65.634                 | 27.136               | -8.366          | 74.000         | 38.498      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:19 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5788.687        | 96.901                 | 58.675               | N/A             | N/A            | 38.226      | AV   |
| 2  |      |      | 5860.000        | 51.664                 | 13.186               | -2.336          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:21 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5798.437        | 104.527                | 66.268               | N/A             | N/A            | 38.259      | PK   |
| 2  |      |      | 5850.000        | 63.881                 | 25.428               | -14.319         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5853.625        | 64.400                 | 25.938               | -13.800         | 78.200         | 38.462      | PK   |
| 4  |      |      | 5860.000        | 63.411                 | 24.933               | -10.589         | 74.000         | 38.478      | PK   |
| 5  |      |      | 5864.937        | 65.019                 | 26.533               | -8.981          | 74.000         | 38.486      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:22 |
| Limit: FCC_Part15.209_RE(3m)                                 | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                     | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5801.250        | 88.881                 | 50.613               | N/A             | N/A            | 38.268      | AV   |
| 2  |      |      | 5860.000        | 50.937                 | 12.459               | -3.063          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:40 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5180MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5149.555        | 71.771                 | 34.319               | -2.229          | 74.000         | 37.453      | PK   |
| 2  |      |      | 5150.000        | 69.336                 | 31.884               | -4.664          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5184.250        | 114.587                | 77.224               | N/A             | N/A            | 37.363      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:43 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5180MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 53.592                 | 16.140               | -0.408          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5185.240        | 101.088                | 63.727               | N/A             | N/A            | 37.361      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:45 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5180MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5147.980        | 71.093                 | 33.638               | -2.907          | 74.000         | 37.455      | PK   |
| 2  |      |      | 5150.000        | 69.159                 | 31.707               | -4.841          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5177.725        | 113.652                | 76.273               | N/A             | N/A            | 37.379      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:49 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5180MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 53.552                 | 16.100               | -0.448          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5184.835        | 99.748                 | 62.386               | N/A             | N/A            | 37.362      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:51 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5320MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5319.160        | 112.777                | 75.565               | N/A             | N/A            | 37.212      | PK   |
| 2  |      |      | 5350.000        | 64.916                 | 27.630               | -9.084          | 74.000         | 37.286      | PK   |
| 3  |      |      | 5350.120        | 67.199                 | 29.912               | -6.801          | 74.000         | 37.287      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 00:59 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5320MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5323.760        | 99.249                 | 62.029               | N/A             | N/A            | 37.221      | AV   |
| 2  |      |      | 5350.000        | 51.489                 | 14.203               | -2.511          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:00 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5320MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5317.880        | 109.916                | 72.706               | N/A             | N/A            | 37.210      | PK   |
| 2  |      |      | 5350.000        | 63.747                 | 26.461               | -10.253         | 74.000         | 37.286      | PK   |
| 3  |      |      | 5357.320        | 64.719                 | 27.412               | -9.281          | 74.000         | 37.307      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5320MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5324.400        | 95.940                 | 58.719               | N/A             | N/A            | 37.222      | AV   |
| 2  |      |      | 5350.000        | 50.673                 | 13.387               | -3.327          | 54.000         | 37.286      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5452.320        | 66.559                 | 29.015               | -7.441          | 74.000         | 37.544      | PK   |
| 2  |      |      | 5460.000        | 64.122                 | 26.559               | -9.878          | 74.000         | 37.563      | PK   |
| 3  |      |      | 5469.915        | 68.121                 | 30.533               | -5.879          | 74.000         | 37.588      | PK   |
| 4  |      |      | 5470.000        | 66.437                 | 28.848               | -7.563          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5497.950        | 115.170                | 77.548               | N/A             | N/A            | 37.623      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:14 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 51.809                 | 14.246               | -2.191          | 54.000         | 37.563      | AV   |
| 2  |      | *    | 5506.365        | 101.134                | 63.503               | N/A             | N/A            | 37.631      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5449.575        | 65.268                 | 27.728               | -8.732          | 74.000         | 37.540      | PK   |
| 2  |      |      | 5460.000        | 63.793                 | 26.230               | -10.207         | 74.000         | 37.563      | PK   |
| 3  |      |      | 5463.075        | 65.287                 | 27.716               | -8.713          | 74.000         | 37.570      | PK   |
| 4  |      |      | 5470.000        | 63.399                 | 25.810               | -10.601         | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5497.680        | 108.604                | 70.982               | N/A             | N/A            | 37.622      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:21 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5500MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 50.647                 | 13.084               | -3.353          | 54.000         | 37.563      | AV   |
| 2  |      | *    | 5494.080        | 94.261                 | 56.643               | N/A             | N/A            | 37.618      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:22 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5699.397        | 114.915                | 77.024               | N/A             | N/A            | 37.890      | PK   |
| 2  |      |      | 5725.000        | 67.582                 | 29.592               | -6.418          | 74.000         | 37.990      | PK   |
| 3  |      |      | 5725.105        | 69.607                 | 31.617               | -4.393          | 74.000         | 37.990      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:29 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5703.882        | 100.920                | 63.017               | N/A             | N/A            | 37.904      | AV   |
| 2  |      |      | 5725.000        | 53.608                 | 15.618               | -0.392          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:29 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5694.555        | 109.088                | 71.209               | N/A             | N/A            | 37.878      | PK   |
| 2  |      |      | 5725.000        | 64.061                 | 26.071               | -9.939          | 74.000         | 37.990      | PK   |
| 3  |      |      | 5725.300        | 66.042                 | 28.051               | -7.958          | 74.000         | 37.991      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:33 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5700MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5702.973        | 95.324                 | 57.425               | N/A             | N/A            | 37.899      | AV   |
| 2  |      |      | 5725.000        | 51.484                 | 13.494               | -2.516          | 54.000         | 37.990      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 01:59 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5710.777        | 66.186                 | 28.254               | -7.814          | 74.000         | 37.932      | PK   |
| 2  |      |      | 5715.000        | 64.851                 | 26.902               | -9.149          | 74.000         | 37.949      | PK   |
| 3  |      |      | 5724.750        | 77.829                 | 39.840               | -0.371          | 78.200         | 37.989      | PK   |
| 4  |      |      | 5725.000        | 76.939                 | 38.949               | -1.261          | 78.200         | 37.990      | PK   |
| 5  |      | *    | 5743.150        | 117.106                | 79.043               | N/A             | N/A            | 38.063      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:02 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 52.402                 | 14.453               | -1.598          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5744.013        | 102.786                | 64.719               | N/A             | N/A            | 38.067      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:04 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5706.638        | 65.085                 | 27.170               | -8.915          | 74.000         | 37.915      | PK   |
| 2  |      |      | 5715.000        | 63.717                 | 25.768               | -10.283         | 74.000         | 37.949      | PK   |
| 3  |      |      | 5724.922        | 72.147                 | 34.158               | -6.053          | 78.200         | 37.990      | PK   |
| 4  |      |      | 5725.000        | 69.039                 | 31.049               | -9.161          | 78.200         | 37.990      | PK   |
| 5  |      | *    | 5748.958        | 109.486                | 71.395               | N/A             | N/A            | 38.091      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:07 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5745MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 50.925                 | 12.976               | -3.075          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5738.320        | 95.633                 | 57.588               | N/A             | N/A            | 38.045      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:09 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5822.765        | 116.597                | 78.251               | N/A             | N/A            | 38.346      | PK   |
| 2  |      |      | 5850.000        | 67.836                 | 29.383               | -10.364         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5851.123        | 67.649                 | 29.193               | -10.551         | 78.200         | 38.456      | PK   |
| 4  |      |      | 5860.000        | 64.742                 | 26.264               | -9.258          | 74.000         | 38.478      | PK   |
| 5  |      |      | 5867.320        | 65.844                 | 27.355               | -8.156          | 74.000         | 38.488      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:12 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5829.748        | 102.283                | 63.907               | N/A             | N/A            | 38.376      | AV   |
| 2  |      |      | 5860.000        | 52.089                 | 13.611               | -1.911          | 54.000         | 38.478      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:14 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5822.860        | 108.993                | 70.646               | N/A             | N/A            | 38.347      | PK   |
| 2  |      |      | 5850.000        | 64.410                 | 25.957               | -13.790         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5850.790        | 65.303                 | 26.848               | -12.897         | 78.200         | 38.455      | PK   |
| 4  |      |      | 5860.000        | 63.914                 | 25.436               | -10.086         | 74.000         | 38.478      | PK   |
| 5  |      |      | 5867.985        | 65.370                 | 26.881               | -8.630          | 74.000         | 38.489      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/08/01 - 02:17 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT20 at channel 5825MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5818.965        | 95.442                 | 57.111               | N/A             | N/A            | 38.330      | AV   |
| 2  |      |      | 5860.000        | 51.020                 | 12.542               | -2.980          | 54.000         | 38.478      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:26 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5149.700        | 68.256                 | 30.804               | -5.744          | 74.000         | 37.452      | PK   |
| 2  |      |      | 5150.000        | 67.739                 | 30.287               | -6.261          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5199.400        | 109.292                | 71.966               | N/A             | N/A            | 37.326      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:24 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 53.458                 | 16.006               | -0.542          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5195.350        | 93.472                 | 56.136               | N/A             | N/A            | 37.336      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:27 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 65.058                 | 27.606               | -8.942          | 74.000         | 37.452      | PK   |
| 2  |      | *    | 5201.700        | 104.973                | 67.655               | N/A             | N/A            | 37.318      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:28 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5190MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 51.190                 | 13.738               | -2.810          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5203.100        | 89.179                 | 51.865               | N/A             | N/A            | 37.314      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:31 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5304.800        | 111.662                | 74.470               | N/A             | N/A            | 37.192      | PK   |
| 2  |      |      | 5350.000        | 67.231                 | 29.945               | -6.769          | 74.000         | 37.286      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:31 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5303.800        | 95.340                 | 58.149               | N/A             | N/A            | 37.191      | AV   |
| 2  |      |      | 5350.000        | 53.166                 | 15.880               | -0.834          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:32 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5305.150        | 104.409                | 67.217               | N/A             | N/A            | 37.192      | PK   |
| 2  |      |      | 5350.000        | 63.814                 | 26.528               | -10.186         | 74.000         | 37.286      | PK   |
| 3  |      |      | 5350.800        | 64.277                 | 26.988               | -9.723          | 74.000         | 37.288      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:33 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5310MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5302.850        | 89.443                 | 52.253               | N/A             | N/A            | 37.190      | AV   |
| 2  |      |      | 5350.000        | 50.983                 | 13.697               | -3.017          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:36 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5445.700        | 65.851                 | 28.316               | -8.149          | 74.000         | 37.534      | PK   |
| 2  |      |      | 5460.000        | 64.300                 | 26.737               | -9.700          | 74.000         | 37.563      | PK   |
| 3  |      |      | 5468.800        | 68.749                 | 31.164               | -5.251          | 74.000         | 37.586      | PK   |
| 4  |      |      | 5470.000        | 66.367                 | 28.778               | -7.633          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5497.350        | 109.595                | 71.973               | N/A             | N/A            | 37.622      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:36 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 51.908                 | 14.345               | -2.092          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 53.579                 | 15.990               | -0.421          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5497.950        | 93.765                 | 56.143               | N/A             | N/A            | 37.623      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:37 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 64.126                 | 26.563               | -9.874          | 74.000         | 37.563      | PK   |
| 2  |      |      | 5468.000        | 65.035                 | 27.452               | -8.965          | 74.000         | 37.583      | PK   |
| 3  |      |      | 5470.000        | 63.834                 | 26.245               | -10.166         | 74.000         | 37.588      | PK   |
| 4  |      | *    | 5513.700        | 102.067                | 64.427               | N/A             | N/A            | 37.640      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:38 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5510MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 50.776                 | 13.213               | -3.224          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 51.263                 | 13.674               | -2.737          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5515.100        | 86.625                 | 48.984               | N/A             | N/A            | 37.641      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:39 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5670MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5681.600        | 114.318                | 76.481               | N/A             | N/A            | 37.836      | PK   |
| 2  |      |      | 5725.000        | 64.759                 | 26.769               | -9.241          | 74.000         | 37.990      | PK   |
| 3  |      |      | 5730.200        | 66.891                 | 28.880               | -7.109          | 74.000         | 38.011      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:40 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5670MHz Ant 2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5676.050        | 97.805                 | 59.986               | N/A             | N/A            | 37.820      | AV   |
| 2  |      |      | 5725.000        | 52.527                 | 14.537               | -1.473          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:41 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5670MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5662.200        | 106.195                | 68.396               | N/A             | N/A            | 37.800      | PK   |
| 2  |      |      | 5725.000        | 63.552                 | 25.562               | -10.448         | 74.000         | 37.990      | PK   |
| 3  |      |      | 5730.350        | 64.878                 | 26.866               | -9.122          | 74.000         | 38.011      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:42 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5670MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5659.300        | 90.494                 | 52.698               | N/A             | N/A            | 37.796      | AV   |
| 2  |      |      | 5725.000        | 50.874                 | 12.884               | -3.126          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:45 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 67.534                 | 29.585               | -6.466          | 74.000         | 37.949      | PK   |
| 2  |      |      | 5725.000        | 74.565                 | 36.575               | -3.635          | 78.200         | 37.990      | PK   |
| 3  |      | *    | 5742.500        | 110.916                | 72.856               | N/A             | N/A            | 38.060      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:44 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 53.626                 | 15.677               | -0.374          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5747.500        | 94.722                 | 56.638               | N/A             | N/A            | 38.084      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:46 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5703.437        | 64.917                 | 27.016               | -9.083          | 74.000         | 37.901      | PK   |
| 2  |      |      | 5715.000        | 63.169                 | 25.220               | -10.831         | 74.000         | 37.949      | PK   |
| 3  |      |      | 5724.437        | 68.845                 | 30.858               | -9.355          | 78.200         | 37.988      | PK   |
| 4  |      |      | 5725.000        | 67.288                 | 29.298               | -10.912         | 78.200         | 37.990      | PK   |
| 5  |      | *    | 5746.000        | 101.686                | 63.609               | N/A             | N/A            | 38.077      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:47 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5755MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 51.133                 | 13.184               | -2.867          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5745.937        | 86.672                 | 48.596               | N/A             | N/A            | 38.076      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:49 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5802.875        | 112.714                | 74.441               | N/A             | N/A            | 38.273      | PK   |
| 2  |      |      | 5850.000        | 64.004                 | 25.551               | -14.196         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5854.250        | 65.811                 | 27.347               | -12.389         | 78.200         | 38.464      | PK   |
| 4  |      |      | 5860.000        | 63.798                 | 25.320               | -10.202         | 74.000         | 38.478      | PK   |
| 5  |      |      | 5861.500        | 66.192                 | 27.711               | -7.808          | 74.000         | 38.482      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:50 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5783.687        | 96.869                 | 58.661               | N/A             | N/A            | 38.208      | AV   |
| 2  |      |      | 5860.000        | 51.778                 | 13.300               | -2.222          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:51 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5783.437        | 104.218                | 66.011               | N/A             | N/A            | 38.207      | PK   |
| 2  |      |      | 5850.000        | 63.788                 | 25.335               | -14.412         | 78.200         | 38.454      | PK   |
| 3  |      |      | 5854.500        | 64.883                 | 26.419               | -13.317         | 78.200         | 38.465      | PK   |
| 4  |      |      | 5860.000        | 62.951                 | 24.473               | -11.049         | 74.000         | 38.478      | PK   |
| 5  |      |      | 5866.312        | 64.925                 | 26.438               | -9.075          | 74.000         | 38.487      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/30 - 11:51 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT40 at channel 5795MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5783.500        | 88.792                 | 50.585               | N/A             | N/A            | 38.207      | AV   |
| 2  |      |      | 5860.000        | 50.933                 | 12.455               | -3.067          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:32 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5210MHz Ant 2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5138.500        | 68.964                 | 31.494               | -5.036          | 74.000         | 37.470      | PK   |
| 2  |      |      | 5150.000        | 67.260                 | 29.808               | -6.740          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5213.050        | 105.770                | 68.490               | N/A             | N/A            | 37.281      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:31 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5210MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 53.288                 | 15.836               | -0.712          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5236.900        | 85.376                 | 48.152               | N/A             | N/A            | 37.224      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:33 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5210MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5137.000        | 64.319                 | 26.847               | -9.681          | 74.000         | 37.472      | PK   |
| 2  |      |      | 5150.000        | 63.227                 | 25.775               | -10.773         | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5213.125        | 99.402                 | 62.122               | N/A             | N/A            | 37.281      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:34 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5210MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5150.000        | 50.855                 | 13.403               | -3.145          | 54.000         | 37.452      | AV   |
| 2  |      | *    | 5224.225        | 80.468                 | 43.215               | N/A             | N/A            | 37.253      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:38 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5290MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5277.840        | 106.247                | 69.063               | N/A             | N/A            | 37.183      | PK   |
| 2  |      |      | 5350.000        | 67.701                 | 30.415               | -6.299          | 74.000         | 37.286      | PK   |
| 3  |      |      | 5354.510        | 68.720                 | 31.421               | -5.280          | 74.000         | 37.299      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5290MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5312.270        | 87.358                 | 50.158               | N/A             | N/A            | 37.201      | AV   |
| 2  |      |      | 5350.000        | 53.316                 | 16.030               | -0.684          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:39 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5290MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5278.500        | 99.506                 | 62.322               | N/A             | N/A            | 37.184      | PK   |
| 2  |      |      | 5350.000        | 63.076                 | 25.790               | -10.924         | 74.000         | 37.286      | PK   |
| 3  |      |      | 5363.420        | 64.621                 | 27.298               | -9.379          | 74.000         | 37.323      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:40 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5290MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5292.250        | 81.442                 | 44.262               | N/A             | N/A            | 37.179      | AV   |
| 2  |      |      | 5350.000        | 50.959                 | 13.673               | -3.041          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 21:45 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5530MHz Ant 2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5453.730        | 67.330                 | 29.785               | -6.670          | 74.000         | 37.545      | PK   |
| 2  |      |      | 5460.000        | 66.353                 | 28.790               | -7.647          | 74.000         | 37.563      | PK   |
| 3  |      |      | 5463.850        | 68.975                 | 31.402               | -5.025          | 74.000         | 37.573      | PK   |
| 4  |      |      | 5470.000        | 67.350                 | 29.761               | -6.650          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5518.015        | 104.023                | 66.378               | N/A             | N/A            | 37.645      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 21:47 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5530MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 52.865                 | 15.302               | -1.135          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 53.607                 | 16.018               | -0.393          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5518.820        | 84.849                 | 47.204               | N/A             | N/A            | 37.646      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 21:48 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5530MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 63.521                 | 25.958               | -10.479         | 74.000         | 37.563      | PK   |
| 2  |      |      | 5466.150        | 65.205                 | 27.626               | -8.795          | 74.000         | 37.578      | PK   |
| 3  |      |      | 5470.000        | 63.617                 | 26.028               | -10.383         | 74.000         | 37.588      | PK   |
| 4  |      | *    | 5517.785        | 96.281                 | 58.637               | N/A             | N/A            | 37.645      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 21:50 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5530MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 50.926                 | 13.363               | -3.074          | 54.000         | 37.563      | AV   |
| 2  |      |      | 5470.000        | 51.254                 | 13.665               | -2.746          | 54.000         | 37.588      | AV   |
| 3  |      | *    | 5517.325        | 78.659                 | 41.015               | N/A             | N/A            | 37.643      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:22 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5775MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 68.217                 | 30.268               | -5.783          | 74.000         | 37.949      | PK   |
| 2  |      |      | 5725.000        | 74.609                 | 36.619               | -3.591          | 78.200         | 37.990      | PK   |
| 3  |      | *    | 5777.900        | 105.922                | 67.735               | N/A             | N/A            | 38.187      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:21 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Horizontal     |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5775MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 53.692                 | 15.743               | -0.308          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5751.950        | 85.742                 | 47.637               | N/A             | N/A            | 38.105      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:23 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5775MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 64.085                 | 26.136               | -9.915          | 74.000         | 37.949      | PK   |
| 2  |      |      | 5725.000        | 66.666                 | 28.676               | -11.534         | 78.200         | 37.990      | PK   |
| 3  |      | *    | 5778.050        | 97.338                 | 59.151               | N/A             | N/A            | 38.187      | PK   |
| 4  |      |      | 5850.000        | 63.362                 | 24.909               | -14.838         | 78.200         | 38.454      | PK   |
| 5  |      |      | 5860.000        | 63.350                 | 24.872               | -10.650         | 74.000         | 38.478      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|  |                          |
|--|--------------------------|
| Site: AC 1   | Time: 2015/07/29 - 20:24 |
| Limit: FCC_Part15.209_RE(3m)                                   | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                       | Polarity: Vertical       |
| EUT: Wireless Access Point                                     | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11ac-VHT80 at channel 5775MHz Ant 2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5715.000        | 51.013                 | 13.064               | -2.987          | 54.000         | 37.949      | AV   |
| 2  |      | *    | 5743.700        | 79.285                 | 41.219               | N/A             | N/A            | 38.066      | AV   |
| 3  |      |      | 5860.000        | 50.762                 | 12.284               | -3.238          | 54.000         | 38.478      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:40 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5180MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5147.485        | 73.118                 | 35.662               | -0.882          | 74.000         | 37.455      | PK   |
| 2  |      |      | 5150.000        | 66.964                 | 29.512               | -7.036          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5177.950        | 118.070                | 80.692               | N/A             | N/A            | 37.378      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:42 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5180MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5148.790        | 53.509                 | 16.055               | -0.491          | 54.000         | 37.454      | AV   |
| 2  |      |      | 5150.000        | 52.776                 | 15.324               | -1.224          | 54.000         | 37.452      | AV   |
| 3  |      | *    | 5173.630        | 104.008                | 66.620               | N/A             | N/A            | 37.388      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:43 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5180MHz Ant 1+2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5148.790        | 69.402                 | 31.948               | -4.598          | 74.000         | 37.454      | PK   |
| 2  |      |      | 5150.000        | 66.162                 | 28.710               | -7.838          | 74.000         | 37.452      | PK   |
| 3  |      | *    | 5177.545        | 113.958                | 76.579               | N/A             | N/A            | 37.380      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:46 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5180MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5148.565        | 51.643                 | 14.189               | -2.357          | 54.000         | 37.454      | AV   |
| 2  |      |      | 5150.000        | 51.368                 | 13.916               | -2.632          | 54.000         | 37.452      | AV   |
| 3  |      | *    | 5177.905        | 99.662                 | 62.284               | N/A             | N/A            | 37.378      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:47 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5320MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5316.280        | 119.519                | 82.312               | N/A             | N/A            | 37.207      | PK   |
| 2  |      |      | 5350.000        | 69.318                 | 32.032               | -4.682          | 74.000         | 37.286      | PK   |
| 3  |      |      | 5350.680        | 69.995                 | 32.706               | -4.005          | 74.000         | 37.288      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:50 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5320MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5317.120        | 104.759                | 67.551               | N/A             | N/A            | 37.209      | AV   |
| 2  |      |      | 5350.000        | 52.863                 | 15.577               | -1.137          | 54.000         | 37.286      | AV   |
| 3  |      |      | 5351.200        | 53.241                 | 15.951               | -0.759          | 54.000         | 37.290      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:51 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5320MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5316.160        | 113.389                | 76.182               | N/A             | N/A            | 37.207      | PK   |
| 2  |      |      | 5350.000        | 65.355                 | 28.069               | -8.645          | 74.000         | 37.286      | PK   |
| 3  |      |      | 5351.960        | 66.495                 | 29.203               | -7.505          | 74.000         | 37.293      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:53 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5320MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5321.160        | 98.820                 | 61.604               | N/A             | N/A            | 37.216      | AV   |
| 2  |      |      | 5350.000        | 51.255                 | 13.969               | -2.745          | 54.000         | 37.286      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:54 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5500MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5452.770        | 65.860                 | 28.316               | -8.140          | 74.000         | 37.544      | PK   |
| 2  |      |      | 5460.000        | 64.314                 | 26.751               | -9.686          | 74.000         | 37.563      | PK   |
| 3  |      |      | 5468.430        | 68.430                 | 30.846               | -5.570          | 74.000         | 37.585      | PK   |
| 4  |      |      | 5470.000        | 67.382                 | 29.793               | -6.618          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5498.445        | 117.921                | 80.298               | N/A             | N/A            | 37.623      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:56 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5500MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 51.696                 | 14.133               | -2.304          | 54.000         | 37.563      | AV   |
| 2  |      | *    | 5503.710        | 102.704                | 65.076               | N/A             | N/A            | 37.628      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 02:57 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5500MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5435.490        | 66.066                 | 28.545               | -7.934          | 74.000         | 37.521      | PK   |
| 2  |      |      | 5460.000        | 63.917                 | 26.354               | -10.083         | 74.000         | 37.563      | PK   |
| 3  |      |      | 5469.060        | 66.203                 | 28.617               | -7.797          | 74.000         | 37.586      | PK   |
| 4  |      |      | 5470.000        | 64.903                 | 27.314               | -9.097          | 74.000         | 37.588      | PK   |
| 5  |      | *    | 5495.655        | 113.333                | 75.713               | N/A             | N/A            | 37.619      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/01 - 03:00 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5500MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 5460.000        | 51.591                 | 14.028               | -2.409          | 54.000         | 37.563      | AV   |
| 2  |      | *    | 5495.475        | 100.201                | 62.582               | N/A             | N/A            | 37.619      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).



|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/13 - 00:04 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5700MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5704.175        | 116.029                | 78.124               | N/A             | N/A            | 37.905      | PK   |
| 2  |      |      | 5725.000        | 65.731                 | 27.741               | -8.269          | 74.000         | 37.990      | PK   |
| 3  |      |      | 5727.413        | 67.194                 | 29.194               | -6.806          | 74.000         | 37.999      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/13 - 00:03 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5700MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5694.555        | 106.509                | 74.305               | N/A             | N/A            | 32.204      | AV   |
| 2  |      | *    | 5725.000        | 53.718                 | 15.728               | -0.282          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/13 - 00:06 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5700MHz Ant 1+2 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5698.163        | 110.307                | 72.419               | N/A             | N/A            | 37.888      | PK   |
| 2  |      |      | 5725.000        | 63.014                 | 25.024               | -10.986         | 74.000         | 37.990      | PK   |
| 3  |      |      | 5725.625        | 64.760                 | 32.453               | -9.240          | 74.000         | 32.307      | PK   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|   |                          |
|---|--------------------------|
| Site: AC 1  | Time: 2015/08/13 - 00:09 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Roy Cheng      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11a at channel 5700MHz Ant 1+2 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 5705.800        | 100.616                | 62.705               | N/A             | N/A            | 37.911      | AV   |
| 2  |      |      | 5725.000        | 52.115                 | 14.125               | -1.885          | 54.000         | 37.990      | AV   |

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).