





















































Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-33.65	-27	Pass
NVNT	a	5200	Ant1	-34.02	-27	Pass
NVNT	a	5240	Ant1	-33.43	-27	Pass
NVNT	a	5745	Ant1	-33.88	-27	Pass
NVNT	a	5785	Ant1	-34.23	-27	Pass
NVNT	a	5825	Ant1	-34.13	-27	Pass
NVNT	a	5180	Ant2	-34.11	-27	Pass
NVNT	a	5200	Ant2	-33.76	-27	Pass
NVNT	a	5240	Ant2	-33.7	-27	Pass
NVNT	a	5745	Ant2	-33.46	-27	Pass
NVNT	a	5785	Ant2	-33.04	-27	Pass
NVNT	a	5825	Ant2	-33.8	-27	Pass
NVNT	n20	5180	Ant1	-33.78	-27	Pass
NVNT	n20	5200	Ant1	-34.3	-27	Pass
NVNT	n20	5240	Ant1	-34.16	-27	Pass
NVNT	n20	5745	Ant1	-34.27	-27	Pass
NVNT	n20	5785	Ant1	-33.34	-27	Pass
NVNT	n20	5825	Ant1	-34.35	-27	Pass
NVNT	n20	5180	Ant2	-34.23	-27	Pass
NVNT	n20	5200	Ant2	-34.02	-27	Pass
NVNT	n20	5240	Ant2	-34.4	-27	Pass
NVNT	n20	5745	Ant2	-33.68	-27	Pass
NVNT	n20	5785	Ant2	-33.23	-27	Pass
NVNT	n20	5825	Ant2	-33.43	-27	Pass
NVNT	n40	5190	Ant1	-34.05	-27	Pass
NVNT	n40	5230	Ant1	-34.38	-27	Pass
NVNT	n40	5755	Ant1	-34.53	-27	Pass
NVNT	n40	5795	Ant1	-33.52	-27	Pass
NVNT	n40	5190	Ant2	-33.75	-27	Pass
NVNT	n40	5230	Ant2	-34.41	-27	Pass
NVNT	n40	5755	Ant2	-34.1	-27	Pass
NVNT	n40	5795	Ant2	-33.84	-27	Pass
NVNT	ac20	5180	Ant1	-33.91	-27	Pass
NVNT	ac20	5200	Ant1	-34.13	-27	Pass
NVNT	ac20	5240	Ant1	-34.35	-27	Pass
NVNT	ac20	5745	Ant1	-33.18	-27	Pass
NVNT	ac20	5785	Ant1	-33.98	-27	Pass