


Kontakt.io Asset Tag S18-3Q User Manual

Turning on/off and maintenance

Device may be turned on/off on demand using switch, which is the only physical switch in this product. This prevents device from discharging when not used. When turned on Tag Beacon works constantly and is ready to be used in 'out of the box' manner. They are ready to perform since programmed and assembled.

In case of possible malfunctioning users are advised to contact technical support to get proper replacements (email: support@kontakt.io). The manufacturer and devices' names are mentioned on the product label on the beacons' casings.



European HQ: Kontakt.io Inc., Poland Stoczniowców 3, 30-709 Kraków, Poland

Kontakt.io Inc. : 222 Broadway New York, NY 10038 Kontakt.io GmbH Paul-Lincke-Ufer 39/40 10999 Berlin, Germany

NIP UE No (VAT) PL9452176914

kontakt@kontakt.io



Installation

Slip a lanyard through the holes, put it inside your belongings, or stick your Tag Beacon to the wall for the most low profile look a beacon can possibly have.

Features

- Technology in device: GFSK
- Power Saving Mode: Tag Beacons broadcast less frequently when they don't move (thanks to motion sensor) or simply switch them off when you don't use them

WARNING

Kontakt Tag Beacons contain electronic elements and batteries which should be properly disposed. If you ever want to utilise beacons , please contact manufacturer first.

Switching the original battery with one of a different type might cause a risk of explosion.

Kontakt.io GmbH Paul-Lincke-Ufer 39/40 10999 Berlin, Germany

IC Caution:

- English:

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

- French:

Le présentappareilest conforme aux CNR d' Industrie Canada applicables aux appareils radio exempts de licence. L'exploitationestautorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareildoit accepter tout brouillageradioélectriquesubi, mêmesi le brouillageest susceptible d'encompromettre le fonctionnement.

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different
 - from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm distance between the radiator your body: Use only the supplied antenna.