



Issue Date: 2018-05-30

Test of HBM Torquemeter type 9HA.02 to 47 CFR 15.207, 15.209

ANNEX 1 TO TEST REPORT # EMCC-040197V, 2018-05-30

PHOTOGRAPHS OF TEST SET-UP	
EQUIPMENT UNDER TEST:	
Trade Name: Type Designation(s): Serial Number: Equipment Class: Manufacturer: Address:	9HA.02 Torquemeter 9HA.02 9289465-01-1 Low Power Transceiver Hottinger Baldwin Messtechnik GmbH Im Tiefen See 45 64293 Darmstadt Germany
Phone: Fax:	+49 6151 803-681 +49 6151 803-98790
RELEVANT STANDARD(S):	47 CFR 15.207, 15.209
MEASUREMENT PROCEDURE:	
⊠ ANSI C63.10-2013	☐ Other

Boelwiese 8

Germany

040197V






Issue Date: 2018-05-30

Test of HBM Torquemeter type 9HA.02 to 47 CFR 15.207, 15.209

RADIATED AND CONDUCTED EMISSIONS TEST




Radiated emissions measurement at 3 m distance in semi anechoic chamber (SAC)9 kHz – 30 MHz



Correlation measurement with single turn loop antenna and signal generator at open area test site, 3m distance



Correlation measurement with single turn loop antenna and signal generator in SAC, 3m distance



Radiated emissions measurement at 3 m distance, 30 MHz – 110 MHz



Page 3 of 3

Issue Date: 2018-05-30

Test of HBM Torquemeter type 9HA.02 to 47 CFR 15.207, 15.209



Conducted emissions measurement 150 kHz – 30 MHz Intentionally left blank