



U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.03	3.64	68.3	11.27	Peak	8.00	200	Horizontal	Pass
2	5992.275	60.33	5.26	68.2	7.87	Peak	282.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.000	59.30	3.84	68.2	8.90	Peak	181.00	100	Horizontal	Pass
2	5650.000	57.42	3.83	68.2	10.78	Peak	295.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.83	3.64	68.3	11.47	Peak	332.00	200	Horizontal	Pass
2	5998.800	60.16	5.81	68.2	8.04	Peak	246.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.750	64.97	3.92	68.2	3.23	Peak	324.00	150	Horizontal	Pass
2	5650.000	60.80	3.83	68.2	7.40	Peak	102.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	61.32	3.64	68.3	6.98	Peak	360.00	100	Horizontal	Pass
2	5940.375	64.19	3.71	68.2	4.01	Peak	354.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.312	59.06	3.80	68.2	9.14	Peak	125.00	100	Horizontal	Pass
2	5650.000	57.00	3.83	68.2	11.20	Peak	276.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.08	3.64	68.3	10.22	Peak	289.00	100	Horizontal	Pass
2	5997.150	60.49	5.69	68.2	7.71	Peak	99.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.250	60.89	3.57	68.2	7.31	Peak	94.00	150	Horizontal	Pass
2	5650.000	57.19	3.83	68.2	11.01	Peak	347.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.39	3.64	68.3	10.91	Peak	357.00	200	Horizontal	Pass
2	5999.175	60.30	5.81	68.2	7.90	Peak	38.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.500	64.67	3.86	68.2	3.53	Peak	131.00	100	Horizontal	Pass
2	5650.000	61.25	3.83	68.2	6.95	Peak	126.00	100	Horizontal	Pass


U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	59.96	3.64	68.3	8.34	Peak	119.00	150	Horizontal	Pass
2	5929.950	65.01	3.69	68.2	3.19	Peak	122.00	200	Horizontal	Pass


SISO-Aux. Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	58.51	3.00	74.0	15.49	Peak	151.00	150	Horizontal	Pass
1**	5147.075	46.29	3.00	54.0	7.71	AV	151.00	150	Horizontal	Pass
2	5150.000	56.58	2.86	74.0	17.42	Peak	166.00	100	Horizontal	Pass
2**	5150.000	47.40	2.86	54.0	6.60	AV	166.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.32	3.32	74.0	18.68	Peak	175.00	200	Horizontal	Pass
1**	5350.000	46.22	3.32	54.0	7.78	AV	175.00	200	Horizontal	Pass
2	5370.515	57.97	2.78	74.0	16.03	Peak	360.00	150	Horizontal	Pass
2**	5370.515	45.86	2.78	54.0	8.14	AV	360.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.75	2.97	74.0	16.25	Peak	159.00	200	Horizontal	Pass
1**	5147.725	46.04	2.97	54.0	7.96	AV	159.00	200	Horizontal	Pass
2	5150.000	55.95	2.86	74.0	18.05	Peak	145.00	200	Horizontal	Pass
2**	5150.000	46.41	2.86	54.0	7.59	AV	145.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.21	3.30	74.0	17.79	Peak	147.00	100	Horizontal	Pass
1**	5350.055	46.13	3.30	54.0	7.87	AV	147.00	100	Horizontal	Pass
2	5363.915	57.73	2.62	74.0	16.27	Peak	161.00	100	Horizontal	Pass
2**	5363.915	46.09	2.62	54.0	7.91	AV	161.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	61.74	2.93	74.0	12.26	Peak	161.00	150	Horizontal	Pass
1**	5146.100	48.99	2.93	54.0	5.01	AV	161.00	150	Horizontal	Pass
2	5150.000	60.53	2.86	74.0	13.47	Peak	157.00	100	Horizontal	Pass
2**	5150.000	49.60	2.86	54.0	4.40	AV	157.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.66	3.30	74.0	18.34	Peak	28.00	100	Horizontal	Pass
1**	5350.055	45.97	3.30	54.0	8.03	AV	28.00	100	Horizontal	Pass
2	5358.525	57.86	2.82	74.0	16.14	Peak	0.00	100	Horizontal	Pass
2**	5358.525	46.07	2.82	54.0	7.93	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	59.44	2.85	74.0	14.56	Peak	166.00	100	Horizontal	Pass
1**	5149.675	46.25	2.85	54.0	7.75	AV	166.00	100	Horizontal	Pass
2	5150.000	56.20	2.86	74.0	17.80	Peak	166.00	100	Horizontal	Pass
2**	5150.000	46.47	2.86	54.0	7.53	AV	166.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.49	3.32	74.0	17.51	Peak	154.00	150	Horizontal	Pass
1**	5350.000	46.50	3.32	54.0	7.50	AV	154.00	150	Horizontal	Pass
2	5356.545	57.60	2.88	74.0	16.40	Peak	0.00	200	Horizontal	Pass
2**	5356.545	45.97	2.88	54.0	8.03	AV	0.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	61.71	2.77	74.0	12.29	Peak	151.00	150	Horizontal	Pass
1**	5148.050	49.00	2.77	54.0	5.00	AV	151.00	150	Horizontal	Pass
2	5150.000	59.93	2.86	74.0	14.07	Peak	161.00	200	Horizontal	Pass
2**	5150.000	49.58	2.86	54.0	4.42	AV	161.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.44	3.32	74.0	17.56	Peak	360.00	100	Horizontal	Pass
1**	5350.000	46.52	3.32	54.0	7.48	AV	360.00	100	Horizontal	Pass
2	5376.950	57.72	2.97	74.0	16.28	Peak	1.00	150	Horizontal	Pass
2**	5376.950	46.18	2.97	54.0	7.82	AV	1.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.925	58.85	2.87	74.0	15.15	Peak	149.00	200	Horizontal	Pass
1**	5139.925	45.87	2.87	54.0	8.13	AV	149.00	200	Horizontal	Pass
2	5150.000	57.92	2.86	74.0	16.08	Peak	136.00	200	Horizontal	Pass
2**	5150.000	46.89	2.86	54.0	7.11	AV	136.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.51	3.32	74.0	17.49	Peak	0.00	100	Horizontal	Pass
1**	5350.000	46.16	3.32	54.0	7.84	AV	0.00	100	Horizontal	Pass
2	5378.215	57.57	3.19	74.0	16.43	Peak	0.00	100	Horizontal	Pass
2**	5378.215	46.24	3.19	54.0	7.76	AV	0.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	58.23	2.93	74.0	15.77	Peak	164.00	150	Horizontal	Pass
1**	5146.100	45.82	2.93	54.0	8.18	AV	164.00	150	Horizontal	Pass
2	5150.000	56.58	2.86	74.0	17.42	Peak	169.00	200	Horizontal	Pass
2**	5150.000	46.50	2.86	54.0	7.50	AV	169.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.23	3.32	74.0	16.77	Peak	142.00	200	Horizontal	Pass
1**	5350.000	46.61	3.32	54.0	7.39	AV	142.00	200	Horizontal	Pass
2	5376.345	57.68	2.83	74.0	16.32	Peak	124.00	100	Horizontal	Pass
2**	5376.345	46.25	2.83	54.0	7.75	AV	124.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	61.27	3.07	74.0	12.73	Peak	154.00	200	Horizontal	Pass
1**	5145.125	48.04	3.07	54.0	5.96	AV	154.00	200	Horizontal	Pass
2	5150.000	59.51	2.86	74.0	14.49	Peak	144.00	200	Horizontal	Pass
2**	5150.000	49.09	2.86	54.0	4.91	AV	144.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.21	3.32	74.0	17.79	Peak	176.00	150	Horizontal	Pass
1**	5350.000	46.28	3.32	54.0	7.72	AV	176.00	150	Horizontal	Pass
2	5377.720	58.10	3.12	74.0	15.90	Peak	164.00	200	Horizontal	Pass
2**	5377.720	46.45	3.12	54.0	7.55	AV	164.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.375	60.26	3.11	74.0	13.74	Peak	145.00	150	Horizontal	Pass
1**	5135.375	46.72	3.11	54.0	7.28	AV	145.00	150	Horizontal	Pass
2	5150.000	57.93	2.86	74.0	16.07	Peak	167.00	100	Horizontal	Pass
2**	5150.000	47.20	2.86	54.0	6.80	AV	167.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.53	3.30	74.0	18.47	Peak	151.00	150	Horizontal	Pass
1**	5350.055	46.18	3.30	54.0	7.82	AV	151.00	150	Horizontal	Pass
2	5367.490	57.93	2.62	74.0	16.07	Peak	161.00	100	Horizontal	Pass
2**	5367.490	45.89	2.62	54.0	8.11	AV	161.00	100	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.350	56.67	3.19	74.0	17.33	Peak	256.00	150	Horizontal	Pass
1**	5136.350	44.66	3.19	54.0	9.34	AV	256.00	150	Horizontal	Pass
2	5150.000	54.67	2.86	74.0	19.33	Peak	243.00	100	Horizontal	Pass
2**	5150.000	44.26	2.86	54.0	9.74	AV	243.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.44	3.30	74.0	15.56	Peak	149.00	200	Horizontal	Pass
1**	5350.055	47.48	3.30	54.0	6.52	AV	149.00	200	Horizontal	Pass
2	5350.880	58.55	3.25	74.0	15.45	Peak	149.00	200	Horizontal	Pass
2**	5350.880	47.39	3.25	54.0	6.61	AV	149.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5074.275	55.78	2.96	74.0	18.22	Peak	295.00	100	Horizontal	Pass
1**	5074.275	44.63	2.96	54.0	9.37	AV	295.00	100	Horizontal	Pass
2	5150.000	54.81	2.86	74.0	19.19	Peak	288.00	100	Horizontal	Pass
2**	5150.000	44.32	2.86	54.0	9.68	AV	288.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.81	3.32	74.0	17.19	Peak	20.00	100	Horizontal	Pass
1**	5350.000	46.93	3.32	54.0	7.07	AV	20.00	100	Horizontal	Pass
2	5350.880	58.23	3.25	74.0	15.77	Peak	172.00	100	Horizontal	Pass
2**	5350.880	47.16	3.25	54.0	6.84	AV	172.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5068.425	56.17	3.20	74.0	17.83	Peak	298.00	200	Horizontal	Pass
1**	5068.425	44.49	3.20	54.0	9.51	AV	298.00	200	Horizontal	Pass
2	5150.000	54.06	2.86	74.0	19.94	Peak	190.00	200	Horizontal	Pass
2**	5150.000	44.39	2.86	54.0	9.61	AV	190.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.53	3.32	74.0	10.47	Peak	164.00	150	Horizontal	Pass
1**	5350.000	50.15	3.32	54.0	3.85	AV	164.00	150	Horizontal	Pass
2	5355.280	66.87	2.94	74.0	7.13	Peak	154.00	150	Horizontal	Pass
2**	5355.280	48.09	2.94	54.0	5.91	AV	154.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.050	56.12	2.73	74.0	17.88	Peak	25.00	150	Horizontal	Pass
1**	5122.050	44.36	2.73	54.0	9.64	AV	25.00	150	Horizontal	Pass
2	5150.000	55.45	2.86	74.0	18.55	Peak	0.00	100	Horizontal	Pass
2**	5150.000	44.62	2.86	54.0	9.38	AV	0.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.53	3.30	74.0	17.47	Peak	360.00	100	Horizontal	Pass
1**	5350.055	47.43	3.30	54.0	6.57	AV	360.00	100	Horizontal	Pass
2	5350.440	58.74	3.12	74.0	15.26	Peak	136.00	200	Horizontal	Pass
2**	5350.440	47.22	3.12	54.0	6.78	AV	136.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	55.90	3.47	74.0	18.10	Peak	322.00	100	Horizontal	Pass
1**	5129.850	45.12	3.47	54.0	8.88	AV	322.00	100	Horizontal	Pass
2	5150.000	53.81	2.86	74.0	20.19	Peak	132.00	100	Horizontal	Pass
2**	5150.000	44.34	2.86	54.0	9.66	AV	132.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	65.62	3.30	74.0	8.38	Peak	145.00	100	Horizontal	Pass
1**	5350.055	50.24	3.30	54.0	3.76	AV	145.00	100	Horizontal	Pass
2	5350.110	65.17	3.27	74.0	8.83	Peak	148.00	200	Horizontal	Pass
2**	5350.110	50.95	3.27	54.0	3.05	AV	148.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.650	56.07	3.22	74.0	17.93	Peak	84.00	150	Horizontal	Pass
1**	5137.650	45.07	3.22	54.0	8.93	AV	84.00	150	Horizontal	Pass
2	5150.000	53.64	2.86	74.0	20.36	Peak	125.00	150	Horizontal	Pass
2**	5150.000	44.51	2.86	54.0	9.49	AV	125.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.27	3.30	74.0	12.73	Peak	0.00	150	Horizontal	Pass
1**	5350.055	48.56	3.30	54.0	5.44	AV	0.00	150	Horizontal	Pass
2	5352.200	62.31	3.09	74.0	11.69	Peak	176.00	150	Horizontal	Pass
2**	5352.200	47.99	3.09	54.0	6.01	AV	176.00	150	Horizontal	Pass
3	5352.530	58.84	3.10	74.0	15.16	Peak	154.00	150	Horizontal	Pass
3**	5352.530	49.83	3.10	54.0	4.17	AV	154.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	55.87	3.51	74.0	18.13	Peak	246.00	200	Horizontal	Pass
1**	5128.225	44.99	3.51	54.0	9.01	AV	246.00	200	Horizontal	Pass
2	5150.000	53.86	2.86	74.0	20.14	Peak	359.00	150	Horizontal	Pass
2**	5150.000	44.47	2.86	54.0	9.53	AV	359.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.26	3.32	74.0	16.74	Peak	104.00	100	Horizontal	Pass
1**	5350.000	47.20	3.32	54.0	6.80	AV	104.00	100	Horizontal	Pass
2	5350.440	59.26	3.12	74.0	14.74	Peak	159.00	100	Horizontal	Pass
2**	5350.440	47.16	3.12	54.0	6.84	AV	159.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.500	55.97	3.37	74.0	18.03	Peak	242.00	150	Horizontal	Pass
1**	5130.500	45.07	3.37	54.0	8.93	AV	242.00	150	Horizontal	Pass
2	5150.000	53.96	2.86	74.0	20.04	Peak	172.00	100	Horizontal	Pass
2**	5150.000	44.78	2.86	54.0	9.22	AV	172.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.36	3.32	74.0	11.64	Peak	144.00	100	Horizontal	Pass
1**	5350.000	49.48	3.32	54.0	4.52	AV	144.00	100	Horizontal	Pass
2	5351.100	64.74	3.15	74.0	9.26	Peak	144.00	150	Horizontal	Pass
2**	5351.100	49.69	3.15	54.0	4.31	AV	144.00	150	Horizontal	Pass
3	5351.045	61.35	3.17	74.0	12.65	Peak	144.00	150	Horizontal	Pass
3**	5351.045	50.92	3.17	54.0	3.08	AV	144.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	55.80	3.09	74.0	18.20	Peak	176.00	100	Horizontal	Pass
1**	5132.125	44.78	3.09	54.0	9.22	AV	176.00	100	Horizontal	Pass
2	5150.000	54.67	2.86	74.0	19.33	Peak	22.00	100	Horizontal	Pass
2**	5150.000	44.57	2.86	54.0	9.43	AV	22.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.75	3.32	74.0	15.25	Peak	143.00	150	Horizontal	Pass
1**	5350.000	49.60	3.32	54.0	4.40	AV	143.00	150	Horizontal	Pass
2	5357.975	66.01	2.98	74.0	7.99	Peak	143.00	150	Horizontal	Pass
2**	5357.975	48.27	2.98	54.0	5.73	AV	143.00	150	Horizontal	Pass
3	5350.275	59.64	3.20	74.0	14.36	Peak	150.00	150	Horizontal	Pass
3**	5350.275	49.81	3.20	54.0	4.19	AV	150.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5416.720	57.32	2.96	74.0	16.68	Peak	58.00	100	Horizontal	Pass
1**	5416.720	44.85	2.96	54.0	9.15	AV	58.00	100	Horizontal	Pass
2	5459.980	53.96	3.49	74.0	20.04	Peak	322.00	100	Horizontal	Pass
2**	5459.980	44.26	3.49	54.0	9.74	AV	322.00	100	Horizontal	Pass
3	5467.060	55.95	3.18	68.2	12.25	Peak	351.00	150	Horizontal	Pass
3**	5467.060	44.09	3.18	--	--	AV	351.00	150	Horizontal	N/A
4	5469.940	53.31	3.29	68.2	14.89	Peak	360.00	150	Horizontal	Pass
4**	5469.940	44.32	3.29	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.40	3.44	68.2	5.80	Peak	143.00	100	Horizontal	Pass
2	5725.562	63.29	3.57	68.2	4.91	Peak	148.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5418.400	57.58	3.20	74.0	16.42	Peak	113.00	200	Horizontal	Pass
1**	5418.400	45.46	3.20	54.0	8.54	AV	113.00	200	Horizontal	Pass
2	5459.980	54.66	3.49	74.0	19.34	Peak	157.00	200	Horizontal	Pass
2**	5459.980	44.29	3.49	54.0	9.71	AV	157.00	200	Horizontal	Pass
3	5469.700	56.32	3.28	68.2	11.88	Peak	157.00	200	Horizontal	Pass
3**	5469.700	44.72	3.28	--	--	AV	157.00	200	Horizontal	N/A
4	5469.940	54.65	3.29	68.2	13.55	Peak	130.00	100	Horizontal	Pass
4**	5469.940	44.89	3.29	--	--	AV	130.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.88	3.51	68.2	8.32	Peak	158.00	200	Horizontal	Pass
2	5725.500	63.03	3.49	68.2	5.17	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.740	60.97	3.58	74.0	13.03	Peak	346.00	100	Horizontal	Pass
1**	5459.740	46.11	3.58	54.0	7.89	AV	346.00	100	Horizontal	Pass
2	5459.980	59.13	3.49	74.0	14.87	Peak	339.00	200	Horizontal	Pass
2**	5459.980	46.52	3.49	54.0	7.48	AV	339.00	200	Horizontal	Pass
3	5469.280	64.91	3.23	68.2	3.29	Peak	166.00	200	Horizontal	Pass
3**	5469.280	50.71	3.23	--	--	AV	166.00	200	Horizontal	N/A
4	5469.940	62.68	3.29	68.2	5.52	Peak	358.00	150	Horizontal	Pass
4**	5469.940	51.58	3.29	--	--	AV	358.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.79	3.51	68.2	5.41	Peak	145.00	150	Horizontal	Pass
2	5726.375	63.90	3.75	68.2	4.30	Peak	145.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.560	58.04	2.86	74.0	15.96	Peak	344.00	200	Horizontal	Pass
1**	5387.560	45.51	2.86	54.0	8.49	AV	344.00	200	Horizontal	Pass
2	5459.980	53.98	3.49	74.0	20.02	Peak	144.00	100	Horizontal	Pass
2**	5459.980	44.48	3.49	54.0	9.52	AV	144.00	100	Horizontal	Pass
3	5469.220	55.70	3.21	68.2	12.50	Peak	359.00	150	Horizontal	Pass
3**	5469.220	44.54	3.21	--	--	AV	359.00	150	Horizontal	N/A
4	5469.940	54.60	3.29	68.2	13.60	Peak	360.00	200	Horizontal	Pass
4**	5469.940	44.67	3.29	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.20	3.44	68.2	6.00	Peak	0.00	150	Horizontal	Pass
2	5725.687	63.39	3.72	68.2	4.81	Peak	144.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.560	57.52	3.60	74.0	16.48	Peak	144.00	100	Horizontal	Pass
1**	5459.560	45.20	3.60	54.0	8.80	AV	144.00	100	Horizontal	Pass
2	5459.980	54.24	3.49	74.0	19.76	Peak	360.00	100	Horizontal	Pass
2**	5459.980	44.99	3.49	54.0	9.01	AV	360.00	100	Horizontal	Pass
3	5469.220	63.79	3.21	68.2	4.41	Peak	156.00	100	Horizontal	Pass
3**	5469.220	48.33	3.21	--	--	AV	156.00	100	Horizontal	N/A
4	5469.940	60.19	3.29	68.2	8.01	Peak	153.00	100	Horizontal	Pass
4**	5469.940	48.20	3.29	--	--	AV	153.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.38	3.44	68.2	5.82	Peak	129.00	100	Horizontal	Pass
2	5727.500	65.04	3.67	68.2	3.16	Peak	144.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5434.240	62.43	3.73	74.0	11.57	Peak	144.00	100	Horizontal	Pass
1**	5434.240	48.75	3.73	54.0	5.25	AV	144.00	100	Horizontal	Pass
2	5459.980	59.87	3.49	74.0	14.13	Peak	147.00	150	Horizontal	Pass
2**	5459.980	49.82	3.49	54.0	4.18	AV	147.00	150	Horizontal	Pass
3	5463.400	63.66	3.33	68.2	4.54	Peak	344.00	150	Horizontal	Pass
3**	5463.400	49.86	3.33	--	--	AV	344.00	150	Horizontal	N/A
4	5469.940	63.78	3.29	68.2	4.42	Peak	157.00	200	Horizontal	Pass
4**	5469.940	51.18	3.29	--	--	AV	157.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.88	3.51	68.2	9.32	Peak	0.00	200	Horizontal	Pass
2	5749.125	62.45	3.50	68.2	5.75	Peak	148.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.980	57.37	3.19	74.0	16.63	Peak	178.00	150	Horizontal	Pass
1**	5396.980	46.06	3.19	54.0	7.94	AV	178.00	150	Horizontal	Pass
2	5459.980	53.54	3.49	74.0	20.46	Peak	24.00	100	Horizontal	Pass
2**	5459.980	44.10	3.49	54.0	9.90	AV	24.00	100	Horizontal	Pass
3	5463.040	56.30	3.62	68.2	11.90	Peak	146.00	100	Horizontal	Pass
3**	5463.040	44.66	3.62	--	--	AV	146.00	100	Horizontal	N/A
4	5469.940	54.93	3.29	68.2	13.27	Peak	360.00	150	Horizontal	Pass
4**	5469.940	44.46	3.29	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.83	3.44	68.2	6.37	Peak	149.00	150	Horizontal	Pass
2	5725.938	62.37	3.64	68.2	5.83	Peak	125.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	59.64	3.57	74.0	14.36	Peak	163.00	200	Horizontal	Pass
1**	5459.200	45.45	3.57	54.0	8.55	AV	163.00	200	Horizontal	Pass
2	5459.980	57.71	3.49	74.0	16.29	Peak	144.00	100	Horizontal	Pass
2**	5459.980	45.59	3.49	54.0	8.41	AV	144.00	100	Horizontal	Pass
3	5467.060	63.51	3.18	68.2	4.69	Peak	147.00	100	Horizontal	Pass
3**	5467.060	46.57	3.18	--	--	AV	147.00	100	Horizontal	N/A
4	5469.940	62.03	3.29	68.2	6.17	Peak	163.00	100	Horizontal	Pass
4**	5469.940	48.22	3.29	--	--	AV	163.00	100	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.15	3.44	68.2	6.05	Peak	144.00	150	Horizontal	Pass
2	5727.375	65.14	3.69	68.2	3.06	Peak	156.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.440	63.44	3.61	74.0	10.56	Peak	149.00	150	Horizontal	Pass
1**	5456.440	47.63	3.61	54.0	6.37	AV	149.00	150	Horizontal	Pass
2	5459.980	59.05	3.49	74.0	14.95	Peak	152.00	200	Horizontal	Pass
2**	5459.980	48.54	3.49	54.0	5.46	AV	152.00	200	Horizontal	Pass
3	5463.760	61.64	3.41	68.2	6.56	Peak	149.00	100	Horizontal	Pass
3**	5463.760	47.64	3.41	--	--	AV	149.00	100	Horizontal	N/A
4	5469.940	59.90	3.29	68.2	8.30	Peak	140.00	150	Horizontal	Pass
4**	5469.940	48.38	3.29	--	--	AV	140.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.98	3.44	68.2	7.22	Peak	144.00	150	Horizontal	Pass
2	5731.000	62.84	3.75	68.2	5.36	Peak	153.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.625	59.07	3.74	68.2	9.13	Peak	15.00	200	Horizontal	Pass
2	5650.000	57.78	3.83	68.2	10.42	Peak	11.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.17	3.64	68.3	11.13	Peak	132.00	150	Horizontal	Pass
2	5997.600	60.71	5.72	68.2	7.49	Peak	35.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.437	58.75	3.72	68.2	9.45	Peak	103.00	150	Horizontal	Pass
2	5650.000	56.95	3.83	68.2	11.25	Peak	353.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.88	3.64	68.3	10.42	Peak	84.00	200	Horizontal	Pass
2	5997.450	60.66	5.71	68.2	7.54	Peak	235.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.375	59.22	3.76	68.2	8.98	Peak	173.00	200	Horizontal	Pass
2	5650.000	57.47	3.83	68.2	10.73	Peak	166.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.99	3.64	68.3	11.31	Peak	93.00	100	Horizontal	Pass
2	5988.300	60.38	5.01	68.2	7.82	Peak	87.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.437	59.31	3.90	68.2	8.89	Peak	317.00	150	Horizontal	Pass
2	5650.000	56.77	3.83	68.2	11.43	Peak	187.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.98	3.64	68.3	11.32	Peak	105.00	200	Horizontal	Pass
2	5992.725	60.28	5.31	68.2	7.92	Peak	331.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.063	60.28	3.88	68.2	7.92	Peak	110.00	200	Horizontal	Pass
2	5650.000	57.44	3.83	68.2	10.76	Peak	357.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.55	3.64	68.3	11.75	Peak	95.00	200	Horizontal	Pass
2	5998.575	60.42	5.80	68.2	7.78	Peak	193.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.938	65.02	3.83	68.2	3.18	Peak	107.00	200	Horizontal	Pass
2	5650.000	62.52	3.83	68.2	5.68	Peak	115.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.44	3.64	68.3	9.86	Peak	350.00	200	Horizontal	Pass
2	5929.350	62.67	3.66	68.2	5.53	Peak	110.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.750	60.02	3.48	68.2	8.18	Peak	196.00	150	Horizontal	Pass
2	5650.000	58.32	3.83	68.2	9.88	Peak	127.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.76	3.64	68.3	10.54	Peak	165.00	200	Horizontal	Pass
2	5997.150	60.16	5.69	68.2	8.04	Peak	270.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.375	61.42	3.87	68.2	6.78	Peak	94.00	150	Horizontal	Pass
2	5650.000	58.38	3.83	68.2	9.82	Peak	12.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.11	3.64	68.3	10.19	Peak	89.00	150	Horizontal	Pass
2	5998.800	60.85	5.81	68.2	7.35	Peak	202.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.000	64.41	3.82	68.2	3.79	Peak	93.00	100	Horizontal	Pass
2	5650.000	60.64	3.83	68.2	7.56	Peak	86.00	150	Horizontal	Pass


U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	59.13	3.64	68.3	9.17	Peak	183.00	100	Horizontal	Pass
2	5942.475	64.26	3.85	68.2	3.94	Peak	93.00	100	Horizontal	Pass


MIMO

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.350	56.61	2.82	74.0	17.39	Peak	34.00	100	Horizontal	Pass
1**	5097.350	45.23	2.82	54.0	8.77	AV	34.00	100	Horizontal	Pass
2	5150.000	55.33	2.86	74.0	18.67	Peak	344.00	150	Horizontal	Pass
2**	5150.000	47.10	2.86	54.0	6.90	AV	344.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.61	3.32	74.0	18.39	Peak	248.00	200	Horizontal	Pass
1**	5350.000	46.13	3.32	54.0	7.87	AV	248.00	200	Horizontal	Pass
2	5380.030	57.41	3.25	74.0	16.59	Peak	336.00	100	Horizontal	Pass
2**	5380.030	46.12	3.25	54.0	7.88	AV	336.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	64.95	3.00	74.0	9.05	Peak	178.00	150	Horizontal	Pass
1**	5147.075	51.42	3.00	54.0	2.58	AV	178.00	150	Horizontal	Pass
2	5150.000	62.14	2.86	74.0	11.86	Peak	205.00	200	Horizontal	Pass
2**	5150.000	50.93	2.86	54.0	3.07	AV	205.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.28	3.32	74.0	18.72	Peak	21.00	200	Horizontal	Pass
1**	5350.000	46.08	3.32	54.0	7.92	AV	21.00	200	Horizontal	Pass
2	5375.685	58.00	2.92	74.0	16.00	Peak	18.00	150	Horizontal	Pass
2**	5375.685	45.95	2.92	54.0	8.05	AV	18.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	63.30	2.77	74.0	10.70	Peak	176.00	100	Horizontal	Pass
1**	5148.050	48.36	2.77	54.0	5.64	AV	176.00	100	Horizontal	Pass
2	5150.000	62.47	2.86	74.0	11.53	Peak	183.00	200	Horizontal	Pass
2**	5150.000	48.25	2.86	54.0	5.75	AV	183.00	200	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.30	3.30	74.0	17.70	Peak	182.00	200	Horizontal	Pass
1**	5350.055	46.38	3.30	54.0	7.62	AV	182.00	200	Horizontal	Pass
2	5353.080	57.65	3.22	74.0	16.35	Peak	99.00	200	Horizontal	Pass
2**	5353.080	46.01	3.22	54.0	7.99	AV	99.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	58.76	2.94	74.0	15.24	Peak	173.00	100	Horizontal	Pass
1**	5147.400	48.35	2.94	54.0	5.65	AV	173.00	100	Horizontal	Pass
2	5150.000	58.81	2.86	74.0	15.19	Peak	173.00	200	Horizontal	Pass
2**	5150.000	48.03	2.86	54.0	5.97	AV	173.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.13	3.30	74.0	18.87	Peak	278.00	200	Horizontal	Pass
1**	5350.055	46.49	3.30	54.0	7.51	AV	278.00	200	Horizontal	Pass
2	5354.015	57.32	3.09	74.0	16.68	Peak	0.00	100	Horizontal	Pass
2**	5354.015	46.17	3.09	54.0	7.83	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	57.75	2.87	74.0	16.25	Peak	210.00	100	Horizontal	Pass
1**	5149.025	46.61	2.87	54.0	7.39	AV	210.00	100	Horizontal	Pass
2	5150.000	57.57	2.86	74.0	16.43	Peak	181.00	200	Horizontal	Pass
2**	5150.000	47.18	2.86	54.0	6.82	AV	181.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.38	3.32	74.0	17.62	Peak	0.00	200	Horizontal	Pass
1**	5350.000	46.26	3.32	54.0	7.74	AV	0.00	200	Horizontal	Pass
2	5374.365	57.62	2.99	74.0	16.38	Peak	87.00	100	Horizontal	Pass
2**	5374.365	46.18	2.99	54.0	7.82	AV	87.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.950	56.51	2.88	74.0	17.49	Peak	169.00	100	Horizontal	Pass
1**	5138.950	45.78	2.88	54.0	8.22	AV	169.00	100	Horizontal	Pass
2	5150.000	57.29	2.86	74.0	16.71	Peak	179.00	100	Horizontal	Pass
2**	5150.000	46.15	2.86	54.0	7.85	AV	179.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.73	3.30	74.0	18.27	Peak	158.00	150	Horizontal	Pass
1**	5350.055	46.62	3.30	54.0	7.38	AV	158.00	150	Horizontal	Pass
2	5379.645	57.97	3.17	74.0	16.03	Peak	329.00	150	Horizontal	Pass
2**	5379.645	45.90	3.17	54.0	8.10	AV	329.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	60.04	2.85	74.0	13.96	Peak	181.00	200	Horizontal	Pass
1**	5149.675	48.02	2.85	54.0	5.98	AV	181.00	200	Horizontal	Pass
2	5150.000	58.13	2.86	74.0	15.87	Peak	34.00	200	Horizontal	Pass
2**	5150.000	48.53	2.86	54.0	5.47	AV	34.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.39	3.32	74.0	17.61	Peak	125.00	200	Horizontal	Pass
1**	5350.000	46.04	3.32	54.0	7.96	AV	125.00	200	Horizontal	Pass
2	5375.355	57.46	2.88	74.0	16.54	Peak	76.00	100	Horizontal	Pass
2**	5375.355	45.65	2.88	54.0	8.35	AV	76.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	58.62	3.01	74.0	15.38	Peak	252.00	200	Horizontal	Pass
1**	5145.450	48.55	3.01	54.0	5.45	AV	252.00	200	Horizontal	Pass
2	5150.000	57.46	2.86	74.0	16.54	Peak	255.00	200	Horizontal	Pass
2**	5150.000	48.38	2.86	54.0	5.62	AV	255.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.48	3.32	74.0	17.52	Peak	0.00	200	Horizontal	Pass
1**	5350.000	46.22	3.32	54.0	7.78	AV	0.00	200	Horizontal	Pass
2	5357.480	57.53	3.08	74.0	16.47	Peak	229.00	150	Horizontal	Pass
2**	5357.480	46.10	3.08	54.0	7.90	AV	229.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.700	56.28	2.93	74.0	17.72	Peak	101.00	150	Horizontal	Pass
1**	5122.700	44.69	2.93	54.0	9.31	AV	101.00	150	Horizontal	Pass
2	5150.000	55.09	2.86	74.0	18.91	Peak	334.00	100	Horizontal	Pass
2**	5150.000	44.66	2.86	54.0	9.34	AV	334.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.85	3.30	74.0	12.15	Peak	215.00	200	Horizontal	Pass
1**	5350.055	46.83	3.30	54.0	7.17	AV	215.00	200	Horizontal	Pass
2	5352.255	62.99	3.09	74.0	11.01	Peak	254.00	100	Horizontal	Pass
2**	5352.255	46.25	3.09	54.0	7.75	AV	254.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.100	56.09	2.70	74.0	17.91	Peak	339.00	100	Horizontal	Pass
1**	5094.100	44.31	2.70	54.0	9.69	AV	339.00	100	Horizontal	Pass
2	5150.000	54.63	2.86	74.0	19.37	Peak	342.00	200	Horizontal	Pass
2**	5150.000	44.89	2.86	54.0	9.11	AV	342.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.87	3.32	74.0	11.13	Peak	178.00	200	Horizontal	Pass
1**	5350.000	47.82	3.32	54.0	6.18	AV	178.00	200	Horizontal	Pass
2	5350.220	64.70	3.22	74.0	9.30	Peak	184.00	200	Horizontal	Pass
2**	5350.220	48.92	3.22	54.0	5.08	AV	184.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.675	56.19	3.07	74.0	17.81	Peak	0.00	150	Horizontal	Pass
1**	5136.675	44.90	3.07	54.0	9.10	AV	0.00	150	Horizontal	Pass
2	5150.000	53.70	2.86	74.0	20.30	Peak	20.00	200	Horizontal	Pass
2**	5150.000	44.67	2.86	54.0	9.33	AV	20.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.07	3.32	74.0	12.93	Peak	185.00	200	Horizontal	Pass
1**	5350.000	46.37	3.32	54.0	7.63	AV	185.00	200	Horizontal	Pass
2	5353.740	60.45	3.09	74.0	13.55	Peak	188.00	150	Horizontal	Pass
2**	5353.740	46.27	3.09	54.0	7.73	AV	188.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	56.01	3.07	74.0	17.99	Peak	78.00	200	Horizontal	Pass
1**	5145.125	44.86	3.07	54.0	9.14	AV	78.00	200	Horizontal	Pass
2	5150.000	54.39	2.86	74.0	19.61	Peak	95.00	150	Horizontal	Pass
2**	5150.000	44.49	2.86	54.0	9.51	AV	95.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	63.12	3.30	74.0	10.88	Peak	174.00	150	Horizontal	Pass
1**	5350.055	48.78	3.30	54.0	5.22	AV	174.00	150	Horizontal	Pass
2	5350.385	64.38	3.15	74.0	9.62	Peak	185.00	200	Horizontal	Pass
2**	5350.385	49.42	3.15	54.0	4.58	AV	185.00	200	Horizontal	Pass
3	5350.110	63.54	3.27	74.0	10.46	Peak	181.00	200	Horizontal	Pass
3**	5350.110	50.32	3.27	54.0	3.68	AV	181.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5061.275	57.34	2.62	74.0	16.66	Peak	178.00	100	Horizontal	Pass
1**	5061.275	45.49	2.62	54.0	8.51	AV	178.00	100	Horizontal	Pass
2	5150.000	55.77	2.86	74.0	18.23	Peak	247.00	150	Horizontal	Pass
2**	5150.000	45.28	2.86	54.0	8.72	AV	247.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.89	3.32	74.0	12.11	Peak	170.00	150	Horizontal	Pass
1**	5350.000	49.35	3.32	54.0	4.65	AV	170.00	150	Horizontal	Pass
2	5352.695	63.77	3.15	74.0	10.23	Peak	176.00	100	Horizontal	Pass
2**	5352.695	49.10	3.15	54.0	4.90	AV	176.00	100	Horizontal	Pass
3	5352.970	60.86	3.23	74.0	13.14	Peak	170.00	100	Horizontal	Pass
3**	5352.970	50.33	3.23	54.0	3.67	AV	170.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.675	56.19	3.07	74.0	17.81	Peak	0.00	150	Horizontal	Pass
1**	5136.675	44.90	3.07	54.0	9.10	AV	0.00	150	Horizontal	Pass
2	5150.000	53.70	2.86	74.0	20.30	Peak	20.00	200	Horizontal	Pass
2**	5150.000	44.67	2.86	54.0	9.33	AV	20.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.29	3.30	74.0	13.71	Peak	197.00	150	Horizontal	Pass
1**	5350.055	46.66	3.30	54.0	7.34	AV	197.00	150	Horizontal	Pass
2	5350.330	63.16	3.17	74.0	10.84	Peak	360.00	200	Horizontal	Pass
2**	5350.330	46.11	3.17	54.0	7.89	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.775	55.93	2.66	74.0	18.07	Peak	344.00	150	Horizontal	Pass
1**	5119.775	44.49	2.66	54.0	9.51	AV	344.00	150	Horizontal	Pass
2	5150.000	53.92	2.86	74.0	20.08	Peak	312.00	150	Horizontal	Pass
2**	5150.000	44.83	2.86	54.0	9.17	AV	312.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.18	3.32	74.0	12.82	Peak	161.00	150	Horizontal	Pass
1**	5350.000	49.41	3.32	54.0	4.59	AV	161.00	150	Horizontal	Pass
2	5352.915	62.96	3.22	74.0	11.04	Peak	164.00	200	Horizontal	Pass
2**	5352.915	48.04	3.22	54.0	5.96	AV	164.00	200	Horizontal	Pass
3	5351.100	60.52	3.15	74.0	13.48	Peak	164.00	100	Horizontal	Pass
3**	5351.100	50.01	3.15	54.0	3.99	AV	164.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5032.675	57.35	2.50	74.0	16.65	Peak	215.00	200	Horizontal	Pass
1**	5032.675	45.87	2.50	54.0	8.13	AV	215.00	200	Horizontal	Pass
2	5150.000	54.75	2.86	74.0	19.25	Peak	226.00	200	Horizontal	Pass
2**	5150.000	45.16	2.86	54.0	8.84	AV	226.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.28	3.32	74.0	11.72	Peak	156.00	100	Horizontal	Pass
1**	5350.000	49.70	3.32	54.0	4.30	AV	156.00	100	Horizontal	Pass
2	5353.795	62.22	3.08	74.0	11.78	Peak	156.00	150	Horizontal	Pass
2**	5353.795	48.50	3.08	54.0	5.50	AV	156.00	150	Horizontal	Pass
3	5350.495	59.07	3.14	74.0	14.93	Peak	169.00	150	Horizontal	Pass
3**	5350.495	50.58	3.14	54.0	3.42	AV	169.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.080	57.62	3.16	74.0	16.38	Peak	349.00	200	Horizontal	Pass
1**	5351.080	45.90	3.16	54.0	8.10	AV	349.00	200	Horizontal	Pass
2	5459.980	53.31	3.49	74.0	20.69	Peak	345.00	200	Horizontal	Pass
2**	5459.980	44.30	3.49	54.0	9.70	AV	345.00	200	Horizontal	Pass
3	5465.500	56.09	3.42	68.2	12.11	Peak	172.00	200	Horizontal	Pass
3**	5465.500	45.20	3.42	--	--	AV	172.00	200	Horizontal	N/A
4	5469.940	54.70	3.29	68.2	13.50	Peak	179.00	100	Horizontal	Pass
4**	5469.940	44.84	3.29	--	--	AV	179.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.12	3.44	68.2	7.08	Peak	171.00	150	Horizontal	Pass
2	5725.250	63.99	3.24	68.2	4.21	Peak	185.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.260	63.35	3.60	74.0	10.65	Peak	174.00	200	Horizontal	Pass
1**	5456.260	45.09	3.60	54.0	8.91	AV	174.00	200	Horizontal	Pass
2	5459.980	59.00	3.49	74.0	15.00	Peak	178.00	200	Horizontal	Pass
2**	5459.980	46.06	3.49	54.0	7.94	AV	178.00	200	Horizontal	Pass
3	5466.520	65.05	3.21	68.2	3.15	Peak	174.00	150	Horizontal	Pass
3**	5466.520	47.73	3.21	--	--	AV	174.00	150	Horizontal	N/A
4	5469.940	61.98	3.29	68.2	6.22	Peak	174.00	150	Horizontal	Pass
4**	5469.940	48.69	3.29	--	--	AV	174.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.83	3.44	68.2	5.37	Peak	159.00	100	Horizontal	Pass
2	5726.625	64.48	3.85	68.2	3.72	Peak	171.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.360	57.12	2.77	74.0	16.88	Peak	269.00	150	Horizontal	Pass
1**	5359.360	45.73	2.77	54.0	8.27	AV	269.00	150	Horizontal	Pass
2	5459.980	54.70	3.49	74.0	19.30	Peak	185.00	100	Horizontal	Pass
2**	5459.980	45.75	3.49	54.0	8.25	AV	185.00	100	Horizontal	Pass
3	5469.520	64.16	3.30	68.2	4.04	Peak	174.00	200	Horizontal	Pass
3**	5469.520	47.15	3.30	--	--	AV	174.00	200	Horizontal	N/A
4	5469.940	61.79	3.29	68.2	6.41	Peak	174.00	150	Horizontal	Pass
4**	5469.940	47.06	3.29	--	--	AV	174.00	150	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.03	3.44	68.2	7.17	Peak	347.00	150	Horizontal	Pass
2	5725.437	64.30	3.42	68.2	3.90	Peak	159.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.500	57.44	3.06	74.0	16.56	Peak	57.00	200	Horizontal	Pass
1**	5351.500	45.92	3.06	54.0	8.08	AV	57.00	200	Horizontal	Pass
2	5459.980	55.10	3.49	74.0	18.90	Peak	191.00	100	Horizontal	Pass
2**	5459.980	45.02	3.49	54.0	8.98	AV	191.00	100	Horizontal	Pass
3	5469.700	63.39	3.28	68.2	4.81	Peak	188.00	150	Horizontal	Pass
3**	5469.700	47.85	3.28	--	--	AV	188.00	150	Horizontal	N/A
4	5469.940	58.90	3.29	68.2	9.30	Peak	181.00	100	Horizontal	Pass
4**	5469.940	47.53	3.29	--	--	AV	181.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.09	3.51	68.2	10.11	Peak	340.00	150	Horizontal	Pass
2	5726.188	60.53	3.61	68.2	7.67	Peak	158.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.900	62.70	3.56	74.0	11.30	Peak	175.00	150	Horizontal	Pass
1**	5458.900	48.69	3.56	54.0	5.31	AV	175.00	150	Horizontal	Pass
2	5459.980	63.29	3.49	74.0	10.71	Peak	181.00	200	Horizontal	Pass
2**	5459.980	48.39	3.49	54.0	5.61	AV	181.00	200	Horizontal	Pass
3	5468.020	65.14	3.30	68.2	3.06	Peak	170.00	100	Horizontal	Pass
3**	5468.020	49.76	3.30	--	--	AV	170.00	100	Horizontal	N/A
4	5469.940	62.79	3.29	68.2	5.41	Peak	163.00	200	Horizontal	Pass
4**	5469.940	49.50	3.29	--	--	AV	163.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.08	3.51	68.2	6.12	Peak	30.00	150	Horizontal	Pass
2	5732.500	65.07	3.89	68.2	3.13	Peak	0.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.960	57.25	3.14	74.0	16.75	Peak	348.00	200	Horizontal	Pass
1**	5377.960	45.75	3.14	54.0	8.25	AV	348.00	200	Horizontal	Pass
2	5459.980	53.61	3.49	74.0	20.39	Peak	0.00	150	Horizontal	Pass
2**	5459.980	45.16	3.49	54.0	8.84	AV	0.00	150	Horizontal	Pass
3	5468.200	62.71	3.33	68.2	5.49	Peak	186.00	200	Horizontal	Pass
3**	5468.200	46.27	3.33	--	--	AV	186.00	200	Horizontal	N/A
4	5469.940	62.49	3.29	68.2	5.71	Peak	189.00	100	Horizontal	Pass
4**	5469.940	46.65	3.29	--	--	AV	189.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.46	3.51	68.2	7.74	Peak	130.00	200	Horizontal	Pass
2	5728.500	63.11	3.38	68.2	5.09	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.500	57.72	3.60	74.0	16.28	Peak	255.00	200	Horizontal	Pass
1**	5459.500	45.39	3.60	54.0	8.61	AV	255.00	200	Horizontal	Pass
2	5459.980	54.10	3.49	74.0	19.90	Peak	4.00	200	Horizontal	Pass
2**	5459.980	45.05	3.49	54.0	8.95	AV	4.00	200	Horizontal	Pass
3	5469.640	62.96	3.29	68.2	5.24	Peak	172.00	150	Horizontal	Pass
3**	5469.640	47.89	3.29	--	--	AV	172.00	150	Horizontal	N/A
4	5469.940	58.70	3.29	68.2	9.50	Peak	172.00	150	Horizontal	Pass
4**	5469.940	47.42	3.29	--	--	AV	172.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.00	3.51	68.2	7.20	Peak	147.00	150	Horizontal	Pass
2	5731.687	64.50	3.49	68.2	3.70	Peak	150.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.440	62.18	3.59	74.0	11.82	Peak	20.00	150	Horizontal	Pass
1**	5459.440	50.38	3.59	54.0	3.62	AV	20.00	150	Horizontal	Pass
2	5459.980	61.73	3.49	74.0	12.27	Peak	184.00	200	Horizontal	Pass
2**	5459.980	50.47	3.49	54.0	3.53	AV	184.00	200	Horizontal	Pass
3	5460.700	63.55	3.19	68.2	4.65	Peak	249.00	200	Horizontal	Pass
3**	5460.700	49.83	3.19	--	--	AV	249.00	200	Horizontal	N/A
4	5469.940	61.57	3.29	68.2	6.63	Peak	25.00	100	Horizontal	Pass
4**	5469.940	51.21	3.29	--	--	AV	25.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.01	3.51	68.2	8.19	Peak	360.00	200	Horizontal	Pass
2	5741.063	62.34	4.01	68.2	5.86	Peak	32.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5622.562	58.86	3.35	68.2	9.34	Peak	111.00	100	Horizontal	Pass
2	5650.000	57.89	3.83	68.2	10.31	Peak	1.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.89	3.64	68.3	10.41	Peak	87.00	100	Horizontal	Pass
2	5993.400	59.87	5.44	68.2	8.33	Peak	214.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.750	58.56	3.48	68.2	9.64	Peak	44.00	200	Horizontal	Pass
2	5650.000	56.64	3.83	68.2	11.56	Peak	244.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.49	3.64	68.3	10.81	Peak	217.00	200	Horizontal	Pass
2	5994.900	60.13	5.69	68.2	8.07	Peak	149.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.688	58.90	3.73	68.2	9.30	Peak	187.00	200	Horizontal	Pass
2	5650.000	56.64	3.83	68.2	11.56	Peak	308.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.90	3.64	68.3	11.40	Peak	238.00	150	Horizontal	Pass
2	5995.125	59.99	5.69	68.2	8.21	Peak	110.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.875	63.99	3.93	68.2	4.21	Peak	110.00	200	Horizontal	Pass
2	5650.000	60.75	3.83	68.2	7.45	Peak	126.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.74	3.64	68.3	10.56	Peak	56.00	200	Horizontal	Pass
2	5999.250	60.10	5.80	68.2	8.10	Peak	40.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.750	65.16	3.81	68.2	3.04	Peak	107.00	150	Horizontal	Pass
2	5650.000	62.14	3.83	68.2	6.06	Peak	109.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.74	3.64	68.3	11.56	Peak	151.00	150	Horizontal	Pass
2	5998.800	60.37	5.81	68.2	7.83	Peak	168.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5613.188	59.06	3.74	68.2	9.14	Peak	277.00	200	Horizontal	Pass
2	5650.000	57.10	3.83	68.2	11.10	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.49	3.64	68.3	10.81	Peak	145.00	200	Horizontal	Pass
2	5995.200	59.99	5.68	68.2	8.21	Peak	88.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.563	62.39	3.81	68.2	5.81	Peak	105.00	200	Horizontal	Pass
2	5650.000	60.11	3.83	68.2	8.09	Peak	109.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.37	3.64	68.3	10.93	Peak	344.00	200	Horizontal	Pass
2	5998.125	60.18	5.76	68.2	8.02	Peak	210.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.688	63.40	3.83	68.2	4.80	Peak	105.00	150	Horizontal	Pass
2	5650.000	60.69	3.83	68.2	7.51	Peak	94.00	150	Horizontal	Pass


U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.75	3.64	68.3	10.55	Peak	112.00	200	Horizontal	Pass
2	5993.025	60.18	5.37	68.2	8.02	Peak	241.00	200	Horizontal	Pass


Rod Antenna
SISO-Main Antenna

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.32	3.30	74.0	18.68	Peak	283.00	150	Horizontal	Pass
1**	5350.055	45.91	3.30	54.0	8.09	AV	283.00	150	Horizontal	Pass
2	5356.380	56.66	2.97	74.0	17.34	Peak	347.00	150	Horizontal	Pass
2**	5356.380	45.37	2.97	54.0	8.63	AV	347.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.83	3.32	74.0	17.17	Peak	290.00	200	Horizontal	Pass
1**	5350.000	47.09	3.32	54.0	6.91	AV	290.00	200	Horizontal	Pass
2	5351.210	58.57	3.10	74.0	15.43	Peak	298.00	100	Horizontal	Pass
2**	5351.210	46.36	3.10	54.0	7.64	AV	298.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.560	57.31	3.11	74.0	16.69	Peak	315.00	150	Horizontal	Pass
1**	5381.560	45.70	3.11	54.0	8.30	AV	315.00	150	Horizontal	Pass
2	5459.980	52.83	3.49	74.0	21.17	Peak	152.00	100	Horizontal	Pass
2**	5459.980	43.55	3.49	54.0	10.45	AV	152.00	100	Horizontal	Pass
3	5461.840	54.51	3.55	68.2	13.69	Peak	152.00	200	Horizontal	Pass
3**	5461.840	43.48	3.55	--	--	AV	152.00	200	Horizontal	N/A
4	5469.940	52.29	3.29	68.2	15.91	Peak	324.00	200	Horizontal	Pass
4**	5469.940	43.03	3.29	--	--	AV	324.00	200	Horizontal	N/A


U-NII-3 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.65	3.42	68.3	13.65	Peak	218.00	100	Horizontal	Pass
2	5985.000	56.58	4.45	68.2	11.62	Peak	352.00	150	Horizontal	Pass


SISO-Aux. Antenna

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.28	3.30	74.0	18.72	Peak	161.00	150	Horizontal	Pass
1**	5350.055	45.93	3.30	54.0	8.07	AV	161.00	150	Horizontal	Pass
2	5377.500	56.70	3.11	74.0	17.30	Peak	340.00	100	Horizontal	Pass
2**	5377.500	45.40	3.11	54.0	8.60	AV	340.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.33	3.30	74.0	16.67	Peak	93.00	150	Horizontal	Pass
1**	5350.055	45.75	3.30	54.0	8.25	AV	93.00	150	Horizontal	Pass
2	5363.750	57.47	2.57	74.0	16.53	Peak	0.00	200	Horizontal	Pass
2**	5363.750	45.48	2.57	54.0	8.52	AV	0.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.300	57.22	3.12	74.0	16.78	Peak	254.00	150	Horizontal	Pass
1**	5377.300	45.84	3.12	54.0	8.16	AV	254.00	150	Horizontal	Pass
2	5459.980	53.01	3.49	74.0	20.99	Peak	0.00	100	Horizontal	Pass
2**	5459.980	43.32	3.49	54.0	10.68	AV	0.00	100	Horizontal	Pass
3	5469.340	55.99	3.26	68.2	12.21	Peak	314.00	200	Horizontal	Pass
3**	5469.340	43.11	3.26	--	--	AV	314.00	200	Horizontal	N/A
4	5469.940	52.62	3.29	68.2	15.58	Peak	10.00	200	Horizontal	Pass
4**	5469.940	42.96	3.29	--	--	AV	10.00	200	Horizontal	N/A


U-NII-3 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.16	3.42	68.3	14.14	Peak	352.00	150	Horizontal	Pass
2	5968.050	57.03	3.79	68.2	11.17	Peak	318.00	200	Horizontal	Pass


MIMO

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	3.32	74.0	18.29	Peak	183.00	200	Horizontal	Pass
1**	5350.000	46.38	3.32	54.0	7.62	AV	183.00	200	Horizontal	Pass
2	5350.715	57.78	3.21	74.0	16.22	Peak	122.00	100	Horizontal	Pass
2**	5350.715	45.85	3.21	54.0	8.15	AV	122.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.41	3.30	74.0	17.59	Peak	297.00	200	Horizontal	Pass
1**	5350.055	45.69	3.30	54.0	8.31	AV	297.00	200	Horizontal	Pass
2	5374.860	57.32	2.94	74.0	16.68	Peak	220.00	100	Horizontal	Pass
2**	5374.860	45.80	2.94	54.0	8.20	AV	220.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5357.500	57.79	3.08	74.0	16.21	Peak	186.00	150	Horizontal	Pass
1**	5357.500	45.78	3.08	54.0	8.22	AV	186.00	150	Horizontal	Pass
2	5459.980	53.00	3.49	74.0	21.00	Peak	178.00	150	Horizontal	Pass
2**	5459.980	43.65	3.49	54.0	10.35	AV	178.00	150	Horizontal	Pass
3	5469.460	57.17	3.30	68.2	11.03	Peak	318.00	100	Horizontal	Pass
3**	5469.460	43.65	3.30	--	--	AV	318.00	100	Horizontal	N/A
4	5469.940	54.02	3.29	68.2	14.18	Peak	94.00	150	Horizontal	Pass
4**	5469.940	43.25	3.29	--	--	AV	94.00	150	Horizontal	N/A

U-NII-3 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	53.93	3.42	68.3	14.37	Peak	91.00	150	Horizontal	Pass
2	5968.275	56.73	3.94	68.2	11.47	Peak	54.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2381398-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2381398-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2381398-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--