




Exhibit: Test Setup Photos

FCC ID: 2ADCB-HALEON
IC: 6715C-HALEON

Report File #: 7169009808R-000

Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	

Setups for tests in 1 Mbps and 2 Mbps modes are visually identical. One photo is shown as representative.




Figure 4 – Radiated Emissions Setup
9 kHz to 30 MHz



Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 5 – Radiated Emissions Setup
30 MHz to 1 GHz

Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	





Figure 6 – Radiated Emissions Setup
1 GHz to 4 GHz

Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	





Figure 7 – Radiated Emissions Setup
4 GHz to 10 GHz

Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 8 – Radiated Emissions Setup
10 GHz to 18 GHz



Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 9 – Radiated Emissions Setup
18 GHz to 26.5 GHz

Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	





Figure 10 – Antenna Port Conducted Emissions Setup

Client	Acuity Brands Lighting, Inc	
Product	Haleon BTP	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 11 – Conducted Emissions Setup