# **Remote controller**

## **User Manual**


Packing List:	
Main body (Include telescopic rod)	1 set
Base(Include Power supply cord) Remote controller	1 set 1 set
User manual	1 set

This user manual is applicable to B4D product model. Please read this manualcarefully and keep it properly before using the product.


#### Installation guide

6. Press the button ① to illuminate the screen ,then you can adjust the hair dryer with the remote controller.

You can press the button 1 to turn o ffthe hair dryer when the screen is on.



### **Product introduction**



#### **Remote controller Re-Connect**

When the dryer is powered on normally, if the remote control has power but cannot control the hair dryer, please repair the remote control as follows:


- Prepare: Make sure the hair dryer is powered on and the power button switch is pressed
- Press touchable area for about 3 seconds, the hair dryer will make a "beep" sound, the mood light will flash, you can let it go at this time.



 Press the on/off button of the remote control



 After the hair dryer receives the pairing signal from the remote control, the mood light changes from blinking to steady light, the hair dryer starts to blow hot air, and the pairing is successful.



### The instructions of remote controller battery replacement

#### If the display does not light up after the remote control is turned on, the battery may be insufficient. Please replace the battery as follows:

 Follow step 1 to push the small buckle to the right to unlock it, and at the same time pull out the curved buckle in the direction of step 2 to open the battery compartment.



- · Remove the battery and replace a new one. When installing the battery please note "+" is upward.
- · Put the battery back into the remote



please note "+"is upward



Note: When the battery is replaced, if the remote controller can not control the hair dryer, please re-connect with the main body

### **CAUTIONS AND NOTE**

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation. Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This appliance has a polarized plug (one blade is wider than the other). As a safety feature, this plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1) L'appareil ne doit pas produire de brouillage;

2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible

d'en compromettre le fonctionnement.

#### **Specification**

Product name	Remote controller
Product model	B4D
Rated voltage	3V
Date of manufacture	See commodity for details