

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-1R, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	28.15	34.53	-6.38	40.00	-11.85	300	256 QP	Horizontal	
2	167.74	34.78	40.67	-5.89	43.50	-8.72	200	236 QP	Horizontal	
3	264.74	35.64	41.65	-6.01	46.00	-10.36	100	274 QP	Horizontal	
4	571.26	35.55	35.91	-0.36	46.00	-10.45	100	137 QP	Horizontal	
5	722.58	33.18	36.22	1.96	46.00	-7.82	100	155 QP	Horizontal	
6	845.77	35.47	31.44	4.03	46.00	-10.53	200	141 QP	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-1R, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	39.38	45.76	-6.38	40.00	-0.62	200	9 QP	Vertical	
2	167.74	36.28	42.17	-5.89	43.50	-7.22	100	293 QP	Vertical	
3	263.77	32.88	38.94	-6.06	46.00	-13.12	100	297 QP	Vertical	
4	458.98	31.43	33.43	-2.00	46.00	-14.57	100	333 QP	Vertical	
5	571.26	35.46	35.82	-0.36	46.00	-10.54	100	184 QP	Vertical	
6	845.77	33.86	29.83	4.03	46.00	-12.14	200	9 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

CH37 (Horizontal)

CH37 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	35.77	44.29	-8.52	54.00	-18.23	100	334 Average	Horizontal
2	4804.00	40.71	49.23	-8.52	74.00	-33.29	100	334 Peak	Horizontal
3	12818.00	46.73	45.84	0.89	54.00	-7.27	364	360 Average	Horizontal
4	12818.00	55.77	54.88	0.89	74.00	-18.23	364	360 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	44.18	52.70	-8.52	54.00	-9.82	240	285 Average	Vertical
2	4804.00	45.13	53.65	-8.52	74.00	-28.87	240	285 Peak	Vertical
3	12818.00	49.49	48.60	0.89	54.00	-4.51	211	360 Average	Vertical
4	12818.00	58.67	57.78	0.89	74.00	-15.33	211	360 Peak	Vertical

BLE_1M

CH39 (Horizontal)



CH39 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
33.08	41.47	-8.39	54.00	-20.92	200	322	Average	Horizontal	
40.20	48.59	-8.39	74.00	-33.80	200	322	Peak	Horizontal	
39.60	45.91	-6.31	54.00	-14.40	100	360	Average	Horizontal	
46.57	52.88	-6.31	74.00	-27.43	100	360	Peak	Horizontal	
49.86	48.28	1.58	54.00	-4.14	100	7	Average	Horizontal	
58.00	56.42	1.58	74.00	-16.00	100	7	Peak	Horizontal	

Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
36.47	44.86	-8.39	54.00	-17.53	100	146	Average	Vertical	
41.75	50.14	-8.39	74.00	-32.25	100	146	Peak	Vertical	
42.82	49.13	-6.31	54.00	-11.18	400	235	Average	Vertical	
47.79	54.10	-6.31	74.00	-26.21	400	235	Peak	Vertical	
51.03	49.45	1.58	54.00	-2.97	224	360	Average	Vertical	
59.28	57.70	1.58	74.00	-14.72	224	360	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1022




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
			Factor		Line			
			dB		dB			
1	0.15	34.05	24.44	9.61	55.88	-21.83 Average	line1	
2	0.15	49.23	39.62	9.61	65.88	-16.65 QP	line1	
3	0.21	23.77	14.16	9.61	53.39	-29.62 Average	line1	
4	0.21	40.82	31.21	9.61	63.39	-22.57 QP	line1	
5	0.50	29.45	19.83	9.62	46.06	-16.61 Average	line1	
6	0.50	33.14	23.52	9.62	56.06	-22.92 QP	line1	
7	4.51	14.87	5.19	9.68	46.00	-31.13 Average	line1	
8	4.51	21.82	12.14	9.68	56.00	-34.18 QP	line1	
9	7.58	17.77	8.06	9.71	50.00	-32.23 Average	line1	
10	7.58	24.00	14.29	9.71	60.00	-36.00 QP	line1	
11	21.59	14.87	4.37	9.70	50.00	-35.93 Average	line1	
12	21.59	19.97	10.27	9.70	60.00	-40.03 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1022



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
			Factor		Line			
			dB		dB			
1	0.15	34.71	25.12	9.59	55.79	-21.08 Average	neutral	
2	0.15	49.75	40.16	9.59	65.79	-16.04 QP	neutral	
3	0.17	24.38	14.79	9.59	54.84	-30.46 Average	neutral	
4	0.17	43.37	33.78	9.59	64.84	-21.47 QP	neutral	
5	0.49	22.19	12.59	9.60	46.19	-24.00 Average	neutral	
6	0.49	30.62	21.02	9.60	56.19	-25.57 QP	neutral	
7	4.00	14.82	5.16	9.66	46.00	-31.18 Average	neutral	
8	4.00	19.46	9.80	9.66	56.00	-36.54 QP	neutral	
9	7.54	22.67	12.96	9.71	50.00	-27.33 Average	neutral	
10	7.54	28.11	18.40	9.71	60.00	-31.89 QP	neutral	
11	8.94	19.03	9.30	9.73	50.00	-30.97 Average	neutral	
12	8.94	23.87	14.14	9.73	60.00	-36.13 QP	neutral	

Ant 5, Non-ECC Mode
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH36 (Open) 9kHz~150kHz

CH36 (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	64.16	41.61	22.55	119.18	-55.02	100	357	QP	Open	
2	0.06	38.04	23.31	14.73	111.72	-73.68	100	3	QP	Open	
3	0.07	26.55	13.09	13.46	110.51	-83.96	100	309	QP	Open	
4	0.11	22.59	13.35	9.24	106.98	-84.39	100	309	QP	Open	
5	0.12	25.44	16.92	8.52	105.79	-80.25	100	190	QP	Open	
6	0.15	23.26	15.71	7.55	104.22	-80.96	100	123	QP	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.93	49.95	56.09	-6.14	68.27	-18.32	100	106	QP	Open	
2	1.85	45.58	54.12	-8.54	69.50	-23.92	100	106	QP	Open	
3	2.78	39.66	50.15	-10.49	69.50	-29.84	100	276	QP	Open	
4	4.63	29.91	41.62	-11.71	69.50	-39.59	100	248	QP	Open	
5	10.21	21.78	32.00	-10.22	69.50	-47.72	100	282	QP	Open	
6	26.63	25.30	33.48	-8.18	69.50	-44.20	100	138	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH366 (Horizontal)

CH36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fonghsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	39.70	18.09	24.51	-6.42	40.00	-21.91	200	360 QP	Horizontal	
2	168.71	17.76	23.72	-5.96	43.50	-25.74	200	127 QP	Horizontal	
3	343.31	20.81	24.57	-3.76	46.00	-25.19	100	74 QP	Horizontal	
4	514.03	23.27	24.56	-1.29	46.00	-22.73	197	360 QP	Horizontal	
5	709.00	29.65	27.83	1.82	46.00	-16.35	100	294 QP	Horizontal	
6	845.77	32.08	28.05	4.03	46.00	-13.92	100	98 QP	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fonghsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	49.40	17.74	23.75	-6.01	40.00	-22.26	200	119 QP	Vertical	
2	165.80	19.79	25.58	-5.79	43.50	-23.71	100	320 QP	Vertical	
3	633.34	24.98	24.29	0.69	46.00	-21.02	300	297 QP	Vertical	
4	709.97	28.61	26.79	1.82	46.00	-17.99	300	6 QP	Vertical	
5	808.91	30.04	25.72	3.32	46.00	-15.96	100	42 QP	Vertical	
6	845.77	32.44	28.41	4.03	46.00	-13.56	400	280 QP	Vertical	

Ant 5, Non-ECC Mode for 2nd Source
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH36 (Open) 9kHz~150kHz

CH36 (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	64.66	36.03	28.63	127.60	-62.94	100	59	QP	Open	
2	0.03	65.24	42.69	22.55	119.18	-53.94	100	360	QP	Open	
3	0.05	37.96	21.94	16.02	113.13	-75.17	100	82	QP	Open	
4	0.07	33.39	20.00	13.39	110.44	-77.05	100	180	QP	Open	
5	0.11	26.50	17.29	9.21	106.92	-80.42	100	180	QP	Open	
6	0.12	25.92	17.40	8.52	105.70	-79.78	100	110	QP	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.93	47.53	53.65	-6.12	68.27	-20.74	100	141	QP	Open	
2	3.70	33.51	44.76	-11.25	69.50	-35.99	100	228	QP	Open	
3	6.48	25.88	37.23	-11.35	69.50	-43.62	100	140	QP	Open	
4	18.21	23.42	33.54	-10.12	69.50	-46.08	100	257	QP	Open	
5	18.45	19.45	30.48	-11.03	69.50	-50.05	100	231	QP	Open	
6	25.94	23.92	32.24	-8.32	69.50	-45.58	100	254	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH36 (Horizontal)

CH36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	56.19	27.07	33.59	-6.52	40.00	-12.93	300	80 QP	Horizontal	
2	164.83	36.22	41.96	-5.74	43.50	-7.28	200	74 QP	Horizontal	
3	264.74	34.22	40.23	-6.01	46.00	-11.78	100	98 QP	Horizontal	
4	458.98	34.42	36.42	-2.00	46.00	-11.58	200	219 QP	Horizontal	
5	571.26	35.07	35.43	-0.36	46.00	-10.93	200	140 QP	Horizontal	
6	846.74	34.06	30.02	4.04	46.00	-11.94	100	162 QP	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	39.19	45.57	-6.38	40.00	-0.81	100	328 QP	Vertical	
2	167.74	36.54	42.43	-5.89	43.50	-6.96	100	206 QP	Vertical	
3	359.80	30.30	33.95	-3.65	46.00	-15.70	100	184 QP	Vertical	
4	571.26	37.19	37.55	-0.36	46.00	-8.81	100	194 QP	Vertical	
5	720.64	33.51	31.55	1.96	46.00	-12.49	100	175 QP	Vertical	
6	845.77	34.46	30.43	4.03	46.00	-11.54	201	360 QP	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)

(Neutral)



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.16	35.76	26.15	9.61	55.63	-19.87	Average	line1	
2	0.16	49.69	40.08	9.61	65.63	-15.94	QP	line1	
3	0.24	23.36	13.75	9.61	52.19	-28.83	Average	line1	
4	0.24	36.71	27.10	9.61	62.19	-25.48	QP	line1	
5	0.49	31.00	21.38	9.62	46.15	-15.15	Average	line1	
6	0.49	33.70	24.08	9.62	51.15	-22.45	QP	line1	
7	4.19	18.56	8.89	9.67	46.00	-29.44	Average	line1	
8	4.19	22.17	12.50	9.67	56.00	-33.83	QP	line1	
9	5.62	12.82	3.13	9.69	50.00	-37.18	Average	line1	
10	5.62	18.96	9.27	9.69	60.00	-41.04	QP	line1	
11	7.07	20.36	10.65	9.71	50.00	-29.64	Average	line1	
12	7.07	26.26	16.55	9.71	60.00	-33.74	QP	line1	

Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.16	35.40	25.81	9.59	55.71	-20.31	Average	neutral	
2	0.16	48.28	38.69	9.59	65.71	-17.43	QP	neutral	
3	0.21	25.56	15.97	9.59	53.31	-27.75	Average	neutral	
4	0.21	40.06	30.47	9.59	63.31	-23.25	QP	neutral	
5	0.47	24.36	14.76	9.60	46.44	-22.08	Average	neutral	
6	0.47	30.20	20.60	9.60	56.44	-26.24	QP	neutral	
7	2.90	11.13	1.48	9.65	46.00	-34.87	Average	neutral	
8	2.90	16.48	6.83	9.65	56.00	-39.52	QP	neutral	
9	4.67	12.23	2.55	9.68	46.00	-33.77	Average	neutral	
10	4.67	16.88	7.20	9.68	56.00	-39.12	QP	neutral	
11	7.89	14.97	5.25	9.72	50.00	-35.03	Average	neutral	
12	7.89	26.70	16.98	9.72	60.00	-33.30	QP	neutral	

Ant 6, Non-ECC Mode
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH39 (Open) 9kHz~150kHz

CH39 (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	64.37	41.82	22.55	119.18	-54.81	100	280	QP	Open	
2	0.05	37.72	21.70	16.02	113.13	-75.41	100	82	QP	Open	
3	0.06	37.82	23.09	14.73	111.72	-73.90	100	184	QP	Open	
4	0.07	24.93	11.83	13.10	110.18	-85.25	100	124	QP	Open	
5	0.10	21.77	12.30	9.39	107.28	-85.51	100	210	QP	Open	
6	0.12	24.84	16.32	8.52	105.70	-80.86	100	174	QP	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.93	51.70	57.82	-6.12	68.27	-16.57	100	123	QP	Open	
2	1.85	46.90	55.42	-8.52	69.50	-22.60	100	123	QP	Open	
3	3.70	35.94	47.19	-11.25	69.50	-33.56	100	123	QP	Open	
4	11.34	19.92	30.16	-10.24	69.50	-49.58	100	78	QP	Open	
5	24.90	24.02	32.85	-8.83	69.50	-45.48	100	171	QP	Open	
6	26.63	25.99	33.98	-7.99	69.50	-43.51	100	37	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

CH39 (Horizontal)



CH39 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fonghsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fonghsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	32.91	18.35	25.49	-7.14	40.00	-21.65	144	52 QP	Horizontal	
2	164.83	18.52	24.26	-5.74	43.50	-24.98	400	7 QP	Horizontal	
3	397.63	21.25	24.14	-2.89	46.00	-24.75	209	360 QP	Horizontal	
4	634.31	25.38	24.71	0.67	46.00	-20.62	227	QP	Horizontal	
5	729.37	28.66	26.59	2.07	46.00	-17.34	200	283 QP	Horizontal	
6	845.77	32.33	28.30	4.03	46.00	-13.67	100	74 QP	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	48.43	17.81	23.73	-5.92	40.00	-22.19	400	285 QP	Vertical	
2	146.40	18.93	24.86	-5.93	43.50	-24.57	338	3 QP	Vertical	
3	422.85	22.03	24.55	-2.52	46.00	-23.97	102	352 QP	Vertical	
4	576.11	24.44	24.69	-0.25	46.00	-21.56	400	218 QP	Vertical	
5	729.37	28.66	26.59	2.07	46.00	-17.15	200	51 QP	Vertical	
6	844.80	32.51	28.48	4.03	46.00	-13.49	100	65 QP	Vertical	

Ant 6, Non-ECC Mode for 2nd Source
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH39 (Open) 9kHz~150kHz

CH39 (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.01	64.32	35.48	28.84	127.72	-63.40	100	233	QP	Open	
2	0.03	65.11	42.56	22.55	119.18	-54.07	100	354	QP	Open	
3	0.05	38.09	22.07	16.02	113.13	-75.04	100	179	QP	Open	
4	0.06	38.49	23.76	14.73	111.72	-73.23	100	202	QP	Open	
5	0.10	22.79	13.34	9.45	107.38	-84.59	100	219	QP	Open	
6	0.12	26.16	17.64	8.52	105.70	-79.54	100	250	QP	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.93	52.93	59.05	-6.12	68.27	-15.34	100	240	QP	Open	
2	2.78	42.14	52.60	-10.46	69.50	-27.36	100	137	QP	Open	
3	6.48	24.96	36.31	-11.35	69.50	-44.54	100	254	QP	Open	
4	12.99	21.91	32.33	-10.42	69.50	-47.59	100	149	QP	Open	
5	19.10	19.06	30.06	-11.10	69.50	-49.64	100	114	QP	Open	
6	26.66	25.34	33.32	-7.98	69.50	-44.16	100	151	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	62.01	28.12	35.68	-7.56	40.00	-11.88	400	258	QP	Horizontal	
2	155.13	34.51	40.30	-5.79	43.50	-8.99	100	276	QP	Horizontal	
3	262.80	38.31	44.41	-6.10	46.00	-7.69	100	63	QP	Horizontal	
4	458.98	34.22	36.22	-2.00	46.00	-11.78	300	113	QP	Horizontal	
5	570.29	35.40	35.77	-0.37	46.00	-10.60	100	130	QP	Horizontal	
6	722.58	39.62	37.66	1.96	46.00	-6.38	100	164	QP	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	53.28	36.53	42.69	-6.16	40.00	-3.47	100	360	QP	Vertical	
2	167.74	35.90	41.79	-5.89	43.50	-7.60	100	227	QP	Vertical	
3	359.80	29.92	33.57	-3.65	46.00	-16.08	100	148	QP	Vertical	
4	571.26	35.59	35.95	-0.36	46.00	-10.41	100	177	QP	Vertical	
5	729.37	35.10	33.03	2.07	46.00	-10.90	100	233	QP	Vertical	
6	844.80	34.77	30.74	4.03	46.00	-11.23	230	360	QP	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1022




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.15	34.09	24.48	9.61	55.96	-21.87	Average	line	
2	0.15	50.43	40.82	9.61	65.96	-15.53	QP	line	
3	0.18	28.11	18.50	9.61	54.72	-26.61	Average	line	
4	0.18	46.51	36.90	9.61	64.72	-18.21	QP	line	
5	0.49	22.19	12.57	9.62	46.11	-23.92	Average	line	
6	0.49	32.08	22.46	9.62	56.11	-24.03	QP	line	
7	2.53	13.54	3.89	9.65	46.00	-32.46	Average	line	
8	2.53	21.62	11.97	9.65	56.00	-34.38	QP	line	
9	5.85	17.33	7.64	9.69	50.00	-32.67	Average	line	
10	5.85	23.73	14.04	9.69	60.00	-36.27	QP	line	
11	7.77	29.00	19.29	9.71	50.00	-21.00	Average	line	
12	7.77	35.06	25.35	9.71	60.00	-24.94	QP	line	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1022



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.15	31.31	21.72	9.59	56.00	-24.69	Average	neutral	
2	0.15	48.78	39.19	9.59	66.00	-17.22	QP	neutral	
3	0.23	21.88	12.29	9.59	52.32	-30.44	Average	neutral	
4	0.23	36.96	27.37	9.59	62.32	-25.36	QP	neutral	
5	0.49	22.10	12.50	9.60	46.23	-24.13	Average	neutral	
6	0.49	32.06	22.46	9.60	56.23	-24.17	QP	neutral	
7	4.34	15.76	6.09	9.67	46.00	-30.24	Average	neutral	
8	4.34	22.39	12.72	9.67	56.00	-33.61	QP	neutral	
9	7.54	18.20	8.49	9.71	50.00	-31.80	Average	neutral	
10	7.54	24.52	14.81	9.71	60.00	-35.48	QP	neutral	
11	28.26	12.57	2.73	9.84	50.00	-37.43	Average	neutral	
12	28.26	17.84	8.00	9.84	60.00	-42.16	QP	neutral	