


Zigbee_1Mbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec 2, Fenhsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2371.71	53.75	15.81	37.94	74.00	-20.25	142	309	Peak	Horizontal		
2 *	2488.00	105.31	67.00	38.31	74.00	31.31	142	309	Peak	Horizontal		
3	2483.46	57.38	19.07	38.31	74.00	-16.62	142	309	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec 2, Fenhsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2350.36	53.85	15.89	37.96	74.00	-20.15	100	179	Peak	Vertical		
2 *	2488.00	109.46	71.15	38.31	74.00	35.46	100	179	Peak	Vertical		
3	2483.46	60.69	22.38	38.31	74.00	-13.31	100	179	Peak	Vertical		


Zigbee_1Mbps

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2371.71	41.63	3.69	37.94	54.00	-12.37	142	309	Average	Horizontal	
2 *	2480.00	102.74	64.43	38.31	54.00	48.74	142	309	Average	Horizontal	
3	2483.46	46.75	8.44	38.31	54.00	-7.25	142	309	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2351.77	43.17	5.21	37.96	54.00	-10.83	100	179	Average	Vertical	
2 *	2480.00	106.86	68.55	38.31	54.00	52.86	100	179	Average	Vertical	
3 !	2483.46	49.62	11.31	38.31	54.00	-4.38	100	179	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Zigbee_1Mbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	64.74	35.90	28.84	127.72	-62.98	100	62	QP	Open
2	0.03	65.09	42.54	22.55	119.18	-54.09	100	20	QP	Open
3	0.05	38.58	22.56	16.02	113.13	-74.55	100	224	QP	Open
4	0.06	38.28	23.55	14.73	111.72	-73.44	100	280	QP	Open
5	0.09	24.43	13.53	10.90	106.52	-84.09	100	58	QP	Open
6	0.12	25.87	17.35	8.52	105.70	-79.83	100	4	QP	Open



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.93	52.46	58.58	-6.12	68.27	-15.81	100	133	QP	Open
2	3.70	36.68	47.93	-11.25	69.50	-32.82	100	133	QP	Open
3	9.28	22.97	33.35	-10.38	69.50	-46.53	100	147	QP	Open
4	15.58	20.55	31.26	-10.71	69.50	-48.95	100	344	QP	Open
5	23.19	22.98	32.15	-9.17	69.50	-47.00	100	240	QP	Open
6	26.63	26.63	34.62	-7.99	69.50	-42.87	100	211	QP	Open

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Zigbee_1Mbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	57.16	27.89	34.59	-6.70	40.00	-12.11	400	239	QP	Horizontal	
2	167.74	33.38	39.27	-5.89	43.50	-10.12	300	237	QP	Horizontal	
3	262.80	35.23	41.33	-6.10	46.00	-10.77	200	76	QP	Horizontal	
4	571.26	35.25	35.61	-0.36	46.00	-10.75	200	121	QP	Horizontal	
5	726.46	37.46	35.45	2.01	46.00	-8.54	200	314	QP	Horizontal	
6	845.77	34.02	29.99	4.03	46.00	-11.98	100	360	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	53.28	38.27	44.43	-6.16	40.00	-1.73	100	43	QP	Vertical	
2	167.74	36.58	42.47	-5.89	43.50	-6.92	100	245	QP	Vertical	
3	258.92	32.83	39.08	-6.25	46.00	-13.17	100	69	QP	Vertical	
4	571.26	36.64	37.00	-0.36	46.00	-9.36	100	193	QP	Vertical	
5	722.58	35.97	34.01	1.96	46.00	-10.03	100	256	QP	Vertical	
6	844.80	34.06	30.03	4.03	46.00	-11.94	155	360	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz



Zigbee_1Mbps

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	34.81	43.20	-8.39	54.00	-19.19	100	332 Average	Horizontal	
2	4960.00	39.82	48.21	-8.39	74.00	-34.18	100	332 Peak	Horizontal	
3	12400.00	51.74	50.16	1.58	54.00	-2.26	100	360 Average	Horizontal	
4	12400.00	60.50	58.92	1.58	74.00	-13.50	100	360 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	35.95	44.34	-8.39	54.00	-18.05	100	303 Average	Vertical	
2	4960.00	44.67	53.06	-8.39	74.00	-29.33	100	303 Peak	Vertical	
3	12400.00	51.02	49.44	1.58	54.00	-2.98	400	191 Average	Vertical	
4	12400.00	59.35	57.77	1.58	74.00	-14.65	400	191 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz



Ant 5, Non-ECC Mode
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Zigbee_1Mbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	64.38	41.83	22.55	119.18	-54.80	100	360	QP	Open	
2	0.05	37.97	21.95	16.02	113.13	-75.16	100	360	QP	Open	
3	0.06	37.90	23.17	14.73	111.72	-73.82	100	82	QP	Open	
4	0.08	27.52	14.60	12.92	110.01	-82.49	100	142	QP	Open	
5	0.09	24.41	13.51	10.90	108.52	-84.11	100	27	QP	Open	
6	0.12	25.11	16.59	8.52	105.70	-80.59	100	131	QP	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.93	51.39	57.51	-6.12	68.27	-16.88	100	120	QP	Open	
2	1.85	47.16	55.68	-8.52	69.50	-22.34	100	120	QP	Open	
3	2.78	41.01	51.47	-10.46	69.50	-28.49	100	120	QP	Open	
4	7.40	23.07	34.11	-11.04	69.50	-46.43	100	254	QP	Open	
5	19.30	19.30	30.31	-11.01	69.50	-50.20	100	355	QP	Open	
6	26.63	25.58	33.57	-7.99	69.50	-43.92	100	322	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Zigbee_1Mbps

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fonghsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	31.94	17.35	24.70	-7.35	40.00	-22.65	100	196	QP	Horizontal	
2	144.46	17.79	23.73	-5.94	43.50	-25.71	100	277	QP	Horizontal	
3	375.32	21.12	24.34	-3.22	46.00	-24.88	100	278	QP	Horizontal	
4	574.17	23.99	24.30	-0.31	46.00	-22.01	300	232	QP	Horizontal	
5	709.97	29.49	27.67	1.82	46.00	-16.51	163		QP	Horizontal	
6	844.80	32.54	28.51	4.03	46.00	-13.46	100	15	QP	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fonghsiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	51.34	16.94	22.95	-6.01	40.00	-23.06	400	3	QP	Vertical	
2	166.77	17.99	23.88	-5.89	43.50	-25.51	200	117	QP	Vertical	
3	535.37	22.90	23.87	-0.97	46.00	-23.10	143	11	QP	Vertical	
4	688.63	26.12	24.47	1.65	46.00	-19.88	300	34	QP	Vertical	
5	728.40	30.04	27.99	2.05	46.00	-15.96	200		QP	Vertical	
6	845.77	33.25	29.22	4.03	46.00	-12.75	143	15	QP	Vertical	

Ant 5, Non-ECC Mode for 2nd Source
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Zigbee_1Mbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV/m)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.01	64.39	35.55	28.84	127.72	-63.33	100	286	QP	Open	
2	0.03	64.97	42.42	22.55	119.18	-54.21	100	344	QP	Open	
3	0.05	38.14	22.12	16.02	113.13	-74.99	100	247	QP	Open	
4	0.06	38.23	23.50	14.73	111.72	-73.49	100	344	QP	Open	
5	0.09	23.06	11.70	11.29	108.77	-85.71	100	235	QP	Open	
6	0.12	25.22	16.70	8.52	105.70	-80.48	100	311	QP	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV/m)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.93	49.78	55.90	-6.12	68.27	-18.49	100	105	QP	Open	
2	3.70	33.85	45.10	-11.25	69.50	-35.65	100	165	QP	Open	
3	6.48	24.91	36.26	-11.35	69.50	-44.59	100	264	QP	Open	
4	11.13	20.08	30.30	-10.22	69.50	-49.42	100	259	QP	Open	
5	19.19	18.65	29.76	-11.11	69.50	-50.85	100	111	QP	Open	
6	25.28	24.61	33.25	-8.64	69.50	-44.89	100	360	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Zigbee_1Mbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	62.01	29.37	36.93	-7.56	40.00	-10.63	300	261 QP	Horizontal	
2	161.92	35.92	41.66	-5.74	43.50	-7.58	200	302 QP	Horizontal	
3	262.80	35.65	41.75	-6.10	46.00	-10.35	200	68 QP	Horizontal	
4	571.26	34.27	34.63	-0.36	46.00	-11.73	100	147 QP	Horizontal	
5	720.64	33.60	31.64	1.96	46.00	-12.40	100	144 QP	Horizontal	
6	847.71	34.33	30.28	4.05	46.00	-11.67	100	208 QP	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	57.16	38.11	44.81	-6.70	40.00	-1.89	100	303 QP	Vertical	
2	167.74	36.64	42.53	-5.89	43.50	-6.86	100	247 QP	Vertical	
3	359.80	30.93	34.58	-3.65	46.00	-15.07	100	181 QP	Vertical	
4	571.26	36.75	37.11	-0.36	46.00	-9.25	100	180 QP	Vertical	
5	690.57	32.39	30.70	1.69	46.00	-13.61	100	190 QP	Vertical	
6	844.80	35.08	31.05	4.03	46.00	-10.92	129	360 QP	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz



Ant 6, Non-ECC Mode
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz



Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Zigbee_1Mbps

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-1R, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	50.37	16.97	22.89	-5.92	40.00	-23.03	200	348 QP	Horizontal
2	147.37	17.52	23.42	-5.90	43.50	-25.98	300	111 QP	Horizontal
3	399.57	21.98	24.85	-2.87	46.00	-24.02	200	32 QP	Horizontal
4	729.37	28.81	26.74	2.07	46.00	-17.19	300	312 QP	Horizontal
5	845.77	31.72	27.69	4.03	46.00	-14.28	100	140 QP	Horizontal
6	903.00	29.16	24.28	4.88	46.00	-16.84	200	10 QP	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-1R, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	42.61	17.08	22.89	-5.81	40.00	-22.92	300	152 QP	Vertical
2	164.83	18.82	24.56	-5.74	43.50	-24.68	217	360 QP	Vertical
3	333.61	19.98	23.85	-3.87	46.00	-26.02	400	138 QP	Vertical
4	552.83	23.17	23.79	-0.62	46.00	-22.83	200	124 QP	Vertical
5	728.40	29.16	27.11	2.05	46.00	-16.84	200	276 QP	Vertical
6	844.80	34.94	30.91	4.03	46.00	-11.06	200	173 QP	Vertical

Ant 6, Non-ECC Mode for 2nd Source
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Zigbee_1Mbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.01	64.38	35.75	28.63	127.60	-63.22	100	208	QP	Open	
2	0.03	65.14	42.59	22.55	119.18	-54.04	100	130	QP	Open	
3	0.05	38.00	21.98	16.02	113.13	-75.13	100	8	QP	Open	
4	0.06	38.42	25.69	14.73	111.72	-73.30	100	176	QP	Open	
5	0.09	23.68	12.43	11.25	108.75	-85.07	100	211	QP	Open	
6	0.12	25.99	17.47	8.52	105.70	-79.71	100	176	QP	Open	




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.93	49.61	55.73	-6.12	68.27	-18.66	100	101	QP	Open	
2	3.70	34.08	45.33	-11.25	69.50	-35.42	100	130	QP	Open	
3	8.36	22.22	32.94	-10.72	69.50	-47.28	100	152	QP	Open	
4	13.37	20.20	30.67	-10.47	69.50	-49.30	100	187	QP	Open	
5	18.54	19.01	30.04	-11.03	69.50	-50.49	100	133	QP	Open	
6	26.84	26.05	33.94	-7.89	69.50	-43.45	100	141	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
Zigbee_1Mbps
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	53.28	27.88	34.04	-6.16	40.00	-12.12	300	239 QP	Horizontal	
2	159.01	32.98	38.84	-5.86	43.50	-10.52	100	235 QP	Horizontal	
3	262.80	39.37	45.47	-6.10	46.00	-6.63	100	80 QP	Horizontal	
4	571.26	34.83	35.19	-0.36	46.00	-11.17	100	133 QP	Horizontal	
5	722.58	36.83	34.07	1.96	46.00	-9.97	100	37 QP	Horizontal	
6	845.77	34.50	30.47	4.03	46.00	-11.50	200	318 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	54.25	38.67	45.05	-6.38	40.00	-1.33	200	311 QP	Vertical	
2 !	165.80	37.67	43.46	-5.79	43.50	-5.83	100	248 QP	Vertical	
3	486.36	27.88	30.67	-2.79	46.00	-18.12	100	203 QP	Vertical	
4	571.26	34.97	35.33	-0.36	46.00	-11.03	100	189 QP	Vertical	
5	720.64	34.00	32.84	1.96	46.00	-11.20	100	172 QP	Vertical	
6	847.71	34.23	30.18	4.05	46.00	-11.77	378	360 QP	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

