


Appendix C:




Test Results of Radiated Spurious Emissions for PCB Antenna (ECC)  
Band Edges, 2.31GHz ~ 2.9GHz



250kbps

High Channel (Horizontal) Average

High Channel (Vertical) Average



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2384.01	39.98	2.40	37.58	54.00	-14.02	185	213 Average	Horizontal	
2 *	2480.00	102.26	64.65	37.61	54.00	48.26	185	213 average	Horizontal	
3 !	2483.50	50.53	12.93	37.60	54.00	-3.47	185	213 Average	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2379.62	39.67	2.36	37.31	54.00	-14.33	184	177 Average	Vertical	
2 *	2480.00	97.86	60.15	37.71	54.00	43.86	184	177 Average	Vertical	
3	2483.50	46.22	8.49	37.73	54.00	-7.78	184	177 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


250kbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	43.74	23.43	20.31	118.07	-74.33	100	31 QP	Open
2	0.06	42.18	21.89	20.29	111.83	-69.65	100	54 QP	Open
3	0.09	43.08	22.82	20.26	108.87	-65.79	100	138 QP	Open
4	0.10	43.63	23.39	20.24	107.33	-63.70	100	155 QP	Open
5	0.12	39.03	18.81	20.22	106.15	-67.12	100	149 QP	Open
6	0.14	38.76	18.56	20.20	104.75	-65.99	100	149 QP	Open



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.50	55.36	35.24	20.12	73.59	-18.23	100	128 QP	Open
2	1.01	47.91	27.70	20.21	67.52	-19.61	100	128 QP	Open
3	2.79	37.47	17.31	20.16	69.50	-32.03	100	0 QP	Open
4	11.11	33.61	13.24	20.37	69.50	-35.89	100	205 QP	Open
5	17.49	33.50	13.03	20.47	69.50	-36.00	100	197 QP	Open
6	25.27	33.00	13.05	20.55	69.50	-35.90	100	339 QP	Open


250kbps

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	52.96	32.99	19.97	127.55	-74.59	100	320 QP	Close
2	0.03	44.59	24.28	20.31	118.06	-73.47	100	232 QP	Close
3	0.06	40.36	20.07	20.29	111.82	-71.46	100	25 QP	Close
4	0.09	36.88	16.62	20.26	108.89	-70.01	100	99 QP	Close
5	0.10	37.20	16.96	20.24	107.33	-70.13	100	105 QP	Close
6	0.12	33.99	13.77	20.22	105.78	-71.79	100	115 QP	Close



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.17	45.97	25.78	20.19	102.94	-56.97	100	67 QP	Close
2	4.26	33.17	12.94	20.23	69.50	-36.33	100	132 QP	Close
3	9.08	33.10	12.77	20.33	69.50	-36.40	100	220 QP	Close
4	18.80	33.42	12.94	20.48	69.50	-36.08	100	48 QP	Close
5	23.32	33.55	13.02	20.53	69.50	-35.95	100	190 QP	Close
6	28.76	35.16	14.64	20.52	69.50	-34.34	100	146 QP	Close

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

250kbps

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, FenYao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, FenYao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	46.78	22.31	29.87	-7.56	48.00	-17.69	180	143 QP	Horizontal
2	174.92	29.06	36.75	-7.69	43.50	-14.44	480	8 QP	Horizontal
3 !	248.01	42.81	51.12	-8.31	46.00	-3.19	180	272 QP	Horizontal
4	448.17	26.61	38.36	-3.75	46.00	-19.39	300	95 QP	Horizontal
5	625.68	29.82	38.58	-0.76	46.00	-16.18	480	184 QP	Horizontal
6	717.92	39.85	39.35	0.50	46.00	-6.15	180	159 QP	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	34.07	25.88	34.74	-8.86	48.00	-14.12	180	199 QP	Vertical
2 !	149.99	37.76	45.24	-7.48	43.50	-5.74	180	126 QP	Vertical
3 !	239.04	40.27	48.60	-8.33	46.00	-5.73	200	78 QP	Vertical
4	399.38	38.47	34.69	-4.22	46.00	-15.53	166	360 QP	Vertical
5	566.60	29.00	38.99	-1.99	46.00	-17.00	180	229 QP	Vertical
6	728.06	36.33	35.79	0.54	46.00	-9.67	200	199 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel:+886-2172-1000 Fax:+886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	43.47	52.93	-9.46	74.00	-30.53	345	360 Peak	Horizontal	
2	7440.00	45.29	52.54	-7.25	74.00	-28.71	180	164 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel:+886-2172-1000 Fax:+886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7440.00	46.77	54.02	-7.25	74.00	-27.23	300	167 Peak	Vertical	

# Test Results of Radiated Spurious Emissions for PCB Antenna (Non-ECC)

## Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


250kbps

### High Channel (Open) 9kHz~150kHz

### High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.01	0.04	0.06	0.09	0.11	0.13
51.71	43.79	43.70	44.66	45.05	41.30
31.74	23.47	23.41	24.40	24.82	21.09
19.97	20.32	20.29	20.26	20.23	20.21
127.55	115.01	111.83	108.51	106.43	105.27
-75.84	-71.22	-68.13	-63.85	-61.38	-63.97
100	100	100	100	100	100
312	181	214	187	193	210
QP	QP	QP	QP	QP	QP
Open	Open	Open	Open	Open	Open



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.59	1.17	2.86	12.24	15.95	22.41
56.16	46.10	39.72	33.88	33.95	34.57
36.05	25.89	19.55	13.49	13.51	14.05
20.11	20.21	20.17	20.39	20.44	20.52
72.25	66.23	69.50	69.50	69.50	69.50
-16.09	-20.13	-29.78	-35.62	-35.55	-34.93
100	100	100	100	100	100
166	166	321	332	334	58
QP	QP	QP	QP	QP	QP
Open	Open	Open	Open	Open	Open


250kbps

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	53.33	33.36	19.97	127.61	-74.28	100	167 QP	Close
2	0.03	45.19	24.88	20.31	118.06	-72.87	100	188 QP	Close
3	0.06	40.25	19.96	20.29	111.82	-71.57	100	281 QP	Close
4	0.08	40.18	19.92	20.26	109.03	-68.85	100	100 QP	Close
5	0.11	35.74	15.51	20.23	106.76	-71.02	100	113 QP	Close
6	0.12	35.48	15.26	20.22	105.73	-70.25	100	97 QP	Close



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.54	50.86	30.75	20.11	72.99	-22.13	100	85 QP	Close
2	1.08	43.14	22.93	20.21	66.95	-23.81	100	86 QP	Close
3	4.28	32.79	12.56	20.23	69.50	-36.71	100	59 QP	Close
4	10.06	33.12	12.76	20.36	69.50	-36.38	100	211 QP	Close
5	17.55	34.19	13.72	20.47	69.50	-35.31	100	236 QP	Close
6	23.92	33.73	13.20	20.53	69.50	-35.77	100	82 QP	Close



Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


250kbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	173.66	28.46	36.22	-7.76	43.50	-15.04	200	4 QP	Horizontal
2	240.01	42.02	50.33	-8.31	46.00	-3.98	100	119 QP	Horizontal
3	255.33	37.47	45.51	-8.04	46.00	-8.53	100	179 QP	Horizontal
4	566.51	28.85	30.84	-1.99	46.00	-17.15	100	154 QP	Horizontal
5	720.06	38.79	38.25	0.54	46.00	-7.21	100	150 QP	Horizontal
6	837.04	32.38	29.88	2.50	46.00	-13.62	100	190 QP	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	146.90	36.29	43.69	-7.40	43.50	-7.21	100	135 QP	Vertical
2	237.39	41.93	50.30	-8.37	46.00	-4.07	100	38 QP	Vertical
3	251.35	39.90	48.03	-8.13	46.00	-6.10	100	60 QP	Vertical
4	358.35	29.08	34.53	-5.45	46.00	-16.92	100	79 QP	Vertical
5	399.86	29.20	33.42	-4.22	46.00	-16.80	137	360 QP	Vertical
6	720.06	35.87	35.33	0.54	46.00	-10.13	200	184 QP	Vertical

# Test Results of Radiated Spurious Emissions for PCB Antenna (ECC)\_2<sup>nd</sup> Source

## Band Edges, 2.31GHz ~ 2.9GHz

250kbps

### High Channel (Horizontal) Peak



### High Channel (Vertical) Peak



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel:+886-2172-1000 Fax:+886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel:+886-2172-1000 Fax:+886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
2374.90	52.27	14.72	37.55	74.00	-21.73	266	214 Peak	Horizontal	
2480.00	107.94	70.33	37.61	74.00	33.94	266	214 Peak	Horizontal	
2483.46	62.01	24.41	37.60	74.00	-11.99	266	214 Peak	Horizontal	

1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
2373.25	52.81	15.51	37.30	74.00	-21.19	103	166 Peak	Vertical	
2480.00	106.59	68.08	37.71	74.00	32.59	103	166 Peak	Vertical	
2483.58	58.27	20.54	37.73	74.00	-15.73	103	166 Peak	Vertical	


250kbps

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2381.15	39.44	1.87	37.57	54.00	-14.56	266	214 Average	Horizontal	
2 *	2480.00	104.16	66.55	37.61	54.00	50.16	266	214 Average	Horizontal	
3	2483.46	47.34	9.74	37.60	54.00	-6.66	266	214 Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.81	39.27	1.96	37.31	54.00	-14.73	183	166 Average	Vertical	
2 *	2480.00	102.98	65.27	37.71	54.00	48.98	183	166 Average	Vertical	
3	2483.46	46.77	9.84	37.73	54.00	-7.23	183	166 Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

250kbps

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	41.69	50.98	-9.38	74.00	-32.40	180	331 Peak	Horizontal	
2	7440.00	42.87	50.02	-7.15	74.00	-31.13	180	243 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	41.81	51.57	-9.76	74.00	-32.19	285	358 Peak	Vertical	
2	7440.00	43.36	50.87	-7.51	74.00	-30.64	380	257 Peak	Vertical	

# Test Results of Radiated Spurious Emissions for PCB Antenna (Non-ECC)\_2<sup>nd</sup> Source

## Band Edges, 2.31GHz ~ 2.9GHz

250kbps

### High Channel (Horizontal) Peak



### High Channel (Vertical) Peak



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel:+886-2172-1000 Fax:+886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel:+886-2172-1000 Fax:+886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Limit	Limit	Limit									
Line	Line	Line									
Over	Over	Over									
Limit	Limit	Limit									
Apos	Apos	Apos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read									
MHz	dBuV/m	Level									
		Factor									
		dB/m									
		dBuV/m									
		dB									
1	2371.01	52.57	15.03	37.54	74.00	-21.43	194	216	Peak	Horizontal	
2 *	2480.00	108.00	70.39	37.61	74.00	34.00	194	216	Peak	Horizontal	
3	2483.46	59.02	21.42	37.60	74.00	-14.98	104	216	Peak	Horizontal	

1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Limit	Limit	Limit									
Line	Line	Line									
Over	Over	Over									
Limit	Limit	Limit									
Apos	Apos	Apos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read									
MHz	dBuV/m	Level									
		Factor									
		dB/m									
		dBuV/m									
		dB									
1	2385.40	52.47	15.16	37.31	74.00	-21.53	105	175	Peak	Vertical	
2 *	2480.00	106.30	68.59	37.71	74.00	32.30	105	175	Peak	Vertical	
3	2483.46	58.21	20.48	37.73	74.00	-15.79	105	175	Peak	Vertical	


250kbps

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.52	39.52	1.94	37.58	54.00	-14.48	184	216 Average	Horizontal	
2 *	2480.00	104.46	66.85	37.61	54.00	50.46	194	216 Average	Horizontal	
3	2483.46	47.72	10.12	37.60	54.00	-6.28	184	216 Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2360.03	39.46	2.18	37.28	54.00	-14.54	185	175 Average	Vertical	
2 *	2480.00	102.78	65.07	37.71	54.00	48.78	185	175 Average	Vertical	
3	2483.46	46.87	9.14	37.73	54.00	-7.13	185	175 Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

250kbps

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4968.00	45.94	55.32	-9.38	74.00	-28.06	180	348 Peak	Horizontal
2	7440.00	43.04	50.19	-7.15	74.00	-30.96	180	111 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4968.00	45.76	55.52	-9.76	74.00	-28.24	300	84 Peak	Vertical
2	7440.00	42.71	50.22	-7.51	74.00	-31.29	300	106 Peak	Vertical