


BLE_1M

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
Limit	Limit	Limit
Apos	Apos	Apos
Tpos	Tpos	Tpos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
2398.00	2402.00	2898.94
43.46	113.73	42.34
5.40	75.63	3.35
38.06	38.10	38.99
54.00	54.00	54.00
-10.54	59.73	-11.66
344	344	344
197	197	197
Average	Average	Average
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
Limit	Limit	Limit
Apos	Apos	Apos
Tpos	Tpos	Tpos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
2337.73	2402.00	2895.16
42.32	107.86	42.35
4.45	69.76	3.38
37.87	38.10	38.97
54.00	54.00	54.00
-11.68	53.86	-11.65
355	355	355
276	276	276
Average	Average	Average
Vertical	Vertical	Vertical


BLE_1M

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2348.11	54.00	16.08	37.92	74.00	-20.00	374	360	Peak	Horizontal		
2440.00	116.31	78.01	38.30	74.00	42.31	374	360	Peak	Horizontal		
2897.52	55.38	16.39	38.99	74.00	-18.62	374	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2380.56	53.96	15.93	38.03	74.00	-20.04	367	97	Peak	Vertical		
2440.00	111.63	73.33	38.30	74.00	37.63	367	97	Peak	Vertical		
2814.33	56.01	17.36	38.65	74.00	-17.99	367	97	Peak	Vertical		


BLE_1M

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2337.61	2440.00	2899.06
41.11	114.63	42.34
3.24	76.33	3.35
37.87	38.30	38.99
54.00	54.00	54.00
-12.89	60.63	-11.66
374	374	374
360	360	360
Average	Average	Average
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2320.27	2440.00	2898.94
41.05	109.91	42.26
3.28	71.61	3.27
37.77	38.30	38.99
54.00	54.00	54.00
-12.95	55.91	-11.74
367	367	367
97	97	97
Average	Average	Average
Vertical	Vertical	Vertical

BLE_1M

High Channel (Horizontal) Peak



High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	Apos (cm)	Tpos (deg)	Remark	Pol/Phase	Note
1	2343.39	54.45	16.56	37.89	74.00	-19.55	325	87	Peak	Horizontal	
2 *	2480.00	118.33	80.00	38.33	74.00	44.33	325	87	Peak	Horizontal	
3	2483.50	64.67	26.35	38.32	74.00	-9.33	325	87	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	Apos (cm)	Tpos (deg)	Remark	Pol/Phase	Note
1	2323.45	54.10	16.31	37.79	74.00	-19.90	264	176	Peak	Vertical	
2 *	2480.00	112.66	74.33	38.33	74.00	38.66	264	176	Peak	Vertical	
3	2484.05	60.09	21.77	38.32	74.00	-13.91	264	176	Peak	Vertical	


BLE_1M

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
2319.79	41.24	3.47	37.77	54.00	-12.76	325	87	Average	Horizontal										
2480.00	116.63	78.30	38.33	54.00	62.63	325	87	Average	Horizontal										
2483.50	51.78	13.46	38.32	54.00	-2.22	325	87	Average	Horizontal										



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
2380.45	40.91	2.88	38.03	54.00	-13.09	264	176	Average	Vertical										
2480.00	110.99	72.66	38.33	54.00	56.99	264	176	Average	Vertical										
2483.50	47.04	8.72	38.32	54.00	-6.96	264	176	Average	Vertical										


BLE_2M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2385.76	58.93	20.89	38.04	74.00	-15.07	342	282	Peak	Horizontal	
2 *	2404.00	120.77	82.66	38.11	74.00	46.77	342	282	Peak	Horizontal	
3	2771.26	56.27	17.96	38.31	74.00	-17.73	342	282	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2378.68	55.20	17.18	38.02	74.00	-18.80	345	12	Peak	Vertical	
2 *	2404.00	115.84	77.73	38.11	74.00	41.84	345	12	Peak	Vertical	
3	2794.39	55.83	17.31	38.52	74.00	-18.17	345	12	Peak	Vertical	


BLE_2M

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.47	49.56	11.50	38.06	54.00	-4.44	342	282 Average	Horizontal	
2	2404.00	118.76	80.65	38.11	54.00	64.76	342	282 Average	Horizontal	
3	2817.64	44.49	5.83	38.66	54.00	-9.51	342	282 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.47	44.15	6.09	38.06	54.00	-9.85	345	12 Average	Vertical	
2	2404.00	112.33	74.22	38.11	54.00	58.33	345	12 Average	Vertical	
3	2806.66	42.65	4.04	38.61	54.00	-11.35	345	12 Average	Vertical	

BLE_2M

Middle Channel (Horizontal) Peak


Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Remark	Pol/Phase	Note
2318.14	54.91	17.15	37.76	74.00	-19.09	293	280	Peak	Horizontal	
2440.00	121.07	82.77	38.30	74.00	47.07	293	280	Peak	Horizontal	
2656.68	56.56	17.96	38.60	74.00	-17.44	293	280	Peak	Horizontal	



1	2	3								
Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Remark	Pol/Phase	Note
2387.88	55.00	16.94	38.06	74.00	-19.00	340	188	Peak	Vertical	
2440.00	115.27	76.97	38.30	74.00	41.27	340	188	Peak	Vertical	
2661.29	55.70	17.10	38.60	74.00	-18.30	340	188	Peak	Vertical	


BLE_2M

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2375.96	2440.00	2487.35
42.29	117.88	42.80
4.28	79.50	4.48
38.01	38.30	38.32
54.00	54.00	54.00
-11.71	63.80	-11.20
293	293	293
280 Average	280 Average	280 Average
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2338.79	2440.00	2899.29
41.06	110.60	42.38
3.18	72.30	3.39
37.88	38.30	38.99
54.00	54.00	54.00
-12.94	56.60	-11.62
340	340	340
188 Average	188 Average	188 Average
Vertical	Vertical	Vertical


BLE_2M

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2335.84	54.98	17.13	37.85	74.00	-19.02	356	280	Peak	Horizontal	
2 *	2478.00	120.62	82.30	38.32	74.00	46.62	356	280	Peak	Horizontal	
3	2484.05	63.14	24.82	38.32	74.00	-10.86	356	280	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2311.89	54.49	16.76	37.73	74.00	-19.51	261	360	Peak	Vertical	
2 *	2478.00	114.88	76.56	38.32	74.00	40.88	261	360	Peak	Vertical	
3	2484.29	59.01	20.69	38.32	74.00	-14.99	261	360	Peak	Vertical	


BLE_2M

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	cm	deg	cm	deg
2362.51	42.00	4.02	37.98	54.00	-12.00	356	280	Average	Horizontal		
2478.00	115.84	77.52	38.32	54.00	61.84	356	280	Average	Horizontal		
2483.50	51.25	12.93	38.32	54.00	-2.75	356	280	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	cm	deg	cm	deg
2325.10	40.90	3.10	37.80	54.00	-13.10	261	360	Average	Vertical		
2478.00	110.21	71.89	38.32	54.00	56.21	261	360	Average	Vertical		
2483.50	47.27	8.95	38.32	54.00	-6.73	261	360	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

Middle Channel (Open) 9kHz~150kHz

Middle Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoL/Phase	Note
1	0.03	67.14	47.33	19.81	119.13	-51.99	100		49 Peak	Open	
2	0.03	46.11	26.30	19.81	118.05	-71.94	100		308 Peak	Open	
3	0.05	44.94	25.64	19.30	113.11	-88.17	100		269 Peak	Open	
4	0.06	42.25	23.46	18.79	111.72	-69.47	100		356 Peak	Open	
5	0.08	30.86	12.31	18.55	109.21	-78.35	100		245 Peak	Open	
6	0.12	30.00	11.33	18.67	105.71	-75.71	100		88 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoL/Phase	Note
1	0.93	47.43	28.29	19.14	68.27	-20.84	100		160 Peak	Open	
2	1.85	41.08	22.06	19.02	69.50	-28.42	100		166 Peak	Open	
3	8.66	34.01	13.22	20.79	69.50	-35.49	100		86 Peak	Open	
4	11.70	35.39	13.82	21.57	69.50	-34.11	100		254 Peak	Open	
5	21.07	37.95	15.57	22.38	69.50	-31.55	100		304 Peak	Open	
6	25.31	37.31	14.30	23.01	69.50	-32.19	100		32 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	119.24	33.95	43.14	-9.19	43.50	-9.55	200	234	Peak	Horizontal	
2	240.49	33.11	39.68	-6.57	46.00	-12.89	200	19	Peak	Horizontal	
3	480.00	32.90	34.53	-1.63	46.00	-13.10	100	139	Peak	Horizontal	
4	592.60	37.50	37.18	0.32	46.00	-8.50	100	223	Peak	Horizontal	
5	888.45	40.95	36.35	4.60	46.00	-5.05	100	139	Peak	Horizontal	
6	960.23	49.58	44.07	5.51	54.00	-4.42	100	199	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	59.10	34.27	40.59	-6.32	40.00	-5.73	100	340	QP	Vertical	
2	119.24	39.13	48.32	-9.19	43.50	-4.37	100	50	QP	Vertical	
3	260.06	30.27	36.40	-6.13	46.00	-15.73	200	320	Peak	Vertical	
4	480.00	34.36	35.99	-1.63	46.00	-11.64	100	161	Peak	Vertical	
5	592.60	33.82	33.50	0.32	46.00	-12.18	200	281	Peak	Vertical	
6	960.23	44.84	39.33	5.51	54.00	-9.16	100	230	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4804.00	48.23	56.24	-8.01	74.00	-25.77	100	43 Peak	Horizontal	
4804.00	44.67	52.68	-8.01	54.00	-9.33	100	43 Average	Horizontal	
12818.00	48.99	47.22	1.77	74.00	-25.01	100	33 Peak	Horizontal	
12818.00	42.31	48.54	1.77	54.00	-11.69	100	33 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4804.00	49.84	57.85	-8.01	74.00	-24.16	298	339 Peak	Vertical	
4804.00	46.47	54.48	-8.01	54.00	-7.53	298	339 Average	Vertical	
12818.00	48.39	46.62	1.77	74.00	-25.61	308	356 Peak	Vertical	
12818.00	41.56	39.79	1.77	54.00	-12.44	308	356 Average	Vertical	

BLE_1M

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6						
Freq	Level	Read Level	Factor	Limit	Over						
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB						
1	4880.00	50.93	58.85	-7.92	74.00	-23.07	100	52	Peak	Horizontal	
2	4880.00	46.67	54.59	-7.92	54.00	-7.33	100	52	Average	Horizontal	
3	7320.00	46.81	52.17	-5.36	74.00	-27.19	100	46	Peak	Horizontal	
4	7320.00	49.00	45.36	-5.36	54.00	-14.00	100	46	Average	Horizontal	
5	12200.00	53.41	51.05	2.36	74.00	-20.59	100	327	Peak	Horizontal	
6	12200.00	46.07	43.71	2.36	54.00	-7.93	100	327	Average	Horizontal	

1	2	3	4	5	6						
Freq	Level	Read Level	Factor	Limit	Over						
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB						
1	4880.00	50.76	58.68	-7.92	74.00	-23.24	301	183	Peak	Vertical	
2	4880.00	47.96	55.88	-7.92	54.00	-6.04	301	183	Average	Vertical	
3	7320.00	44.51	49.87	-5.36	74.00	-29.49	301	360	Peak	Vertical	
4	7320.00	38.50	43.86	-5.36	54.00	-15.50	301	360	Average	Vertical	
5	12200.00	51.29	48.93	2.36	74.00	-22.71	276	360	Peak	Vertical	
6	12200.00	44.73	42.37	2.36	54.00	-9.27	276	360	Average	Vertical	

BLE_1M

High Channel (Horizontal)


High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4960.00	51.61	59.40	-7.79	74.00	-22.39	100	341	Peak	Horizontal	
2	4960.00	49.27	57.06	-7.79	54.00	-4.73	100	341	Average	Horizontal	



1	4960.00	51.50	59.29	-7.79	74.00	-22.50	300	285	Peak	Vertical	
2	4960.00	49.61	57.40	-7.79	54.00	-4.39	300	285	Average	Vertical	

BLE_2M

Low Channel (Horizontal)


Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	Read Level	Read Level Factor	Limit Line	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4888.00	48.89	56.89	-8.00	74.00	-25.11	200	168 Peak	Horizontal	
2	4888.00	42.61	50.61	-8.00	54.00	-11.39	200	168 Average	Horizontal	



1	2	Read Level	Read Level Factor	Limit Line	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4888.00	52.01	60.01	-8.00	74.00	-21.99	200	189 Peak	Vertical	
2	4888.00	45.51	53.51	-8.00	54.00	-8.49	200	189 Average	Vertical	

BLE_2M

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
Hz	Level	Read Level	Factor	Limit	Over
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm
4880.00	51.34	59.26	-7.92	74.00	-22.66
4880.00	42.79	50.71	-7.92	54.00	-11.21
7320.00	49.09	54.45	-5.36	74.00	-24.91
12200.00	56.90	54.54	2.36	74.00	-17.10
12200.00	48.13	45.77	2.36	54.00	-5.07

1	2	3	4	5	6
Hz	Level	Read Level	Factor	Limit	Over
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm
4880.00	51.44	59.36	-7.92	74.00	-22.56
4880.00	43.90	51.82	-7.92	54.00	-10.10
7320.00	47.80	53.16	-5.36	74.00	-26.20
12200.00	53.72	51.36	2.36	74.00	-20.28
12200.00	46.56	44.20	2.36	54.00	-7.44

Remark	Pol/Phase	Note
59 Peak	Horizontal	
59 Average	Horizontal	
41 Peak	Horizontal	
41 Average	Horizontal	
40 Peak	Horizontal	
40 Average	Horizontal	

Remark	Pol/Phase	Note
164 Peak	Vertical	
164 Average	Vertical	
360 Peak	Vertical	
360 Average	Vertical	
360 Peak	Vertical	
360 Average	Vertical	

BLE_2M

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
Level	Read Level	Factor	Limit	Over	Limit
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm
49.11	56.90	-7.79	74.00	-24.89	100
41.34	49.13	-7.79	54.00	-12.66	100
58.10	55.49	-5.39	74.00	-23.90	100
41.54	46.93	-5.39	54.00	-12.46	100
53.04	50.45	2.59	74.00	-20.96	100
44.18	41.59	2.59	54.00	-9.02	100

1	2	3	4	5	6
Level	Read Level	Factor	Limit	Over	Limit
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm
50.67	58.46	-7.79	74.00	-23.33	100
42.17	49.96	-7.79	54.00	-11.83	100
48.22	53.61	-5.39	74.00	-25.78	282
41.15	46.54	-5.39	54.00	-12.85	282
50.05	47.46	2.59	74.00	-23.95	300
42.94	40.35	2.59	54.00	-11.06	300

Mains Conducted Emission, Tx Mode 150kHz ~ 30MHz

