

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11n HT20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	27.92	34.32	-6.40	40.00	-12.08	400	118	QP	Horizontal
2	158.04	35.40	41.47	-6.07	43.50	-8.10	200	130	QP	Horizontal
3	237.58	38.27	45.06	-6.79	46.00	-7.73	100	253	QP	Horizontal
4	616.85	29.52	29.85	0.47	46.00	-16.48	300	347	QP	Horizontal
5	723.55	35.04	34.07	1.77	46.00	-10.16	100	179	QP	Horizontal
6	916.58	33.11	28.14	4.97	46.00	-12.89	400	198	QP	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	55.22	38.44	44.96	-6.52	40.00	-1.56	100	87	QP	Vertical
2	98.87	27.10	38.69	-11.59	43.50	-16.40	131	360	QP	Vertical
3	232.73	30.40	37.40	-7.00	46.00	-15.60	200	282	QP	Vertical
4	500.45	27.63	29.39	-1.76	46.00	-18.37	100	321	QP	Vertical
5	731.31	32.59	30.57	2.02	46.00	-13.41	100	68	QP	Vertical
6	845.77	33.09	29.36	3.73	46.00	-12.91	186	360	QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	43.11	52.92	-9.81	74.00	-30.89	400	1 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	35.56	45.37	-9.81	74.00	-38.44	256	33 Peak	Vertical

802.11b

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	41.90	51.67	-9.77	74.00	-32.10	400	360	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	4874.00	35.32	45.09	-9.77	74.00	-38.68	400	217	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11b

High Channel (Horizontal)


High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	44.44	54.12	-9.68	74.00	-29.56	300	34 Peak	Horizontal



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	36.68	46.36	-9.68	74.00	-37.32	400	207 Peak	Vertical

802.11g

Low Channel (Horizontal)


Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4824.00	38.99	48.80	-9.81	74.00	-35.01	100	360	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	4824.00	31.91	41.72	-9.81	74.00	-42.09	325	360	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	44.49	54.26	-9.77	74.00	-29.51	400	360 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	36.96	46.73	-9.77	74.00	-37.04	400	196 Peak	Vertical

802.11g

High Channel (Horizontal)


High Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	38.63	48.31	-9.68	74.00	-35.37	100	229 Peak	Horizontal



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	32.44	42.12	-9.68	74.00	-41.56	200	126 Peak	Vertical

802.11n HT20

Low Channel (Horizontal)


Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4824.00	37.82	47.63	-9.81	74.00	-36.18	200	290	Peak	Horizontal	



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4824.00	31.38	41.19	-9.81	74.00	-42.62	400	144	Peak	Vertical	



802.11n HT20

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	45.88	55.65	-9.77	74.00	-28.12	374	360	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	4874.00	35.26	45.03	-9.77	74.00	-38.74	240	178	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11n HT20

High Channel (Horizontal)


High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	39.99	49.67	-9.68	74.00	-34.01	200	16 Peak	Horizontal	




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	32.64	42.32	-9.68	74.00	-41.36	300	305 Peak	Vertical	

Appendix C:

Test Results of Radiated Spurious Emissions for Ant No. 9

Band Edges, 2.31GHz ~ 2.9GHz




802.11b

Low Channel (Horizontal) Average

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3
Level	Read Level	Factor
dBuV/m	dBuV	dB/m
108	107.95	3.04
70	70.30	37.65
54	54.00	53.95

Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dB	dB	cm	deg			
54.00	-5.62	279	267	Average	Horizontal	
54.00	53.95	279	267	Average	Horizontal	
54.00	-12.71	279	267	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Read Level	Factor
dBuV/m	dBuV	dB/m
100	100.31	62.66
70	70.30	37.65
54	54.00	46.31

Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dB	dB	cm	deg			
54.00	-14.52	308	177	Average	Vertical	
54.00	46.31	308	177	Average	Vertical	
54.00	-13.20	308	177	Average	Vertical	

802.11b

High Channel (Horizontal) Peak



High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Remark		Pol/Phase		Note							
2355.67	53.21	15.81	37.40	74.00	-20.79	240	265	Peak	Horizontal										
2462.00	108.94	71.21	37.73	74.00	34.94	240	265	Peak	Horizontal										
2817.28	54.56	16.37	38.19	74.00	-19.44	240	265	Peak	Horizontal										

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Remark		Pol/Phase		Note							
2368.65	52.94	15.47	37.47	74.00	-21.06	295	175	Peak	Vertical										
2462.00	101.44	63.71	37.73	74.00	27.44	295	175	Peak	Vertical										
2890.21	54.93	16.56	38.37	74.00	-19.07	295	175	Peak	Vertical										

802.11b

High Channel (Horizontal) Average


High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
dBuV/m	dBuV/m	dBuV/m
41.37	105.83	42.54

Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
41.37	4.03	37.34	54.00	-12.63	240	265 Average	Horizontal	
105.83	68.10	37.73	54.00	51.83	240	265 Average	Horizontal	
42.54	4.74	37.80	54.00	-11.46	240	265 Average	Horizontal	



1	2	3
Level	Level	Level
dBuV/m	dBuV/m	dBuV/m
39.35	98.30	40.90

Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
39.35	1.81	37.54	54.00	-14.65	295	175 Average	Vertical	
98.30	68.57	37.73	54.00	44.30	295	175 Average	Vertical	
40.90	2.71	38.19	54.00	-13.10	295	175 Average	Vertical	


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.06	62.97	25.39	37.58	74.00	-11.03	272	92	Peak	Horizontal	
2 *	2412.00	110.48	72.83	37.65	74.00	36.48	272	92	Peak	Horizontal	
3	2811.85	54.91	16.71	38.20	74.00	-19.09	272	92	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2341.03	53.96	16.62	37.34	74.00	-20.04	276	173	Peak	Vertical	
2 *	2412.00	97.83	60.18	37.65	74.00	23.83	276	173	Peak	Vertical	
3	2888.91	55.43	17.06	38.37	74.00	-18.57	276	173	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2388.00	47.86	10.29	37.57	74.00	-26.14	272	92	Peak	Horizontal		
2412.00	99.78	62.13	37.65	74.00	25.78	272	92	Peak	Horizontal		
2867.90	42.31	4.06	38.25	74.00	-31.69	272	92	Peak	Horizontal		

1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2387.76	40.28	2.71	37.57	54.00	-13.72	276	173	Average	Vertical		
2412.00	86.77	49.12	37.65	54.00	32.77	276	173	Average	Vertical		
2805.13	41.55	3.35	38.20	54.00	-12.45	276	173	Average	Vertical		



802.11g

High Channel (Horizontal) Peak


High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2338.08	54.31	16.97	37.34	74.00	-19.69	241	266	Peak	Horizontal	
2 *	2462.00	107.81	70.08	37.73	74.00	33.81	241	266	Peak	Horizontal	
3	2483.58	59.56	21.76	37.80	74.00	-14.44	241	266	Peak	Horizontal	



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.71	53.50	16.02	37.48	74.00	-20.50	295	174	Peak	Vertical	
2 *	2462.00	99.88	62.15	37.73	74.00	25.88	295	174	Peak	Vertical	
3	2483.58	55.80	18.00	37.80	74.00	-18.20	295	174	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
dBuV/m	dBuV/m	dBuV/m
41.84	96.66	42.54
4.50	58.93	4.74
37.34	37.73	37.80
54.00	54.00	54.00
-12.16	42.66	-11.46
241	241	241
266	266	266
Average	Average	Average
Horizontal	Horizontal	Horizontal

1	2	3
Level	Level	Level
dBuV/m	dBuV/m	dBuV/m
40.34	88.83	41.70
2.77	51.10	3.51
37.57	37.73	38.19
54.00	54.00	54.00
-13.66	34.83	-12.30
295	295	295
174	174	174
Average	Average	Average
Vertical	Vertical	Vertical

802.11n HT20

Low Channel (Horizontal) Peak


Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2388.12	67.43	29.86	37.57	74.00	-6.57	273	91	Peak	Horizontal	
2 *	2412.00	110.23	72.58	37.65	74.00	36.23	273	91	Peak	Horizontal	
3	2574.20	55.07	17.13	37.94	74.00	-18.93	273	91	Peak	Horizontal	



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2385.28	55.00	17.45	37.55	74.00	-19.00	276	173	Peak	Vertical	
2 *	2412.00	97.43	59.78	37.65	74.00	23.43	276	173	Peak	Vertical	
3	2820.00	54.97	16.78	38.19	74.00	-19.03	276	173	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
2388.00	48.61	11.04	37.57	54.00	-5.39	273	91	Average	Horizontal										
2412.00	99.31	61.66	37.65	54.00	45.31	273	91	Average	Horizontal										
2868.14	41.88	3.63	38.25	54.00	-12.12	273	91	Average	Horizontal										



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
2390.00	40.61	3.03	37.58	54.00	-13.39	276	173	Average	Vertical										
2412.00	86.33	48.68	37.65	54.00	32.33	276	173	Average	Vertical										
2830.73	41.78	3.60	38.18	54.00	-12.22	276	173	Average	Vertical										

802.11n HT20

High Channel (Horizontal) Peak


High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2378.42	53.62	16.14	37.48	74.00	-20.38	269	263	Peak	Horizontal	
2 *	2462.00	106.52	68.79	37.73	74.00	32.52	269	263	Peak	Horizontal	
3	2483.81	59.04	21.24	37.80	74.00	-14.96	269	263	Peak	Horizontal	



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2320.74	52.97	15.69	37.28	74.00	-21.03	297	174	Peak	Vertical	
2 *	2462.00	98.27	60.54	37.73	74.00	24.27	297	174	Peak	Vertical	
3	2601.22	54.81	16.84	37.97	74.00	-19.19	297	174	Peak	Vertical	


802.11n HT20

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2337.85	41.76	4.42	37.34	54.00	-12.24	269	263	Average	Horizontal		
2462.00	96.46	58.73	37.73	54.00	42.46	269	263	Average	Horizontal		
2483.58	43.13	5.33	37.80	54.00	-10.87	269	263	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2368.41	40.13	2.67	37.46	54.00	-13.87	297	174	Average	Vertical		
2462.00	87.84	50.11	37.73	54.00	33.84	297	174	Average	Vertical		
2798.64	41.60	3.40	38.20	54.00	-12.40	297	174	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11n HT20

Middle Channel 9kHz~150kHz(Open)

Middle Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	58.67	39.48	19.19	119.13	-60.46	100	304	QP	Open
2	0.05	37.99	18.75	19.24	113.11	-75.12	100	304	QP	Open
3	0.06	40.06	21.00	19.06	111.82	-71.76	100	358	QP	Open
4	0.08	33.32	14.68	18.64	109.50	-76.18	100	235	QP	Open
5	0.10	36.45	18.23	18.22	107.55	-71.10	100	127	QP	Open
6	0.12	31.91	13.63	18.28	106.25	-74.34	100	127	QP	Open



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.30	46.08	27.14	18.94	98.08	-52.00	100	234	QP	Open
2	0.63	39.27	20.24	19.03	71.65	-32.38	100	234	QP	Open
3	2.93	33.03	13.52	19.51	69.50	-36.47	100	352	QP	Open
4	10.45	34.07	12.54	21.53	69.50	-35.43	100	360	QP	Open
5	18.45	34.90	12.81	22.09	69.50	-34.60	100	87	QP	Open
6	25.43	36.06	13.62	22.44	69.50	-33.44	100	94	QP	Open

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11n HT20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	55.22	28.24	34.76	-6.52	40.00	-11.76	300	108 QP	Horizontal
2	96.93	28.88	40.88	-12.00	43.50	-14.62	200	323 QP	Horizontal
3	157.07	37.24	43.23	-5.99	43.50	-6.26	200	275 QP	Horizontal
4	228.12	37.83	45.85	-8.02	46.00	-8.17	100	252 QP	Horizontal
5	236.61	37.55	44.36	-6.81	46.00	-8.45	100	89 QP	Horizontal
6	729.37	34.67	32.72	1.95	46.00	-11.33	100	172 QP	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.25	38.14	44.54	-6.40	40.00	-1.86	100	131 QP	Vertical
2	80.44	30.08	40.55	-10.47	40.00	-9.92	100	57 QP	Vertical
3	96.93	34.97	46.97	-12.00	43.50	-8.53	200	233 QP	Vertical
4	157.07	26.83	32.82	-5.99	43.50	-16.67	100	126 QP	Vertical
5	237.58	31.14	37.93	-6.79	46.00	-14.86	100	360 QP	Vertical
6	910.76	34.04	29.27	4.77	46.00	-11.96	300	200 QP	Vertical



Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)


Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	47.36	57.17	-9.81	74.00	-26.64	100	246 Peak	Horizontal



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	47.16	56.97	-9.81	74.00	-26.84	200	181 Peak	Vertical

802.11b

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4874.00	41.65	51.42	-9.77	74.00	-32.35	300	251	Peak	Horizontal	



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4874.00	44.37	54.14	-9.77	74.00	-29.63	200	190	Peak	Vertical	

802.11b

High Channel (Horizontal)


High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	39.48	49.16	-9.68	74.00	-34.52	100	250 Peak	Horizontal



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	43.70	53.38	-9.68	74.00	-30.30	213	0 Peak	Vertical

802.11g

Low Channel (Horizontal)


Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4824.00	38.81	48.62	-9.81	74.00	-35.19	100	65	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	----	------	------------



1	4824.00	35.44	45.25	-9.81	74.00	-38.56	399	360	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11g

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	37.43	47.20	-9.77	74.00	-36.57	300	267 Peak	Horizontal



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	34.85	44.62	-9.77	74.00	-39.15	355	360 Peak	Vertical

802.11g

High Channel (Horizontal)


High Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	38.36	48.04	-9.68	74.00	-35.64	100	238 Peak	Horizontal



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	36.32	46.00	-9.68	74.00	-37.68	400	269 Peak	Vertical

802.11n HT20

Low Channel (Horizontal)


Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4824.00	37.55	47.36	-9.81	74.00	-36.45	100	55	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	----	------	------------



1	4824.00	35.37	45.18	-9.81	74.00	-38.63	400	238	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11n HT20

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	37.79	47.56	-9.77	74.00	-36.21	400	9	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	---	------	------------



1	4874.00	34.19	43.96	-9.77	74.00	-39.81	361	360	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------



802.11n HT20

High Channel (Horizontal)


High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4924.00	38.25	47.93	-9.68	74.00	-35.75	200	250	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	4924.00	35.38	45.06	-9.68	74.00	-38.62	400	221	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------