


Job No.: STAR2017 #924	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18/20/20
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 165-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.200	85.06	2.76	87.82			peak	150	72	

Job No.: STAR2017 #926
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 36-AC 20MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Horizontal
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/31/23
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.041	79.67	2.06	81.73			peak	200	102	

Job No.: STAR2017 #927
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 36-AC 20MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/32/43
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.093	83.13	2.07	85.20			peak	150	328	

Job No.: STAR2017 #929
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 48-AC 20MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Horizontal
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/36/24
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.015	81.67	2.17	83.84			peak	200	166	



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #928
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 48-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 18/34/55
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.042	83.76	2.15	85.91			peak	150	64	

Job No.: STAR2017 #930

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: WiFi module

Mode: TX Channel 149-AC 20MHz

Model: WPC0GR2231R

Manufacturer: Prima

Polarization: Horizontal

Power Source: DC 12V


Date: 17/10/16/

Time: 18/38/22

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.024	80.01	2.68	82.69			peak	200	163	

Job No.: STAR2017 #931
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 149-AC 20MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/40/01
 Engineer Signature: star
 Distance: 3m


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.024	83.35	2.68	86.03			peak	150	209	

Job No.: STAR2017 #932	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18/42/19
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 165-AC 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.015	85.10	2.79	87.89			peak	150	226	



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #933	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18/43/47
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 165-AC 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.040	83.02	2.76	85.78			peak	200	152	




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #934	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18/48/22
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 38-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.089	79.73	2.09	81.82			peak	200	100	




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #935	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18/49/59
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 38-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.089	83.75	2.09	85.84			peak	150	109	

Job No.: STAR2017 #937
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 46-N 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Horizontal
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/54/47
 Engineer Signature: star
 Distance: 3m


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	80.07	2.15	82.22			peak	200	107	

Job No.: STAR2017 #936	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18/52/59
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 46-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	84.28	2.15	86.43			peak	150	90	

Job No.: STAR2017 #938
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 151-N 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Horizontal
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/56/58
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.024	81.14	2.68	83.82			peak	200	199	

Job No.: STAR2017 #939
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 151-N 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 18/58/28
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.045	84.48	2.69	87.17			peak	150	137	




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #941	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/02/20
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 159-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.200	81.31	2.76	84.07			peak	200	174	

Job No.: STAR2017 #940
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 159-N 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/00/31
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.015	84.09	2.72	86.81			peak	150	200	

Job No.: STAR2017 #942
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 38-AC 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Horizontal
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/05/16
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.093	79.11	2.07	81.18			peak	200	166	

Job No.: STAR2017 #943
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 38-AC 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/06/58
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.089	83.67	2.09	85.76			peak	150	207	

Job No.: STAR2017 #945
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 46-AC 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Horizontal
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/11/06
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	80.51	2.15	82.66			peak	200	179	

Job No.: STAR2017 #944
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 46-AC 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/09/22
 Engineer Signature: star
 Distance: 3m


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	84.72	2.15	86.87			peak	150	239	

Job No.: STAR2017 #946	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/13/40
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 151-AC 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.345	80.87	2.69	83.56			peak	200	146	

Job No.: STAR2017 #947
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 151-AC 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/15/20
 Engineer Signature: star
 Distance: 3m


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.345	85.57	2.69	88.26			peak	150	41	

Job No.: STAR2017 #949	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/18/48
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 159-AC 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.033	81.39	2.75	84.14			peak	200	134	

Job No.: STAR2017 #948
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 159-AC 40MHz
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/17/21
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.033	85.16	2.75	87.91			peak	150	76	




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #950	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/21/57
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 36-A	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18783.936	69.04	-21.21	47.83	74.00	-26.17	peak	200	83	

Job No.: STAR2017 #951
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: WiFi module
 Mode: TX Channel 36-A
 Model: WPC0GR2231R
 Manufacturer: Prima

Polarization: Vertical
 Power Source: DC 12V
 Date: 17/10/16/
 Time: 19/22/34
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22087.175	67.76	-20.35	47.41	74.00	-26.59	peak	150	118	



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #953	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/25/27
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 48-A	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25472.892	68.13	-19.46	48.67	74.00	-25.33	peak	200	69	

Job No.: STAR2017 #952	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/24/33
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 48-A	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24839.229	68.09	-19.62	48.47	74.00	-25.53	peak	150	271	