



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #954	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/26/19
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 149-A	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22449.631	68.08	-20.25	47.83	74.00	-26.17	peak	200	183	

Job No.: STAR2017 #955	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/27/07
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 149-A	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24390.884	68.00	-19.74	48.26	74.00	-25.74	peak	150	130	

Job No.: STAR2017 #957	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/28/48
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 165-A	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21848.796	67.82	-20.41	47.41	74.00	-26.59	peak	200	100	

Job No.: STAR2017 #956  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 165-A  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Vertical  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/27/55  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19892.826	68.44	-20.92	47.52	74.00	-26.48	peak	150	188	

Job No.: STAR2017 #958  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 36-N 20MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Horizontal  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/29/44  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24906.705	67.71	-19.60	48.11	74.00	-25.89	peak	200	104	



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #959	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/30/39
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 36-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19121.804	68.53	-21.13	47.40	74.00	-26.60	peak	150	216	



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #961	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/32/17
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 48-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19210.939	68.86	-21.10	47.76	74.00	-26.24	peak	200	109	



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #960	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/31/30
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 48-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24419.258	67.34	-19.73	47.61	74.00	-26.39	peak	150	175	



Job No.: STAR2017 #962	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/34/58
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 149-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21705.322	68.00	-20.44	47.56	74.00	-26.44	peak	200	178	

Job No.: STAR2017 #963	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/35/38
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 149-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18667.822	69.23	-21.25	47.98	74.00	-26.02	peak	150	288	

Job No.: STAR2017 #965	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/36/59
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 165-N 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25032.505	67.27	-19.57	47.70	74.00	-26.30	peak	200	140	

Job No.: STAR2017 #964  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 165-N 20MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Vertical  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/36/24  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18754.840	69.27	-21.22	48.05	74.00	-25.95	peak	150	199	

Job No.: STAR2017 #966  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 36-AC 20MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Horizontal  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/37/59  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25770.780	67.31	-19.38	47.93	74.00	-26.07	peak	200	299	



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #967	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/38/31
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 36-AC 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21730.572	68.49	-20.44	48.05	74.00	-25.95	peak	150	99	

Job No.: STAR2017 #969	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/40/19
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 48-AC 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18733.048	69.16	-21.23	47.93	74.00	-26.07	peak	200	119	




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: STAR2017 #968	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/39/40
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 48-AC 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18915.429	68.85	-21.18	47.67	74.00	-26.33	peak	150	142	





**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #970	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/41/09
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 149-AC 20MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24193.184	67.94	-19.79	48.15	74.00	-25.85	peak	200	181	

Job No.: STAR2017 #971  
Standard: FCC Class B 3M Radiated  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 25 C / 55 %  
EUT: WiFi module  
Mode: TX Channel 149-AC 20MHz  
Model: WPC0GR2231R  
Manufacturer: Prima

Polarization: Vertical  
Power Source: DC 12V  
Date: 17/10/16/  
Time: 19/41/56  
Engineer Signature: star  
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25951.181	68.05	-19.33	48.72	74.00	-25.28	peak	150	143	

Job No.: STAR2017 #973  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 165-AC 20MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Horizontal  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/43/41  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21764.285	69.06	-20.43	48.63	74.00	-25.37	peak	200	83	

Job No.: STAR2017 #972  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 165-AC 20MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Vertical  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/42/53  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23563.942	68.25	-19.96	48.29	74.00	-25.71	peak	150	74	

Job No.: STAR2017 #974  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 38-N 40MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Horizontal  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/44/42  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20543.111	68.97	-20.75	48.22	74.00	-25.78	peak	200	140	

Job No.: STAR2017 #975  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 38-N 40MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Vertical  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/45/26  
 Engineer Signature: star  
 Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24955.014	67.57	-19.59	47.98	74.00	-26.02	peak	150	295	




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: STAR2017 #977	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/47/22
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 46-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18871.496	68.60	-21.19	47.41	74.00	-26.59	peak	200	48	



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #976  
Standard: FCC Class B 3M Radiated  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 25 C / 55 %  
EUT: WiFi module  
Mode: TX Channel 46-N 40MHz  
Model: WPC0GR2231R  
Manufacturer: Prima

Polarization: Vertical  
Power Source: DC 12V  
Date: 17/10/16/  
Time: 19/46/36  
Engineer Signature: star  
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23165.534	67.89	-20.06	47.83	74.00	-26.17	peak	150	51	



Job No.: STAR2017 #978	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/48/09
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 151-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22853.433	68.22	-20.15	48.07	74.00	-25.93	peak	200	192	



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: STAR2017 #979  
Standard: FCC Class B 3M Radiated  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 25 C / 55 %  
EUT: WiFi module  
Mode: TX Channel 151-N 40MHz  
Model: WPC0GR2231R  
Manufacturer: Prima

Polarization: Vertical  
Power Source: DC 12V  
Date: 17/10/16/  
Time: 19/48/58  
Engineer Signature: star  
Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25453.156	67.43	-19.46	47.97	74.00	-26.03	peak	150	177	




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: STAR2017 #981	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/50/24
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 159-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20719.012	68.68	-20.70	47.98	74.00	-26.02	peak	200	179	

Job No.: STAR2017 #980	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/49/42
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 159-N 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25139.447	67.71	-19.54	48.17	74.00	-25.83	peak	150	88	



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: STAR2017 #982  
Standard: FCC Class B 3M Radiated  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 25 C / 55 %  
EUT: WiFi module  
Mode: TX Channel 38-AC 40MHz  
Model: WPC0GR2231R  
Manufacturer: Prima

Polarization: Horizontal  
Power Source: DC 12V  
Date: 17/10/16/  
Time: 19/51/11  
Engineer Signature: star  
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20783.348	68.35	-20.68	47.67	74.00	-26.33	peak	200	105	

Job No.: STAR2017 #983  
 Standard: FCC Class B 3M Radiated  
 Test item: Radiation Test  
 Temp.( C)/Hum.(%) 25 C / 55 %  
 EUT: WiFi module  
 Mode: TX Channel 38-AC 40MHz  
 Model: WPC0GR2231R  
 Manufacturer: Prima

Polarization: Vertical  
 Power Source: DC 12V  
 Date: 17/10/16/  
 Time: 19/51/53  
 Engineer Signature: star  
 Distance: 3m


Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21806.499	67.98	-20.42	47.56	74.00	-26.44	peak	150	56	

Job No.: STAR2017 #985	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/53/24
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 46-AC 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19970.070	69.45	-20.90	48.55	74.00	-25.45	peak	200	106	




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: STAR2017 #984	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 12V
Test item: Radiation Test	Date: 17/10/16/
Temp.( C)/Hum.(%) 25 C / 55 %	Time: 19/52/38
EUT: WiFi module	Engineer Signature: star
Mode: TX Channel 46-AC 40MHz	Distance: 3m
Model: WPC0GR2231R	
Manufacturer: Prima	

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26092.367	32.73	15.94	48.67	74.00	-25.33	peak	150	89	