




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-2.807	30	Pass
NVNT	BLE	2442	Ant1	-2.494	30	Pass
NVNT	BLE	2480	Ant1	-2.459	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.681	0.5	Pass
NVNT	BLE	2442	Ant1	0.684	0.5	Pass
NVNT	BLE	2480	Ant1	0.685	0.5	Pass














## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.047
NVNT	BLE	2442	Ant1	1.047
NVNT	BLE	2480	Ant1	1.047

Project No.: JYTSZR2302008















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-17.781	8	Pass
NVNT	BLE	2442	Ant1	-17.468	8	Pass
NVNT	BLE	2480	Ant1	-17.424	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.35	-20	Pass
NVNT	BLE	2480	Ant1	-47.54	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-40.11	-20	Pass
NVNT	BLE	2442	Ant1	-40.88	-20	Pass
NVNT	BLE	2480	Ant1	-40.33	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



