


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.664	30	Pass
NVNT	BLE	2442	Ant1	-3.11	30	Pass
NVNT	BLE	2480	Ant1	-2.874	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.176	0.5	Pass
NVNT	BLE	2442	Ant1	1.16	0.5	Pass
NVNT	BLE	2480	Ant1	1.147	0.5	Pass







Spectru Occupie		zer 1		• +							
R R	GHT	Input: I Couplii Align: <i>I</i>	ng: DC	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Free Avg Hold: 1 Radio Std:		Z		
1 Graph	ı		T			Ref LvI Offset	8.60 dB		Mk		72000 GHz
	Div 10.0	dB				Ref Value 28.60) dBm			-	12.71 dBm
Log 18.6											
8.60 -							1				
-1.40						mmmm	autore and the second s	3			
-11.4					A manufacture of the second se			a from me	wanna and a start and a start a		
-31.4		.~	www	- A A A A A A A A A A A A A A A A A A A						monitor	λ.
-41.4	-	~~ 1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	- And and a second s					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		human
-61.4											-~ Crr
Center	2.48000	0 GHz			•	#Video BW 300	.00 kHz		<u> </u>		Span 5 MHz
#Res B	W 100.0)0 kHz								Sweep 1.33	ms (10001 pts)
2 Metric	s		•								
		00	cupied Ban	dwidth							
			cupieu Dali	2.0867 MHz				Total Power		2.83 dBm	
		Tra	insmit Freq	Error	-1.981 kHz			% of OBW Powe	er	99.00 %	
		x d	B Bandwidi	h	1.147 MHz			x dB		-6.00 dB	
	5		2	Mar 01, 2023 9:08:50 AM	$\bigcirc \triangle$						



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	2.082
NVNT	BLE	2442	Ant1	2.076
NVNT	BLE	2480	Ant1	2.079













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-20.748	8	Pass
NVNT	BLE	2442	Ant1	-20.633	8	Pass
NVNT	BLE	2480	Ant1	-20.342	8	Pass











Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.83	-20	Pass
NVNT	BLE	2480	Ant1	-47.41	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-38.55	-20	Pass
NVNT	BLE	2442	Ant1	-37.73	-20	Pass
NVNT	BLE	2480	Ant1	-38.84	-20	Pass



