

FCC Part 27

RF power output

DC_2A_n41A , Normal

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.28	23.48	0.223	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.07	24.27	0.267	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.1	23.3	0.214	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.53	23.73	0.236	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.55	23.75	0.237	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.28	23.48	0.223	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.16	23.36	0.217	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	22.54	23.74	0.237	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	22.56	23.76	0.238	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	22.54	23.74	0.237	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.51	23.71	0.235	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.38	24.58	0.287	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.39	24.59	0.288	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.97	24.17	0.261	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.36	24.56	0.286	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.39	24.59	0.288	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	23.04	24.24	0.265	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	23.46	24.66	0.292	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1855MHz 2501.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.53	23.73	0.236	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.7	24.9	0.309	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	23.45	24.65	0.292	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.66	24.86	0.306	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.76	24.96	0.313	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.98	25.18	0.33	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	23.18	24.38	0.274	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	23.42	24.62	0.29	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	23.73	24.93	0.311	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	23.7	24.9	0.309	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	23.72	24.92	0.31	2	Pass
DC_2A_n41A_10MHz 10MHz_30kHz_1905MHz 2685MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	23.21	24.41	0.276	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	24.88	26.08	0.406	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	22.62	23.82	0.241	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.14	23.34	0.216	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	22.51	23.71	0.235	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	22.53	23.73	0.236	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	22.52	23.72	0.236	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.43	23.63	0.231	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.12	23.32	0.215	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	22.5	23.7	0.234	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	22.52	23.72	0.236	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	22.53	23.73	0.236	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1855MHz 2503.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.41	23.61	0.23	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.33	24.53	0.284	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.36	24.56	0.286	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.37	24.57	0.286	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.02	24.22	0.264	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.38	24.58	0.287	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.3	24.5	0.282	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.93	24.13	0.259	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37	23.39	24.59	0.288	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9	23.67	24.87	0.307	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	23.68	24.88	0.308	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	23.68	24.88	0.308	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	23.75	24.95	0.313	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	23.18	24.38	0.274	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	23.67	24.87	0.307	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	23.73	24.93	0.311	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	24.01	25.21	0.332	2	Pass
DC_2A_n41A_10MHz 15MHz_30kHz_1905MHz 2682.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	23.01	24.21	0.264	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.26	23.46	0.222	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.56	23.76	0.238	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.11	23.31	0.214	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.52	23.72	0.236	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.5	23.7	0.234	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.5	23.7	0.234	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.17	23.37	0.217	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	22.45	23.65	0.232	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	22.49	23.69	0.234	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1855MHz 2506.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.38	23.58	0.228	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.33	24.53	0.284	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.93	24.13	0.259	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.3	24.5	0.282	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.31	24.51	0.282	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.32	24.52	0.283	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.94	24.14	0.259	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50	23.39	24.59	0.288	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	23.71	24.91	0.31	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	23.38	24.58	0.287	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.7	24.9	0.309	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.7	24.9	0.309	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.76	24.96	0.313	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	23.13	24.33	0.271	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	23.69	24.89	0.308	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	23.68	24.88	0.308	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	23.69	24.89	0.308	2	Pass
DC_2A_n41A_10MHz 20MHz_30kHz_1905MHz 2679.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	23.12	24.32	0.27	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.15	23.35	0.216	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.51	23.71	0.235	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.1	23.3	0.214	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.42	23.62	0.23	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.42	23.62	0.23	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.4	23.6	0.229	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.35	23.55	0.226	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.06	23.26	0.212	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.39	23.59	0.229	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.35	23.55	0.226	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.42	23.62	0.23	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1855MHz 2516.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.31	23.51	0.224	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.43	24.63	0.29	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.1	24.3	0.269	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.33	24.53	0.284	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	23.03	24.23	0.265	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.31	24.51	0.282	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.32	24.52	0.283	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.98	24.18	0.262	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	22.96	24.16	0.261	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.58	24.78	0.301	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.21	24.41	0.276	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.64	24.84	0.305	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.61	24.81	0.303	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.62	24.82	0.303	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	23.06	24.26	0.267	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	23.21	24.41	0.276	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.62	24.82	0.303	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.62	24.82	0.303	2	Pass
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.62	24.82	0.303	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 40MHz_30kHz_1905MHz 2670MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	23.12	24.32	0.27	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.18	23.38	0.218	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	22.5	23.7	0.234	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.09	23.29	0.213	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.38	23.58	0.228	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.39	23.59	0.229	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.38	23.58	0.228	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.13	23.33	0.215	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.09	23.29	0.213	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.41	23.61	0.23	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.41	23.61	0.23	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.32	23.52	0.225	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1855MHz 2521.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.31	23.51	0.224	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	22.79	23.99	0.251	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.88	24.08	0.256	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.81	24.01	0.252	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.88	24.08	0.256	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.42	23.62	0.23	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.96	24.16	0.261	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.84	24.04	0.254	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.84	24.04	0.254	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.47	23.67	0.233	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	23.36	24.56	0.286	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	23.56	24.76	0.299	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	23.58	24.78	0.301	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	23.56	24.76	0.299	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	23.36	24.56	0.286	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	23.09	24.29	0.269	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	23.31	24.51	0.282	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	23.51	24.71	0.296	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	23.59	24.79	0.301	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	23.57	24.77	0.3	2	Pass
DC_2A_n41A_10MHz 50MHz_30kHz_1905MHz 2664.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	23.07	24.27	0.267	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.17	23.37	0.217	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	22.52	23.72	0.236	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.12	23.32	0.215	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	22.61	23.81	0.24	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	22.44	23.64	0.231	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	22.4	23.6	0.229	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	22.32	23.52	0.225	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.11	23.31	0.214	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	22.41	23.61	0.23	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	22.42	23.62	0.23	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	22.41	23.61	0.23	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1855MHz 2526MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.37	23.57	0.228	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	23.31	24.51	0.282	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.37	24.57	0.286	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.36	24.56	0.286	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23	24.2	0.263	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.25	24.45	0.279	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.26	24.46	0.279	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.33	24.53	0.284	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	23.02	24.22	0.264	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40	23.49	24.69	0.294	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	23.26	24.46	0.279	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	23.51	24.71	0.296	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	23.47	24.67	0.293	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	23.51	24.71	0.296	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	23.03	24.23	0.265	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	23.26	24.46	0.279	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	23.52	24.72	0.296	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	23.5	24.7	0.295	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	23.51	24.71	0.296	2	Pass
DC_2A_n41A_10MHz 60MHz_30kHz_1905MHz 2659.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	23.03	24.23	0.265	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.2	23.4	0.219	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	22.59	23.79	0.239	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.13	23.33	0.215	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.49	23.69	0.234	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.66	23.86	0.243	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.47	23.67	0.233	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.66	23.86	0.243	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.84	23.04	0.201	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	22.48	23.68	0.233	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	22.52	23.72	0.236	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1855MHz 2536.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.25	23.45	0.221	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.38	24.58	0.287	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.99	24.19	0.262	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.45	24.65	0.292	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.99	24.19	0.262	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216	23.28	24.48	0.281	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	23.42	24.62	0.29	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	23.24	24.44	0.278	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	23.42	24.62	0.29	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	23.48	24.68	0.294	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	23.42	24.62	0.29	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	22.96	24.16	0.261	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	23.24	24.44	0.278	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	23.44	24.64	0.291	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	23.57	24.77	0.3	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	23.44	24.64	0.291	2	Pass
DC_2A_n41A_10MHz 80MHz_30kHz_1905MHz 2649.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	22.95	24.15	0.26	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.1	23.3	0.214	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	22.61	23.81	0.24	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22	23.2	0.209	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	22.54	23.74	0.237	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	22.54	23.74	0.237	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	22.55	23.75	0.237	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.46	23.66	0.232	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.07	23.27	0.212	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	22.53	23.73	0.236	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	22.7	23.9	0.245	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	22.55	23.75	0.237	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1855MHz 2541MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.45	23.65	0.232	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.41	24.61	0.289	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.33	24.53	0.284	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.95	24.15	0.26	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.13	24.33	0.271	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.39	24.59	0.288	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	23.01	24.21	0.264	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244	23.14	24.34	0.272	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60	23.39	24.59	0.288	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	23.15	24.35	0.272	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	23.4	24.6	0.288	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	23.38	24.58	0.287	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	22.97	24.17	0.261	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	23.09	24.29	0.269	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	23.43	24.63	0.29	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	23.44	24.64	0.291	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	23.42	24.62	0.29	2	Pass
DC_2A_n41A_10MHz 90MHz_30kHz_1905MHz 2644.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	22.98	24.18	0.262	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.12	23.32	0.215	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB135@67	22.58	23.78	0.239	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	21.39	22.59	0.182	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB135@67	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB135@67	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB135@67	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB135@67	22.32	23.52	0.225	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22	23.2	0.209	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	22.47	23.67	0.233	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	22.47	23.67	0.233	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	22.48	23.68	0.233	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1855MHz 2546.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.37	23.57	0.228	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB135@67	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB135@67	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB135@67	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB135@67	23.22	24.42	0.277	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB135@67	23.21	24.41	0.276	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.41	24.61	0.289	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.41	24.61	0.289	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.36	24.56	0.286	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1880MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	23.01	24.21	0.264	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272	23.1	24.3	0.269	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67	23.31	24.51	0.282	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	23.13	24.33	0.271	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	23.31	24.51	0.282	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	22.91	24.11	0.258	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	23.09	24.29	0.269	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	23.36	24.56	0.286	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	23.35	24.55	0.285	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	23.34	24.54	0.284	2	Pass
DC_2A_n41A_10MHz 100MHz_30kHz_1905MHz 2640MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	22.87	24.07	0.255	2	Pass

Note:

1. Ant Gain = 1.2dBi;
2. EIRP = Value + Ant Gain – LC;
3. ERP = EIRP - 2.15;
4. LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

DC_2A_n71A , Normal

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.63	19.08	0.081	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.89	19.34	0.086	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.61	19.06	0.081	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.91	19.36	0.086	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.88	19.33	0.086	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.92	19.37	0.086	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.21	18.66	0.073	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.58	19.03	0.08	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	21.85	19.3	0.085	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	21.82	19.27	0.085	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.91	19.36	0.086	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1855MHz 665.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.19	18.64	0.073	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.04	19.49	0.089	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.98	19.43	0.088	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.04	19.49	0.089	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.08	19.53	0.09	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.31	18.76	0.075	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.07	19.52	0.09	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.09	19.54	0.09	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.99	19.44	0.088	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 5MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.3	18.75	0.075	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	21.8	19.25	0.084	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	22.03	19.48	0.089	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	21.58	19.03	0.08	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	22.06	19.51	0.089	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	22.07	19.52	0.09	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.36	18.81	0.076	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	21.77	19.22	0.084	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	22.04	19.49	0.089	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	22.04	19.49	0.089	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	22	19.45	0.088	3	Pass
DC_2A_n71A_10MHz 5MHz_15kHz_1905MHz 695.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.43	18.88	0.077	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.71	20.16	0.104	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.64	19.09	0.081	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.76	20.21	0.105	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.53	18.98	0.079	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.54	18.99	0.079	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.64	19.09	0.081	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	20.78	18.23	0.067	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.79	20.24	0.106	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.51	18.96	0.079	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.53	18.98	0.079	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.47	18.92	0.078	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1855MHz 668MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	20.79	18.24	0.067	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.87	19.32	0.086	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.9	19.35	0.086	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.03	19.48	0.089	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.96	19.41	0.087	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.24	18.69	0.074	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.97	19.42	0.087	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.79	19.24	0.084	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.19	18.64	0.073	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	22.16	19.61	0.091	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	21.8	19.25	0.084	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	22.09	19.54	0.09	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.81	19.26	0.084	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.83	19.28	0.085	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.86	19.31	0.085	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.14	18.59	0.072	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	22.2	19.65	0.092	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	21.8	19.25	0.084	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	21.92	19.37	0.086	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	21.92	19.37	0.086	3	Pass
DC_2A_n71A_10MHz 10MHz_15kHz_1905MHz 693MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.22	18.67	0.074	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.48	18.93	0.078	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.96	19.41	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.54	18.99	0.079	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.97	19.42	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.96	19.41	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.92	19.37	0.086	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.21	18.66	0.073	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.55	19	0.079	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.95	19.4	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.89	19.34	0.086	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.95	19.4	0.087	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 15MHz_15kHz_1855MHz 670.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.26	18.71	0.074	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.01	19.46	0.088	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.05	19.5	0.089	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.02	19.47	0.089	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.03	19.48	0.089	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.26	18.71	0.074	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.03	19.48	0.089	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.01	19.46	0.088	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.28	18.73	0.075	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	21.71	19.16	0.082	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	22	19.45	0.088	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	21.74	19.19	0.083	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	22.01	19.46	0.088	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.96	19.41	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.34	18.79	0.076	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	21.71	19.16	0.082	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	22.07	19.52	0.09	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.97	19.42	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.96	19.41	0.087	3	Pass
DC_2A_n71A_10MHz 15MHz_15kHz_1905MHz 690.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.19	18.64	0.073	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.51	18.96	0.079	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.82	19.27	0.085	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.49	18.94	0.078	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.94	19.39	0.087	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.95	19.4	0.087	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.94	19.39	0.087	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.2	18.65	0.073	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.17	20.62	0.115	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.06	19.51	0.089	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.98	19.43	0.088	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.01	19.46	0.088	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1855MHz 673MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.22	18.67	0.074	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.89	19.34	0.086	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.04	19.49	0.089	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.99	19.44	0.088	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.31	18.76	0.075	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.07	19.52	0.09	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.91	19.36	0.086	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.06	19.51	0.089	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1880MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.25	18.7	0.074	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	23.39	20.84	0.121	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.72	19.17	0.083	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	22.29	19.74	0.094	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.88	19.33	0.086	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	22.24	19.69	0.093	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.35	18.8	0.076	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.73	19.18	0.083	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.99	19.44	0.088	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	22.03	19.48	0.089	3	Pass
DC_2A_n71A_10MHz 20MHz_15kHz_1905MHz 688MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.36	18.81	0.076	3	Pass

Note:

1.Ant Gain =0.1 dBi;

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;

DC_12A_n66A , Normal

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22	22.6	0.182	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.03	22.63	0.183	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.04	22.64	0.184	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.02	22.62	0.183	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.29	21.89	0.155	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.04	22.64	0.184	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.06	22.66	0.185	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.97	22.57	0.181	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.28	21.88	0.154	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.83	22.43	0.175	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.83	22.43	0.175	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.9	22.5	0.178	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.88	22.48	0.177	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.12	21.72	0.149	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	21.84	22.44	0.175	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.87	22.47	0.177	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.1	21.7	0.148	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	21.58	22.18	0.165	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	21.65	22.25	0.168	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	21.55	22.15	0.164	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.06	21.66	0.147	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	21.57	22.17	0.165	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	21.86	22.46	0.176	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.09	21.69	0.148	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.64	22.24	0.167	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.96	22.56	0.18	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.61	22.21	0.166	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.94	22.54	0.179	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.94	22.54	0.179	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.98	22.58	0.181	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.27	21.87	0.154	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.59	22.19	0.166	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.97	22.57	0.181	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.02	22.62	0.183	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.99	22.59	0.182	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.27	21.87	0.154	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.05	21.65	0.146	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.79	22.39	0.173	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.08	21.68	0.147	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	21.48	22.08	0.161	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	21.7	22.3	0.17	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.48	22.08	0.161	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.7	22.3	0.17	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	20.94	21.54	0.143	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	21.47	22.07	0.161	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.05	21.65	0.146	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.71	22.31	0.17	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.87	22.47	0.177	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.74	22.34	0.171	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.93	22.53	0.179	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.94	22.54	0.179	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.91	22.51	0.178	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.22	21.82	0.152	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.89	22.49	0.177	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.95	22.55	0.18	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.94	22.54	0.179	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.23	21.83	0.152	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.86	22.46	0.176	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.86	22.46	0.176	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.86	22.46	0.176	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.18	21.78	0.151	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.87	22.47	0.177	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.87	22.47	0.177	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.83	22.43	0.175	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.17	21.77	0.15	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	21.48	22.08	0.161	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	21.38	21.98	0.158	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.2	21.8	0.151	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	21.47	22.07	0.161	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.14	21.74	0.149	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.71	22.31	0.17	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.97	22.57	0.181	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.96	22.56	0.18	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.91	22.51	0.178	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.95	22.55	0.18	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.25	21.85	0.153	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.67	22.27	0.169	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.96	22.56	0.18	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.96	22.56	0.18	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.93	22.53	0.179	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.29	21.89	0.155	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.72	22.32	0.171	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.81	22.41	0.174	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.08	21.68	0.147	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.09	21.69	0.148	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	21.51	22.11	0.163	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	21.83	22.43	0.175	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.49	22.09	0.162	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	21.79	22.39	0.173	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.13	21.73	0.149	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.54	22.14	0.164	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.79	22.39	0.173	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.16	21.76	0.15	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.71	22.31	0.17	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	21.93	22.53	0.179	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.64	22.24	0.167	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	21.91	22.51	0.178	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	21.88	22.48	0.177	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	21.88	22.48	0.177	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.27	21.87	0.154	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.65	22.25	0.168	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	21.93	22.53	0.179	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	21.92	22.52	0.179	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	21.94	22.54	0.179	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.22	21.82	0.152	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.14	21.74	0.149	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	21.82	22.42	0.175	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	21.81	22.41	0.174	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.13	21.73	0.149	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	21.44	22.04	0.16	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	21.71	22.31	0.17	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	21.44	22.04	0.16	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	21.71	22.31	0.17	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	21.74	22.34	0.171	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	21.12	21.72	0.149	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	21.44	22.04	0.16	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	21.62	22.22	0.167	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	21.1	21.7	0.148	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.58	22.18	0.165	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	21.82	22.42	0.175	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.6	22.2	0.166	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	21.79	22.39	0.173	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	21.1	21.7	0.148	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.57	22.17	0.165	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	21.87	22.47	0.177	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	21.87	22.47	0.177	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.12	21.72	0.149	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	21.7	22.3	0.17	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	20.96	21.56	0.143	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	21.74	22.34	0.171	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	21.72	22.32	0.171	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.06	21.66	0.147	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159	21.28	21.88	0.154	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	21.29	21.89	0.155	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	21.79	22.39	0.173	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	21.82	22.42	0.175	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	21.12	21.72	0.149	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	21.48	22.08	0.161	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	21.81	22.41	0.174	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	21.78	22.38	0.173	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	21.14	21.74	0.149	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.67	22.27	0.169	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.86	22.46	0.176	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.4	22	0.158	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.82	22.42	0.175	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.84	22.44	0.175	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.17	21.77	0.15	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.45	22.05	0.16	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	21.8	22.4	0.174	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	21.85	22.45	0.176	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	21.84	22.44	0.175	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.05	21.65	0.146	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.67	22.27	0.169	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.68	22.28	0.169	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.76	22.36	0.172	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.05	21.65	0.146	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	21.73	22.33	0.171	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	21.66	22.26	0.168	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	20.9	21.5	0.141	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215	21.27	21.87	0.154	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	21.7	22.3	0.17	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215	21.25	21.85	0.153	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	21.68	22.28	0.169	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	21.08	21.68	0.147	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215	21.27	21.87	0.154	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54	21.74	22.34	0.171	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54	21.75	22.35	0.172	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54	21.77	22.37	0.173	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54	21.06	21.66	0.147	1	Pass

Note:**1.Ant Gain =0.6 dBi;****2.EIRP = Value + Ant Gain – LC;****3.ERP = EIRP -2.15;****4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;****DC_66A_n41A , Normal**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.77	20.97	0.125	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB12@6	20.08	21.28	0.134	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	19.54	20.74	0.119	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB12@6	19.87	21.07	0.128	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB12@6	19.83	21.03	0.127	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB12@6	19.9	21.1	0.129	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB12@6	19.77	20.97	0.125	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	19.57	20.77	0.119	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	19.95	21.15	0.13	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	19.92	21.12	0.129	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	19.9	21.1	0.129	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1715MHz 2501.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	19.79	20.99	0.126	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.51	22.71	0.187	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB12@6	21.53	22.73	0.187	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB12@6	21.42	22.62	0.183	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB12@6	21.54	22.74	0.188	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB12@6	20.94	22.14	0.164	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	21.49	22.69	0.186	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	21.56	22.76	0.189	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	21.44	22.64	0.184	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	20.92	22.12	0.163	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	23.18	24.38	0.274	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.49	24.69	0.294	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	23.19	24.39	0.275	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.49	24.69	0.294	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.48	24.68	0.294	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.5	24.7	0.295	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.94	24.14	0.259	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	23.17	24.37	0.274	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	23.45	24.65	0.292	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	23.53	24.73	0.297	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	23.49	24.69	0.294	2	Pass
DC_66A_n41A_10MHz 10MHz_30kHz_1775MHz 2685MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	22.97	24.17	0.261	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.78	20.98	0.125	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	19.97	21.17	0.131	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	19.59	20.79	0.12	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	19.81	21.01	0.126	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	19.84	21.04	0.127	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	19.85	21.05	0.127	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	19.76	20.96	0.125	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	19.61	20.81	0.121	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	19.78	20.98	0.125	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	19.87	21.07	0.128	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	19.88	21.08	0.128	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1715MHz 2503.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	19.7	20.9	0.123	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	21.66	22.86	0.193	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	21.64	22.84	0.192	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	21.66	22.86	0.193	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	21.63	22.83	0.192	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	20.99	22.19	0.166	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	21.64	22.84	0.192	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	21.64	22.84	0.192	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	21.65	22.85	0.193	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	20.86	22.06	0.161	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@49 RB1@37	23.14	24.34	0.272	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@38 RB18@9	23.39	24.59	0.288	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM QPSK_RB1@49 RB1@37	22.96	24.16	0.261	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM QPSK_RB12@38 RB18@9	23.41	24.61	0.289	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM 16 QAM_RB12@38 RB18@9	23.38	24.58	0.287	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM 64 QAM_RB12@38 RB18@9	23.42	24.62	0.29	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK DF T-s-OFDM 256 QAM_RB12@38 RB18@9	22.49	23.69	0.234	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	23.12	24.32	0.27	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	23.39	24.59	0.288	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	23.49	24.69	0.294	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	23.4	24.6	0.288	2	Pass
DC_66A_n41A_10MHz 15MHz_30kHz_1775MHz 2682.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	22.39	23.59	0.229	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.51	20.71	0.118	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB25@12	19.56	20.76	0.119	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	19.18	20.38	0.109	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB25@12	19.31	20.51	0.112	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB25@12	19.35	20.55	0.114	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB25@12	19.36	20.56	0.114	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB25@12	18.91	20.11	0.103	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	19.23	20.43	0.11	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	19.33	20.53	0.113	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	19.34	20.54	0.113	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	19.38	20.58	0.114	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1715MHz 2506.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	19.01	20.21	0.105	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.67	22.87	0.194	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB25@12	21.69	22.89	0.195	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB25@12	21.64	22.84	0.192	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB25@12	21.85	23.05	0.202	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB25@12	20.85	22.05	0.16	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	21.67	22.87	0.194	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	21.7	22.9	0.195	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	21.7	22.9	0.195	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	20.83	22.03	0.16	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@49 RB1@50	23.12	24.32	0.27	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@38 RB25@12	23.37	24.57	0.286	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM QPSK_RB1@49 RB1@50	23.07	24.27	0.267	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM QPSK_RB12@38 RB25@12	23.38	24.58	0.287	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@38 RB25@12	23.4	24.6	0.288	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@38 RB25@12	23.37	24.57	0.286	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@38 RB25@12	22.46	23.66	0.232	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK CP- OFDM QPSK_RB1@49 RB1@50	23.05	24.25	0.266	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK CP- OFDM QPSK_RB12@38 RB25@12	23.42	24.62	0.29	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK CP- OFDM 16 QAM_RB12@38 RB25@12	23.35	24.55	0.285	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK CP- OFDM 64 QAM_RB12@38 RB25@12	23.41	24.61	0.289	2	Pass
DC_66A_n41A_10MHz 20MHz_30kHz_1775MHz 2679.99MHz_QPSK CP- OFDM 256 QAM_RB12@38 RB25@12	22.5	23.7	0.234	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.35	20.55	0.114	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB50@25	19.33	20.53	0.113	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	19.06	20.26	0.106	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB50@25	18.97	20.17	0.104	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB50@25	19.1	20.3	0.107	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB50@25	19.14	20.34	0.108	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB50@25	18.92	20.12	0.103	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK CP- OFDM QPSK_RB1@0 RB1@0	19.07	20.27	0.106	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	19.15	20.35	0.108	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	19.13	20.33	0.108	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	19.09	20.29	0.107	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1715MHz 2516.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	18.89	20.09	0.102	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.61	22.81	0.191	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB50@25	21.54	22.74	0.188	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB50@25	21.66	22.86	0.193	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB50@25	21.65	22.85	0.193	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB50@25	20.83	22.03	0.16	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.68	22.88	0.194	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.57	22.77	0.189	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.7	22.9	0.195	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	20.87	22.07	0.161	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	22.89	24.09	0.256	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.21	24.41	0.276	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	22.84	24.04	0.254	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.23	24.43	0.277	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.23	24.43	0.277	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.2	24.4	0.275	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.35	23.55	0.226	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	22.83	24.03	0.253	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.23	24.43	0.277	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.23	24.43	0.277	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.12	24.32	0.27	2	Pass
DC_66A_n41A_10MHz 40MHz_30kHz_1775MHz 2670MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	22.46	23.66	0.232	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.51	20.71	0.118	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB64@32	19.37	20.57	0.114	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	19.22	20.42	0.11	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB64@32	19.13	20.33	0.108	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB64@32	19.11	20.31	0.107	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB64@32	19.15	20.35	0.108	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB64@32	18.89	20.09	0.102	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	19.23	20.43	0.11	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	19.12	20.32	0.108	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	19.16	20.36	0.109	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	19.1	20.3	0.107	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1715MHz 2521.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	18.86	20.06	0.101	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB64@32	21.67	22.87	0.194	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB64@32	21.71	22.91	0.195	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB64@32	21.68	22.88	0.194	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB64@32	21.71	22.91	0.195	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB64@32	20.9	22.1	0.162	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	21.63	22.83	0.192	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	21.69	22.89	0.195	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	21.74	22.94	0.197	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	20.87	22.07	0.161	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@49 RB1@132	23.08	24.28	0.268	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@38 RB64@32	23.13	24.33	0.271	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM QPSK_RB1@49 RB1@132	22.99	24.19	0.262	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM QPSK_RB12@38 RB64@32	23.16	24.36	0.273	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@38 RB64@32	23.2	24.4	0.275	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@38 RB64@32	23.08	24.28	0.268	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@38 RB64@32	22.34	23.54	0.226	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	23.02	24.22	0.264	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	23.2	24.4	0.275	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	23.17	24.37	0.274	2	Pass
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	23.14	24.34	0.272	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 50MHz_30kHz_1775MHz 2664.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	22.35	23.55	0.226	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.41	20.61	0.115	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	19.43	20.63	0.116	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	19.19	20.39	0.109	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	19.18	20.38	0.109	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	19.21	20.41	0.11	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	19.15	20.35	0.108	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	18.94	20.14	0.103	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	19.16	20.36	0.109	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	19.2	20.4	0.11	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	19.21	20.41	0.11	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	19.17	20.37	0.109	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1715MHz 2526MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	18.91	20.11	0.103	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB81@40	21.71	22.91	0.195	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB81@40	21.73	22.93	0.196	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB81@40	21.63	22.83	0.192	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB81@40	21.71	22.91	0.195	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB81@40	20.97	22.17	0.165	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	21.82	23.02	0.2	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	21.7	22.9	0.195	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	21.73	22.93	0.196	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	20.94	22.14	0.164	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@49 RB1@161	22.97	24.17	0.261	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@38 RB81@40	23.04	24.24	0.265	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM QPSK_RB1@49 RB1@161	22.95	24.15	0.26	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM QPSK_RB12@38 RB81@40	23.07	24.27	0.267	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM 16 QAM_RB12@38 RB81@40	23.05	24.25	0.266	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM 64 QAM_RB12@38 RB81@40	23.02	24.22	0.264	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK DF T-s-OFDM 256 QAM_RB12@38 RB81@40	22.23	23.43	0.22	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	22.9	24.1	0.257	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	23.03	24.23	0.265	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	22.99	24.19	0.262	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	23.07	24.27	0.267	2	Pass
DC_66A_n41A_10MHz 60MHz_30kHz_1775MHz 2659.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	22.22	23.42	0.22	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.37	20.57	0.114	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB108@54	19.63	20.83	0.121	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	19.15	20.35	0.108	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB108@54	19.36	20.56	0.114	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB108@54	19.24	20.44	0.111	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB108@54	19.36	20.56	0.114	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB108@54	19.09	20.29	0.107	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	18.97	20.17	0.104	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	19.4	20.6	0.115	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	19.41	20.61	0.115	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	19.4	20.6	0.115	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1715MHz 2536.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	19.15	20.35	0.108	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.78	22.98	0.199	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB108@54	21.75	22.95	0.197	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB108@54	21.74	22.94	0.197	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB108@54	21.74	22.94	0.197	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB108@54	20.93	22.13	0.163	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	21.72	22.92	0.196	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	21.66	22.86	0.193	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	21.75	22.95	0.197	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	20.9	22.1	0.162	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@49 RB1@216	22.93	24.13	0.259	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@38 RB108@54	22.76	23.96	0.249	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM QPSK_RB1@49 RB1@216	22.88	24.08	0.256	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM QPSK_RB12@38 RB108@54	22.86	24.06	0.255	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@38 RB108@54	22.89	24.09	0.256	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@38 RB108@54	22.92	24.12	0.258	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@38 RB108@54	22.02	23.22	0.21	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	22.74	23.94	0.248	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	22.9	24.1	0.257	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	22.89	24.09	0.256	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	22.87	24.07	0.255	2	Pass
DC_66A_n41A_10MHz 80MHz_30kHz_1775MHz 2649.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	22.04	23.24	0.211	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.26	20.46	0.111	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	19.72	20.92	0.124	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	19.06	20.26	0.106	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	19.48	20.68	0.117	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	19.47	20.67	0.117	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	19.49	20.69	0.117	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	19.21	20.41	0.11	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	19.05	20.25	0.106	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	19.46	20.66	0.116	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	19.52	20.72	0.118	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	19.44	20.64	0.116	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1715MHz 2541MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	19.08	20.28	0.107	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB120@60	21.7	22.9	0.195	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB120@60	21.7	22.9	0.195	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB120@60	21.84	23.04	0.201	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB120@60	21.69	22.89	0.195	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB120@60	20.93	22.13	0.163	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	21.72	22.92	0.196	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	21.64	22.84	0.192	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	21.72	22.92	0.196	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	20.81	22.01	0.159	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@49 RB1@244	23.73	24.93	0.311	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@38 RB120@60	22.79	23.99	0.251	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM QPSK_RB1@49 RB1@244	22.76	23.96	0.249	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM QPSK_RB12@38 RB120@60	22.77	23.97	0.249	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM 16 QAM_RB12@38 RB120@60	22.81	24.01	0.252	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM 64 QAM_RB12@38 RB120@60	22.8	24	0.251	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK DF T-s-OFDM 256 QAM_RB12@38 RB120@60	21.96	23.16	0.207	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	22.76	23.96	0.249	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	22.83	24.03	0.253	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	22.81	24.01	0.252	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	22.79	23.99	0.251	2	Pass
DC_66A_n41A_10MHz 90MHz_30kHz_1775MHz 2644.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	22.03	23.23	0.21	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB1@0 RB1@0	19.13	20.33	0.108	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB135@67	19.87	21.07	0.128	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM QPSK_RB1@0 RB1@0	20.66	21.86	0.153	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB135@67	19.59	20.79	0.12	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB135@67	19.6	20.8	0.12	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB135@67	19.59	20.79	0.12	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB135@67	19.32	20.52	0.113	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	18.94	20.14	0.103	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	19.57	20.77	0.119	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	19.61	20.81	0.121	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	19.57	20.77	0.119	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1715MHz 2546.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	19.34	20.54	0.113	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM PI/2 BPSK_RB12@0 RB135@67	21.76	22.96	0.198	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM QPSK_RB12@0 RB135@67	21.78	22.98	0.199	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 16 QAM_RB12@0 RB135@67	21.81	23.01	0.2	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 64 QAM_RB12@0 RB135@67	21.81	23.01	0.2	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK DF T-s-OFDM 256 QAM_RB12@0 RB135@67	21	22.2	0.166	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	21.68	22.88	0.194	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	21.82	23.02	0.2	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	21.72	22.92	0.196	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1745MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	20.95	22.15	0.164	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272	22.68	23.88	0.244	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67	22.7	23.9	0.245	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	22.67	23.87	0.244	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	22.72	23.92	0.247	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	22.75	23.95	0.248	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	22.57	23.77	0.238	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	21.75	22.95	0.197	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	22.7	23.9	0.245	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	22.68	23.88	0.244	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	22.74	23.94	0.248	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	22.67	23.87	0.244	2	Pass
DC_66A_n41A_10MHz 100MHz_30kHz_1775MHz 2640MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	21.93	23.13	0.206	2	Pass

Note:**1.Ant Gain =1.2 dBi;**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
------	-------------	------------	----------	-----------	--------

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

DC_66A_n71A , Normal

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.63	19.08	0.081	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.16	20.61	0.115	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.95	19.4	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.97	19.42	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.22	18.67	0.074	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.65	19.1	0.081	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	21.7	19.15	0.082	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1715MHz 665.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.25	18.7	0.074	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.96	19.41	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.94	19.39	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.97	19.42	0.087	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.24	18.69	0.074	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	21.84	19.29	0.085	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	21.9	19.35	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.24	18.69	0.074	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	21.68	19.13	0.082	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	21.87	19.32	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	21.67	19.12	0.082	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.88	19.33	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.88	19.33	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.13	18.58	0.072	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	21.69	19.14	0.082	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	21.89	19.34	0.086	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	21.85	19.3	0.085	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	21.86	19.31	0.085	3	Pass
DC_66A_n71A_10MHz 5MHz_15kHz_1775MHz 695.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.19	18.64	0.073	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.53	18.98	0.079	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.89	19.34	0.086	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.5	18.95	0.079	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.92	19.37	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.9	19.35	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.15	18.6	0.072	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.55	19	0.079	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.87	19.32	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1715MHz 668MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.13	18.58	0.072	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.86	19.31	0.085	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.89	19.34	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.84	19.29	0.085	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.77	19.22	0.084	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.13	18.58	0.072	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.85	19.3	0.085	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.9	19.35	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.37	18.82	0.076	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	21.6	19.05	0.08	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.54	18.99	0.079	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.83	19.28	0.085	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.77	19.22	0.084	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.79	19.24	0.084	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.07	18.52	0.071	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	21.58	19.03	0.08	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	21.77	19.22	0.084	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	21.79	19.24	0.084	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	21.76	19.21	0.083	3	Pass
DC_66A_n71A_10MHz 10MHz_15kHz_1775MHz 693MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.09	18.54	0.071	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.56	19.01	0.08	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.01	19.46	0.088	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.6	19.05	0.08	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.01	19.46	0.088	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.99	19.44	0.088	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.02	19.47	0.089	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.27	18.72	0.074	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.59	19.04	0.08	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.98	19.43	0.088	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.94	19.39	0.087	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.99	19.44	0.088	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1715MHz 670.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.17	18.62	0.073	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.83	19.28	0.085	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.97	19.42	0.087	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.92	19.37	0.086	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.93	19.38	0.087	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.2	18.65	0.073	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.99	19.44	0.088	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.97	19.42	0.087	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.17	18.62	0.073	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	21.64	19.09	0.081	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	21.92	19.37	0.086	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	21.62	19.07	0.081	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	21.95	19.4	0.087	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.94	19.39	0.087	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.88	19.33	0.086	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.13	18.58	0.072	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	21.61	19.06	0.081	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	22.1	19.55	0.09	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.91	19.36	0.086	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.89	19.34	0.086	3	Pass
DC_66A_n71A_10MHz 15MHz_15kHz_1775MHz 690.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.09	18.54	0.071	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.4	18.85	0.077	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.01	19.46	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.56	19.01	0.08	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.99	19.44	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22	19.45	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.2	19.65	0.092	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.25	18.7	0.074	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.38	18.83	0.076	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.01	19.46	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.99	19.44	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.02	19.47	0.089	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1715MHz 673MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.27	18.72	0.074	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.46	18.91	0.078	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.02	19.47	0.089	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.01	19.46	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.05	19.5	0.089	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.31	18.76	0.075	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.04	19.49	0.089	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.99	19.44	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.04	19.49	0.089	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1745MHz 680.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.36	18.81	0.076	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	21.4	18.85	0.077	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	21.92	19.37	0.086	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.61	19.06	0.081	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	22	19.45	0.088	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.89	19.34	0.086	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	21.9	19.35	0.086	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.1	18.55	0.072	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.59	19.04	0.08	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.9	19.35	0.086	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.93	19.38	0.087	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.82	19.27	0.085	3	Pass
DC_66A_n71A_10MHz 20MHz_15kHz_1775MHz 688MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.08	18.53	0.071	3	Pass

Note:

- 1.Ant Gain =0.1 dBi;
- 2.EIRP = Value + Ant Gain – LC;
- 3.ERP = EIRP -2.15;
- 4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;

FCC Part 24E**RF power output****DC_12A_n2A , Normal**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.97	22.77	0.189	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.15	22.95	0.197	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.9	22.7	0.186	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.16	22.96	0.198	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.17	22.97	0.198	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.2	23	0.2	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.4	22.2	0.166	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.9	22.7	0.186	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.14	22.94	0.197	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.16	22.96	0.198	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.16	22.96	0.198	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_704MHz 1852.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.45	22.25	0.168	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.1	22.9	0.195	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.09	22.89	0.195	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.14	22.94	0.197	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.1	22.9	0.195	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.39	22.19	0.166	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.11	22.91	0.195	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.18	22.98	0.199	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.09	22.89	0.195	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.39	22.19	0.166	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	21.57	22.37	0.173	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	21.97	22.77	0.189	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	21.78	22.58	0.181	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	22.03	22.83	0.192	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.35	22.15	0.164	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	21.73	22.53	0.179	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	22.01	22.81	0.191	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	22.05	22.85	0.193	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	22.05	22.85	0.193	2	Pass
DC_12A_n2A_10MHz 5MHz_15kHz_711MHz 1907.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.34	22.14	0.164	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.84	22.64	0.184	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.02	22.82	0.191	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.74	22.54	0.179	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22	22.8	0.191	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.28	22.08	0.161	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.71	22.51	0.178	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.07	22.87	0.194	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22	22.8	0.191	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_704MHz 1855MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.29	22.09	0.162	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.94	22.74	0.188	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.93	22.73	0.187	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.95	22.75	0.188	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.98	22.78	0.19	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.27	22.07	0.161	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.02	22.82	0.191	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.01	22.81	0.191	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.94	22.74	0.188	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.18	21.98	0.158	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	21.72	22.52	0.179	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	21.93	22.73	0.187	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.64	22.44	0.175	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	22.15	22.95	0.197	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.97	22.77	0.189	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.89	22.69	0.186	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.3	22.1	0.162	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	21.61	22.41	0.174	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	21.94	22.74	0.188	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	21.93	22.73	0.187	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	21.95	22.75	0.188	2	Pass
DC_12A_n2A_10MHz 10MHz_15kHz_711MHz 1905MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.3	22.1	0.162	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.86	22.66	0.185	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.1	22.9	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.8	22.6	0.182	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.11	22.91	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.11	22.91	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.11	22.91	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.33	22.13	0.163	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.83	22.63	0.183	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.09	22.89	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.09	22.89	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.08	22.88	0.194	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_704MHz 1857.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.37	22.17	0.165	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.1	22.9	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.1	22.9	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.08	22.88	0.194	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.32	22.12	0.163	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.05	22.85	0.193	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.02	22.82	0.191	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.05	22.85	0.193	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.32	22.12	0.163	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	21.76	22.56	0.18	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	22.15	22.95	0.197	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	21.68	22.48	0.177	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	22.02	22.82	0.191	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	22.04	22.84	0.192	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	22.13	22.93	0.196	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.38	22.18	0.165	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	21.75	22.55	0.18	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	21.99	22.79	0.19	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.96	22.76	0.189	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	22.04	22.84	0.192	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_711MHz 1902.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.34	22.14	0.164	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.88	22.68	0.185	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.11	22.91	0.195	2	Pass
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.12	22.92	0.196	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.77	22.57	0.181	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.09	22.89	0.195	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.09	22.89	0.195	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.31	22.11	0.163	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.77	22.57	0.181	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.14	22.94	0.197	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.13	22.93	0.196	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.14	22.94	0.197	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_704MHz 1860MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.42	22.22	0.167	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.13	22.93	0.196	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.14	22.94	0.197	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.14	22.94	0.197	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.19	22.99	0.199	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.39	22.19	0.166	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.13	22.93	0.196	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.06	22.86	0.193	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.1	22.9	0.195	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.39	22.19	0.166	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	21.38	22.18	0.165	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	21.82	22.62	0.183	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.26	22.06	0.161	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	21.98	22.78	0.19	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.85	22.65	0.184	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	22	22.8	0.191	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.31	22.11	0.163	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.28	22.08	0.161	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.96	22.76	0.189	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.95	22.75	0.188	2	Pass
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.81	22.61	0.182	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_12A_n2A_10MHz 20MHz_15kHz_711MHz 1900MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.05	21.85	0.153	2	Pass

Note:

1.Ant Gain =0.8 dBi;

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

FCC Part 24E**RF power output****n2 , Normal**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.3	23.1	0.204	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.25	23.05	0.202	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.27	23.07	0.203	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.81	22.61	0.182	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB1@1	22.24	23.04	0.201	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB12@6	22.35	23.15	0.207	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB1@23	22.15	22.95	0.197	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB25@0	21.29	22.09	0.162	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.33	21.13	0.13	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.89	20.69	0.117	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.95	18.75	0.075	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB1@1	20.71	21.51	0.142	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB13@6	20.78	21.58	0.144	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB1@23	20.83	21.63	0.146	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB25@0	19.45	20.25	0.106	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM 16 QAM_RB25@0	19.54	20.34	0.108	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM 64 QAM_RB25@0	18.96	19.76	0.095	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_5MHz_15kHz_1852.5MHz_CP-OFDM 256 QAM_RB25@0	15.83	16.63	0.046	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.2	23	0.2	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.08	22.88	0.194	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.06	22.86	0.193	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.66	22.46	0.176	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	22.14	22.94	0.197	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB12@6	22.15	22.95	0.197	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@23	21.98	22.78	0.19	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB25@0	21.16	21.96	0.157	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB25@0	20.2	21	0.126	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB25@0	19.7	20.5	0.112	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB25@0	17.78	18.58	0.072	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.67	21.47	0.14	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB13@6	20.59	21.39	0.138	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@23	20.59	21.39	0.138	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB25@0	19.21	20.01	0.1	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB25@0	19.36	20.16	0.104	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB25@0	18.7	19.5	0.089	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB25@0	15.71	16.51	0.045	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.86	22.66	0.185	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.89	22.69	0.186	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.88	22.68	0.185	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.35	22.15	0.164	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB1@1	21.79	22.59	0.182	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB12@6	21.88	22.68	0.185	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB1@23	21.74	22.54	0.179	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB25@0	20.87	21.67	0.147	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.92	20.72	0.118	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.47	20.27	0.106	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.52	18.32	0.068	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB1@1	20.27	21.07	0.128	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB13@6	20.35	21.15	0.13	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB1@23	20.33	21.13	0.13	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB25@0	19.03	19.83	0.096	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM 16 QAM_RB25@0	19.13	19.93	0.098	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM 64 QAM_RB25@0	18.41	19.21	0.083	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM 256 QAM_RB25@0	15.47	16.27	0.042	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.04	22.84	0.192	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.09	22.89	0.195	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.07	22.87	0.194	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.61	22.41	0.174	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB1@1	21.99	22.79	0.19	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB25@12	22.14	22.94	0.197	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB1@50	21.91	22.71	0.187	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB50@0	21.02	21.82	0.152	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM 16 QAM_RB50@0	20.1	20.9	0.123	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM 64 QAM_RB50@0	19.75	20.55	0.114	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM 256 QAM_RB50@0	17.67	18.47	0.07	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB1@1	20.55	21.35	0.136	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB26@13	20.63	21.43	0.139	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB1@50	20.53	21.33	0.136	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB52@0	19.2	20	0.1	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM 16 QAM_RB52@0	19.23	20.03	0.101	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM 64 QAM_RB52@0	18.75	19.55	0.09	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM 256 QAM_RB52@0	15.77	16.57	0.045	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.96	22.76	0.189	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.98	22.78	0.19	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.88	22.68	0.185	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.43	22.23	0.167	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	21.87	22.67	0.185	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB25@12	21.93	22.73	0.187	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@50	21.73	22.53	0.179	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB50@0	20.91	21.71	0.148	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB50@0	19.89	20.69	0.117	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB50@0	19.54	20.34	0.108	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB50@0	17.55	18.35	0.068	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.4	21.2	0.132	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB26@13	20.42	21.22	0.132	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@50	20.43	21.23	0.133	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB52@0	19.12	19.92	0.098	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB52@0	19.15	19.95	0.099	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB52@0	18.59	19.39	0.087	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB52@0	15.62	16.42	0.044	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.66	22.46	0.176	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.68	22.48	0.177	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.61	22.41	0.174	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.18	21.98	0.158	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB1@1	21.55	22.35	0.172	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB25@12	21.73	22.53	0.179	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB1@50	21.56	22.36	0.172	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB50@0	20.75	21.55	0.143	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM 16 QAM_RB50@0	19.67	20.47	0.111	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM 64 QAM_RB50@0	19.41	20.21	0.105	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM 256 QAM_RB50@0	17.37	18.17	0.066	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB1@1	20.25	21.05	0.127	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB26@13	20.13	20.93	0.124	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB1@50	20.15	20.95	0.124	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB52@0	18.87	19.67	0.093	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM 16 QAM_RB52@0	18.87	19.67	0.093	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM 64 QAM_RB52@0	18.37	19.17	0.083	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM 256 QAM_RB52@0	15.29	16.09	0.041	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.14	22.94	0.197	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.21	23.01	0.2	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.09	22.89	0.195	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.74	22.54	0.179	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB1@1	22.1	22.9	0.195	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB36@18	22.27	23.07	0.203	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB1@77	22.03	22.83	0.192	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB75@0	21.21	22.01	0.159	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.22	21.02	0.126	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.84	20.64	0.116	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.85	18.65	0.073	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB1@1	20.77	21.57	0.144	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB39@19	20.71	21.51	0.142	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB1@77	20.64	21.44	0.139	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB79@0	19.43	20.23	0.105	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM 16 QAM_RB79@0	19.4	20.2	0.105	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM 64 QAM_RB79@0	18.91	19.71	0.094	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM 256 QAM_RB79@0	15.85	16.65	0.046	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.1	22.9	0.195	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.07	22.87	0.194	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.85	22.65	0.184	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.61	22.41	0.174	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	22.03	22.83	0.192	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB36@18	22.17	22.97	0.198	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@77	21.78	22.58	0.181	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB75@0	21.12	21.92	0.156	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB75@0	20.14	20.94	0.124	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB75@0	19.74	20.54	0.113	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB75@0	17.79	18.59	0.072	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.47	21.27	0.134	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB39@19	20.64	21.44	0.139	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@77	20.43	21.23	0.133	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB79@0	19.29	20.09	0.102	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB79@0	19.27	20.07	0.102	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB79@0	18.74	19.54	0.09	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB79@0	15.78	16.58	0.045	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.72	22.52	0.179	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.9	22.7	0.186	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.7	22.5	0.178	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.42	22.22	0.167	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB1@1	21.67	22.47	0.177	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB36@18	21.86	22.66	0.185	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB1@77	21.73	22.53	0.179	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB75@0	20.9	21.7	0.148	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.98	20.78	0.12	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.49	20.29	0.107	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.56	18.36	0.069	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB1@1	20.17	20.97	0.125	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB39@19	20.42	21.22	0.132	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB1@77	20.27	21.07	0.128	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB79@0	19.07	19.87	0.097	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM 16 QAM_RB79@0	19.07	19.87	0.097	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM 64 QAM_RB79@0	18.5	19.3	0.085	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM 256 QAM_RB79@0	15.4	16.2	0.042	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.27	23.07	0.203	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.19	22.99	0.199	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.1	22.9	0.195	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.59	22.39	0.173	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB1@1	22.1	22.9	0.195	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB50@25	22.16	22.96	0.198	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB1@104	22	22.8	0.191	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB100@0	21.12	21.92	0.156	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM 16 QAM_RB100@0	20.1	20.9	0.123	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM 64 QAM_RB100@0	19.74	20.54	0.113	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM 256 QAM_RB100@0	17.72	18.52	0.071	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB1@1	20.87	21.67	0.147	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB53@26	20.72	21.52	0.142	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB1@104	20.63	21.43	0.139	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB106@0	19.3	20.1	0.102	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM 16 QAM_RB106@0	19.34	20.14	0.103	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM 64 QAM_RB106@0	18.82	19.62	0.092	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM 256 QAM_RB106@0	15.74	16.54	0.045	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.07	22.87	0.194	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.1	22.9	0.195	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.83	22.63	0.183	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.62	22.42	0.175	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	21.98	22.78	0.19	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB50@25	22.17	22.97	0.198	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@104	21.74	22.54	0.179	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB100@0	21.14	21.94	0.156	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB100@0	20.19	20.99	0.126	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB100@0	19.76	20.56	0.114	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB100@0	17.85	18.65	0.073	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.57	21.37	0.137	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB53@26	20.6	21.4	0.138	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@104	20.5	21.3	0.135	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB106@0	19.29	20.09	0.102	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB106@0	19.3	20.1	0.102	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB106@0	18.83	19.63	0.092	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB106@0	15.76	16.56	0.045	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.77	22.57	0.181	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.89	22.69	0.186	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.75	22.55	0.18	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.33	22.13	0.163	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB1@1	21.77	22.57	0.181	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB50@25	21.88	22.68	0.185	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB1@104	21.65	22.45	0.176	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB100@0	20.84	21.64	0.146	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM 16 QAM_RB100@0	19.87	20.67	0.117	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM 64 QAM_RB100@0	19.45	20.25	0.106	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM 256 QAM_RB100@0	17.49	18.29	0.067	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB1@1	20.51	21.31	0.135	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB53@26	20.34	21.14	0.13	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB1@104	20.16	20.96	0.125	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB106@0	18.94	19.74	0.094	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM 16 QAM_RB106@0	18.96	19.76	0.095	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM 64 QAM_RB106@0	18.47	19.27	0.085	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM 256 QAM_RB106@0	15.36	16.16	0.041	2	Pass

Note:**1.Ant Gain =0.8 dBi;****2.EIRP = Value + Ant Gain – LC;****3.ERP = EIRP -2.15;****4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;****n25 , Normal**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	23.55	0.226	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.78	23.58	0.228	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.75	23.55	0.226	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.26	23.06	0.202	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB1@1	22.66	23.46	0.222	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB12@6	22.83	23.63	0.231	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB1@23	22.77	23.57	0.228	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB25@0	21.81	22.61	0.182	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.78	21.58	0.144	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.25	21.05	0.127	2	Pass
n25_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.35	19.15	0.082	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB1@1	21.21	22.01	0.159	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB13@6	21.29	22.09	0.162	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB1@23	21.37	22.17	0.165	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB25@0	19.88	20.68	0.117	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM 16 QAM_RB25@0	19.99	20.79	0.12	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM 64 QAM_RB25@0	19.29	20.09	0.102	2	Pass
n25_5MHz_15kHz_1852.5MHz_CP-OFDM 256 QAM_RB25@0	16.35	17.15	0.052	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.55	23.35	0.216	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.61	23.41	0.219	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.61	23.41	0.219	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.05	22.85	0.193	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@1	22.51	23.31	0.214	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB12@6	22.63	23.43	0.22	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@23	22.45	23.25	0.211	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB25@0	21.6	22.4	0.174	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.61	21.41	0.138	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.06	20.86	0.122	2	Pass
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.23	19.03	0.08	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@1	21.18	21.98	0.158	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB13@6	21.03	21.83	0.152	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@23	21.03	21.83	0.152	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB25@0	19.69	20.49	0.112	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB25@0	19.8	20.6	0.115	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB25@0	19.24	20.04	0.101	2	Pass
n25_5MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB25@0	16.16	16.96	0.05	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.31	23.11	0.205	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.33	23.13	0.206	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.4	23.2	0.209	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.82	22.62	0.183	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM QPSK_RB1@1	22.32	23.12	0.205	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM QPSK_RB12@6	22.43	23.23	0.21	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM QPSK_RB1@23	22.3	23.1	0.204	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM QPSK_RB25@0	21.35	22.15	0.164	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.34	21.14	0.13	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.77	20.57	0.114	2	Pass
n25_5MHz_15kHz_1912.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.94	18.74	0.075	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM QPSK_RB1@1	20.71	21.51	0.142	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM QPSK_RB13@6	20.83	21.63	0.146	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM QPSK_RB1@23	20.69	21.49	0.141	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM QPSK_RB25@0	19.44	20.24	0.106	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM 16 QAM_RB25@0	19.56	20.36	0.109	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM 64 QAM_RB25@0	18.87	19.67	0.093	2	Pass
n25_5MHz_15kHz_1912.5MHz_CP-OFDM 256 QAM_RB25@0	15.85	16.65	0.046	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.51	23.31	0.214	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.55	23.35	0.216	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.49	23.29	0.213	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.01	22.81	0.191	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB1@1	22.45	23.25	0.211	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB25@12	22.56	23.36	0.217	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB1@50	22.46	23.26	0.212	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB50@0	21.58	22.38	0.173	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM 16 QAM_RB50@0	20.51	21.31	0.135	2	Pass
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM 64 QAM_RB50@0	19.94	20.74	0.119	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_10MHz_15kHz_1855MHz_DFT-s-OFDM 256 QAM_RB50@0	18.19	18.99	0.079	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB1@1	20.95	21.75	0.15	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB26@13	21.05	21.85	0.153	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB1@50	20.96	21.76	0.15	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB52@0	19.68	20.48	0.112	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM 16 QAM_RB52@0	19.71	20.51	0.112	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM 64 QAM_RB52@0	19.19	19.99	0.1	2	Pass
n25_10MHz_15kHz_1855MHz_CP-OFDM 256 QAM_RB52@0	16.2	17	0.05	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.41	23.21	0.209	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.37	23.17	0.207	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.26	23.06	0.202	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.79	22.59	0.182	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@1	22.32	23.12	0.205	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB25@12	22.46	23.26	0.212	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@50	22.26	23.06	0.202	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB50@0	21.3	22.1	0.162	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB50@0	20.37	21.17	0.131	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB50@0	19.82	20.62	0.115	2	Pass
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB50@0	17.98	18.78	0.076	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_10MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@1	20.79	21.59	0.144	2	Pass
n25_10MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB26@13	20.9	21.7	0.148	2	Pass
n25_10MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@50	20.83	21.63	0.146	2	Pass
n25_10MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB52@0	19.48	20.28	0.107	2	Pass
n25_10MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB52@0	19.46	20.26	0.106	2	Pass
n25_10MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB52@0	18.98	19.78	0.095	2	Pass
n25_10MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB52@0	15.88	16.68	0.047	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.15	22.95	0.197	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.17	22.97	0.198	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.2	23	0.2	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.68	22.48	0.177	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM QPSK_RB1@1	22.03	22.83	0.192	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM QPSK_RB25@12	22.21	23.01	0.2	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM QPSK_RB1@50	22.09	22.89	0.195	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM QPSK_RB50@0	21.19	21.99	0.158	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM 16 QAM_RB50@0	20.26	21.06	0.128	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM 64 QAM_RB50@0	19.59	20.39	0.109	2	Pass
n25_10MHz_15kHz_1910MHz_DFT-s-OFDM 256 QAM_RB50@0	17.82	18.62	0.073	2	Pass
n25_10MHz_15kHz_1910MHz_CP-OFDM QPSK_RB1@1	20.59	21.39	0.138	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_10MHz_15kHz_1910MHz_CP-OFDM QPSK_RB26@13	20.67	21.47	0.14	2	Pass
n25_10MHz_15kHz_1910MHz_CP-OFDM QPSK_RB1@50	20.61	21.41	0.138	2	Pass
n25_10MHz_15kHz_1910MHz_CP-OFDM QPSK_RB52@0	19.38	20.18	0.104	2	Pass
n25_10MHz_15kHz_1910MHz_CP-OFDM 16 QAM_RB52@0	19.35	20.15	0.104	2	Pass
n25_10MHz_15kHz_1910MHz_CP-OFDM 64 QAM_RB52@0	18.86	19.66	0.092	2	Pass
n25_10MHz_15kHz_1910MHz_CP-OFDM 256 QAM_RB52@0	15.85	16.65	0.046	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.51	23.31	0.214	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.72	23.52	0.225	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.56	23.36	0.217	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.24	23.04	0.201	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB1@1	22.58	23.38	0.218	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB36@18	22.74	23.54	0.226	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB1@77	22.49	23.29	0.213	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB75@0	21.75	22.55	0.18	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.67	21.47	0.14	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.24	21.04	0.127	2	Pass
n25_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.31	19.11	0.081	2	Pass
n25_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB1@1	21.06	21.86	0.153	2	Pass
n25_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB39@19	21.2	22	0.158	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB1@77	21.23	22.03	0.16	2	Pass
n25_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB79@0	19.94	20.74	0.119	2	Pass
n25_15MHz_15kHz_1857.5MHz_CP-OFDM 16 QAM_RB79@0	19.9	20.7	0.117	2	Pass
n25_15MHz_15kHz_1857.5MHz_CP-OFDM 64 QAM_RB79@0	19.37	20.17	0.104	2	Pass
n25_15MHz_15kHz_1857.5MHz_CP-OFDM 256 QAM_RB79@0	16.4	17.2	0.052	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.48	23.28	0.213	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.58	23.38	0.218	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.34	23.14	0.206	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.09	22.89	0.195	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@1	22.37	23.17	0.207	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB36@18	22.48	23.28	0.213	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@77	22.28	23.08	0.203	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB75@0	21.6	22.4	0.174	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.59	21.39	0.138	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.1	20.9	0.123	2	Pass
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.17	18.97	0.079	2	Pass
n25_15MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@1	21.11	21.91	0.155	2	Pass
n25_15MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB39@19	21.05	21.85	0.153	2	Pass
n25_15MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@77	20.85	21.65	0.146	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_15MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB79@0	19.67	20.47	0.111	2	Pass
n25_15MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB79@0	19.76	20.56	0.114	2	Pass
n25_15MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB79@0	19.19	19.99	0.1	2	Pass
n25_15MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB79@0	16.06	16.86	0.049	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.28	23.08	0.203	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.29	23.09	0.204	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.27	23.07	0.203	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.89	22.69	0.186	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB1@1	22.21	23.01	0.2	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB36@18	22.33	23.13	0.206	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB1@77	22.2	23	0.2	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB75@0	21.44	22.24	0.167	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.44	21.24	0.133	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.91	20.71	0.118	2	Pass
n25_15MHz_15kHz_1907.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.04	18.84	0.077	2	Pass
n25_15MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB1@1	20.82	21.62	0.145	2	Pass
n25_15MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB39@19	20.85	21.65	0.146	2	Pass
n25_15MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB1@77	20.84	21.64	0.146	2	Pass
n25_15MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB79@0	19.56	20.36	0.109	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_15MHz_15kHz_1907.5MHz_CP-OFDM 16 QAM_RB79@0	19.57	20.37	0.109	2	Pass
n25_15MHz_15kHz_1907.5MHz_CP-OFDM 64 QAM_RB79@0	19.04	19.84	0.096	2	Pass
n25_15MHz_15kHz_1907.5MHz_CP-OFDM 256 QAM_RB79@0	16.05	16.85	0.048	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.58	23.38	0.218	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.75	23.55	0.226	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.53	23.33	0.215	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.14	22.94	0.197	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB1@1	22.51	23.31	0.214	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB50@25	22.69	23.49	0.223	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB1@104	22.48	23.28	0.213	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB100@0	21.64	22.44	0.175	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM 16 QAM_RB100@0	20.62	21.42	0.139	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM 64 QAM_RB100@0	20.14	20.94	0.124	2	Pass
n25_20MHz_15kHz_1860MHz_DFT-s-OFDM 256 QAM_RB100@0	18.26	19.06	0.081	2	Pass
n25_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB1@1	21.23	22.03	0.16	2	Pass
n25_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB53@26	21.16	21.96	0.157	2	Pass
n25_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB1@104	21.03	21.83	0.152	2	Pass
n25_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB106@0	19.75	20.55	0.114	2	Pass
n25_20MHz_15kHz_1860MHz_CP-OFDM 16 QAM_RB106@0	19.77	20.57	0.114	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_20MHz_15kHz_1860MHz_CP-OFDM 64 QAM_RB106@0	19.22	20.02	0.1	2	Pass
n25_20MHz_15kHz_1860MHz_CP-OFDM 256 QAM_RB106@0	16.17	16.97	0.05	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.49	23.29	0.213	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.53	23.33	0.215	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.31	23.11	0.205	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.1	22.9	0.195	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@1	22.42	23.22	0.21	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB50@25	22.57	23.37	0.217	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB1@104	22.21	23.01	0.2	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB100@0	21.64	22.44	0.175	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB100@0	20.66	21.46	0.14	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB100@0	20.07	20.87	0.122	2	Pass
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB100@0	18.2	19	0.079	2	Pass
n25_20MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@1	21.16	21.96	0.157	2	Pass
n25_20MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB53@26	21.03	21.83	0.152	2	Pass
n25_20MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB1@104	20.68	21.48	0.141	2	Pass
n25_20MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB106@0	19.8	20.6	0.115	2	Pass
n25_20MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB106@0	19.72	20.52	0.113	2	Pass
n25_20MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB106@0	19.27	20.07	0.102	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n25_20MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB106@0	16.2	17	0.05	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.17	22.97	0.198	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.38	23.18	0.208	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.24	23.04	0.201	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.06	22.86	0.193	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB1@1	22.21	23.01	0.2	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB50@25	22.46	23.26	0.212	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB1@104	22.25	23.05	0.202	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB100@0	21.56	22.36	0.172	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM 16 QAM_RB100@0	20.6	21.4	0.138	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM 64 QAM_RB100@0	20.02	20.82	0.121	2	Pass
n25_20MHz_15kHz_1905MHz_DFT-s-OFDM 256 QAM_RB100@0	18.17	18.97	0.079	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM QPSK_RB1@1	20.79	21.59	0.144	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM QPSK_RB53@26	20.9	21.7	0.148	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM QPSK_RB1@104	20.76	21.56	0.143	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM QPSK_RB106@0	19.65	20.45	0.111	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM 16 QAM_RB106@0	19.74	20.54	0.113	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM 64 QAM_RB106@0	19.24	20.04	0.101	2	Pass
n25_20MHz_15kHz_1905MHz_CP-OFDM 256 QAM_RB106@0	16.11	16.91	0.049	2	Pass

Note:**1.Ant Gain =0.8 dBi;**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
------	----------------	---------------	-------------	--------------	--------

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0 dB

FCC Part 22H**RF power output****n5 , Normal**

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.51	20.46	0.111	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.43	20.38	0.109	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.41	20.36	0.109	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.95	19.9	0.098	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@1	22.47	20.42	0.11	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB12@6	22.46	20.41	0.11	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@23	22.39	20.34	0.108	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB25@0	21.5	19.45	0.088	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.42	18.37	0.069	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.97	17.92	0.062	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18	15.95	0.039	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	21.03	18.98	0.079	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	20.95	18.9	0.078	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	21.07	19.02	0.08	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	19.46	17.41	0.055	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	19.41	17.36	0.054	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	18.8	16.75	0.047	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	16	13.95	0.025	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.18	20.13	0.103	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.43	20.38	0.109	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.45	20.4	0.11	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.91	19.86	0.097	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.31	20.26	0.106	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	22.44	20.39	0.109	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	22.39	20.34	0.108	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	21.41	19.36	0.086	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.34	18.29	0.067	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.86	17.81	0.06	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.97	15.92	0.039	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.84	18.79	0.076	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	20.86	18.81	0.076	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	20.97	18.92	0.078	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	19.36	17.31	0.054	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	19.38	17.33	0.054	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	18.81	16.76	0.047	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	16	13.95	0.025	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.33	20.28	0.107	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.28	20.23	0.105	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.26	20.21	0.105	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.83	19.78	0.095	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	22.23	20.18	0.104	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	22.29	20.24	0.106	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	22.15	20.1	0.102	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	21.31	19.26	0.084	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.3	18.25	0.067	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.82	17.77	0.06	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.81	15.76	0.038	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	20.9	18.85	0.077	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	20.75	18.7	0.074	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	20.85	18.8	0.076	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	19.27	17.22	0.053	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	19.32	17.27	0.053	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	18.59	16.54	0.045	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	15.9	13.85	0.024	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.26	20.21	0.105	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.11	20.06	0.101	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.11	20.06	0.101	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.74	19.69	0.093	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	22.2	20.15	0.104	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	22.26	20.21	0.105	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	22.13	20.08	0.102	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	21.1	19.05	0.08	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	20.34	18.29	0.067	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	19.75	17.7	0.059	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	17.71	15.66	0.037	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	20.71	18.66	0.073	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	20.76	18.71	0.074	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	20.69	18.64	0.073	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	19.22	17.17	0.052	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	19.2	17.15	0.052	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	18.79	16.74	0.047	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	15.82	13.77	0.024	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.13	20.08	0.102	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.06	20.01	0.1	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.94	19.89	0.097	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.72	19.67	0.093	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.06	20.01	0.1	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	22.15	20.1	0.102	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	22.01	19.96	0.099	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	21.33	19.28	0.085	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	20.33	18.28	0.067	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	19.74	17.69	0.059	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	17.62	15.57	0.036	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.63	18.58	0.072	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	20.7	18.65	0.073	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	20.55	18.5	0.071	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	19.16	17.11	0.051	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	19.15	17.1	0.051	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	18.72	16.67	0.046	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	15.71	13.66	0.023	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.08	20.03	0.101	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.32	20.27	0.106	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.07	20.02	0.1	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.58	19.53	0.09	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@1	22.03	19.98	0.1	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB25@12	22.19	20.14	0.103	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@50	21.99	19.94	0.099	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB50@0	21.15	19.1	0.081	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 16 QAM_RB50@0	20.11	18.06	0.064	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 64 QAM_RB50@0	19.6	17.55	0.057	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 256 QAM_RB50@0	17.57	15.52	0.036	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@1	20.68	18.63	0.073	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB26@13	20.61	18.56	0.072	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@50	20.56	18.51	0.071	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB52@0	19.08	17.03	0.05	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 16 QAM_RB52@0	18.98	16.93	0.049	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 64 QAM_RB52@0	18.6	16.55	0.045	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 256 QAM_RB52@0	15.64	13.59	0.023	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.43	20.38	0.109	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.37	20.32	0.108	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.18	20.13	0.103	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.88	19.83	0.096	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	22.38	20.33	0.108	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	22.48	20.43	0.11	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	22.24	20.19	0.104	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	21.4	19.35	0.086	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.42	18.37	0.069	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.01	17.96	0.063	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.92	15.87	0.039	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@1	20.96	18.91	0.078	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB39@19	20.89	18.84	0.077	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@77	20.87	18.82	0.076	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB79@0	19.34	17.29	0.054	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 16 QAM_RB79@0	19.4	17.35	0.054	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 64 QAM_RB79@0	18.85	16.8	0.048	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 256 QAM_RB79@0	15.96	13.91	0.025	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.19	20.14	0.103	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.32	20.27	0.106	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.16	20.11	0.103	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.84	19.79	0.095	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.3	20.25	0.106	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	22.32	20.27	0.106	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	22.13	20.08	0.102	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	21.33	19.28	0.085	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.34	18.29	0.067	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.95	17.9	0.062	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.8	15.75	0.038	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.74	18.69	0.074	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	20.84	18.79	0.076	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	20.66	18.61	0.073	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	19.36	17.31	0.054	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	19.35	17.3	0.054	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	18.81	16.76	0.047	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	15.95	13.9	0.025	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.25	20.2	0.105	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.33	20.28	0.107	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.15	20.1	0.102	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.78	19.73	0.094	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	22.12	20.07	0.102	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	22.34	20.29	0.107	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	22.05	20	0.1	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	21.3	19.25	0.084	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.24	18.19	0.066	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.86	17.81	0.06	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.67	15.62	0.036	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	20.73	18.68	0.074	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	20.9	18.85	0.077	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	20.79	18.74	0.075	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	19.33	17.28	0.053	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	19.35	17.3	0.054	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	18.85	16.8	0.048	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	15.85	13.8	0.024	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.27	20.22	0.105	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.52	20.47	0.111	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.25	20.2	0.105	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.89	19.84	0.096	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	22.29	20.24	0.106	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	22.45	20.4	0.11	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	22.14	20.09	0.102	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	21.47	19.42	0.087	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	20.31	18.26	0.067	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	19.89	17.84	0.061	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	17.84	15.79	0.038	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	20.9	18.85	0.077	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	20.86	18.81	0.076	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	20.72	18.67	0.074	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	19.35	17.3	0.054	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	19.33	17.28	0.053	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	18.83	16.78	0.048	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	15.92	13.87	0.024	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.27	20.22	0.105	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.32	20.27	0.106	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.19	20.14	0.103	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.94	19.89	0.097	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.19	20.14	0.103	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	22.43	20.38	0.109	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	22.1	20.05	0.101	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	21.47	19.42	0.087	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	20.46	18.41	0.069	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	19.84	17.79	0.06	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	17.85	15.8	0.038	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.75	18.7	0.074	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	20.82	18.77	0.075	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	20.79	18.74	0.075	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	19.29	17.24	0.053	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	19.34	17.29	0.054	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	18.83	16.78	0.048	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	15.87	13.82	0.024	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.26	20.21	0.105	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.48	20.43	0.11	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.23	20.18	0.104	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.9	19.85	0.097	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	22.15	20.1	0.102	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	22.4	20.35	0.108	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	22.05	20	0.1	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	21.42	19.37	0.086	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	20.41	18.36	0.069	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	19.8	17.75	0.06	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	17.8	15.75	0.038	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	20.78	18.73	0.075	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	20.8	18.75	0.075	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	20.65	18.6	0.072	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	19.3	17.25	0.053	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	19.34	17.29	0.054	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	18.74	16.69	0.047	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	15.83	13.78	0.024	7	Pass

Note:

1.Ant Gain =0.6 dBi;

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;

FCC Part 27**RF power output****n41 , Normal**

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.43	22.63	0.183	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.51	22.71	0.187	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.39	22.59	0.182	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	20.95	22.15	0.164	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	21.38	22.58	0.181	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	21.55	22.75	0.188	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	21.32	22.52	0.179	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	20.49	21.69	0.148	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	19.63	20.83	0.121	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	19.15	20.35	0.108	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	17.05	18.25	0.067	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	19.95	21.15	0.13	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	20.19	21.39	0.138	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	20.09	21.29	0.135	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	18.7	19.9	0.098	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	18.66	19.86	0.097	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	18.06	19.26	0.084	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	15.04	16.24	0.042	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.65	22.85	0.193	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.58	22.78	0.19	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.66	22.86	0.193	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.06	22.26	0.168	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.5	22.7	0.186	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	21.66	22.86	0.193	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	21.55	22.75	0.188	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	20.61	21.81	0.152	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	19.74	20.94	0.124	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	19.39	20.59	0.115	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	17.26	18.46	0.07	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.21	21.41	0.138	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	20.26	21.46	0.14	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	20.46	21.66	0.147	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	18.78	19.98	0.1	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	18.82	20.02	0.1	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	18.35	19.55	0.09	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	15.27	16.47	0.044	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.54	22.74	0.188	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.55	22.75	0.188	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.55	22.75	0.188	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.1	22.3	0.17	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	21.39	22.59	0.182	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	21.63	22.83	0.192	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	21.57	22.77	0.189	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	20.62	21.82	0.152	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	19.63	20.83	0.121	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	19.19	20.39	0.109	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	17.26	18.46	0.07	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	20.12	21.32	0.136	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	20.06	21.26	0.134	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	20.12	21.32	0.136	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	18.74	19.94	0.099	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	18.84	20.04	0.101	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	18.27	19.47	0.089	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	15.17	16.37	0.043	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.22	22.42	0.175	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.29	22.49	0.177	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	20.88	22.08	0.161	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	21.24	22.44	0.175	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	21.44	22.64	0.184	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	21.2	22.4	0.174	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	20.4	21.6	0.145	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	19.58	20.78	0.12	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	19.14	20.34	0.108	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	16.95	18.15	0.065	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	20.07	21.27	0.134	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	20.1	21.3	0.135	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	19.82	21.02	0.126	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	18.53	19.73	0.094	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	18.56	19.76	0.095	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	18.03	19.23	0.084	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	14.95	16.15	0.041	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.53	22.73	0.187	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.56	22.76	0.189	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.61	22.81	0.191	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.1	22.3	0.17	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.46	22.66	0.185	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	21.61	22.81	0.191	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	21.55	22.75	0.188	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	20.63	21.83	0.152	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	19.81	21.01	0.126	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	19.35	20.55	0.114	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	17.18	18.38	0.069	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.32	21.52	0.142	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	20.3	21.5	0.141	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	20.23	21.43	0.139	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	18.75	19.95	0.099	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	18.73	19.93	0.098	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	18.29	19.49	0.089	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	15.19	16.39	0.044	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.46	22.66	0.185	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.59	22.79	0.19	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.54	22.74	0.188	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.03	22.23	0.167	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	21.38	22.58	0.181	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	21.55	22.75	0.188	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	21.44	22.64	0.184	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	20.6	21.8	0.151	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	19.52	20.72	0.118	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	19.29	20.49	0.112	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	17.22	18.42	0.07	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	19.78	20.98	0.125	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	20.05	21.25	0.133	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	20.07	21.27	0.134	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	18.7	19.9	0.098	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	18.76	19.96	0.099	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	18.25	19.45	0.088	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	15.16	16.36	0.043	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.26	22.46	0.176	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.38	22.58	0.181	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.23	22.43	0.175	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.92	22.12	0.163	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	21.24	22.44	0.175	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	21.4	22.6	0.182	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	21.16	22.36	0.172	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	20.35	21.55	0.143	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	19.59	20.79	0.12	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	19.01	20.21	0.105	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	16.93	18.13	0.065	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	20.04	21.24	0.133	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	19.97	21.17	0.131	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	19.8	21	0.126	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	18.53	19.73	0.094	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	18.48	19.68	0.093	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	18.07	19.27	0.085	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	14.98	16.18	0.041	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.45	22.65	0.184	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.62	22.82	0.191	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.56	22.76	0.189	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.12	22.32	0.171	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.51	22.71	0.187	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	21.62	22.82	0.191	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	21.58	22.78	0.19	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	20.55	21.75	0.15	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	19.77	20.97	0.125	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	19.19	20.39	0.109	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	17.24	18.44	0.07	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.11	21.31	0.135	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	20.29	21.49	0.141	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	20.24	21.44	0.139	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	18.81	20.01	0.1	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	18.75	19.95	0.099	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	18.27	19.47	0.089	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	15.22	16.42	0.044	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.38	22.58	0.181	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.48	22.68	0.185	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.42	22.62	0.183	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.99	22.19	0.166	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	21.27	22.47	0.177	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	21.58	22.78	0.19	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	21.38	22.58	0.181	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	20.55	21.75	0.15	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	19.53	20.73	0.118	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	19.19	20.39	0.109	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	17.07	18.27	0.067	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	19.95	21.15	0.13	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	20.08	21.28	0.134	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	19.81	21.01	0.126	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	18.68	19.88	0.097	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	18.63	19.83	0.096	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	18.12	19.32	0.086	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	15.07	16.27	0.042	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.01	22.21	0.166	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.43	22.63	0.183	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.11	22.31	0.17	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.77	21.97	0.157	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	20.96	22.16	0.164	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	21.43	22.63	0.183	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	21.1	22.3	0.17	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	20.28	21.48	0.141	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	19.41	20.61	0.115	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	18.91	20.11	0.103	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	16.94	18.14	0.065	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	19.53	20.73	0.118	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	20.05	21.25	0.133	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	19.75	20.95	0.124	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	18.39	19.59	0.091	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	18.48	19.68	0.093	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	17.94	19.14	0.082	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	14.86	16.06	0.04	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.35	22.55	0.18	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.64	22.84	0.192	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.41	22.61	0.182	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.17	22.37	0.173	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.34	22.54	0.179	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	21.71	22.91	0.195	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	21.42	22.62	0.183	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	20.75	21.95	0.157	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	19.79	20.99	0.126	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	19.3	20.5	0.112	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	17.25	18.45	0.07	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.92	21.12	0.129	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	20.28	21.48	0.141	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	20.13	21.33	0.136	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	18.87	20.07	0.102	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	18.8	20	0.1	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	18.32	19.52	0.09	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	15.23	16.43	0.044	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.16	22.36	0.172	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.52	22.72	0.187	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.12	22.32	0.171	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.92	22.12	0.163	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	21.09	22.29	0.169	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	21.5	22.7	0.186	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	21.1	22.3	0.17	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	20.4	21.6	0.145	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	19.57	20.77	0.119	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	18.97	20.17	0.104	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	17.03	18.23	0.067	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	19.6	20.8	0.12	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	20	21.2	0.132	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	19.76	20.96	0.125	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	18.54	19.74	0.094	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	18.57	19.77	0.095	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	17.99	19.19	0.083	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	14.93	16.13	0.041	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.22	22.42	0.175	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.49	22.69	0.186	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.3	22.5	0.178	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.85	22.05	0.16	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	21.22	22.42	0.175	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	21.5	22.7	0.186	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	21.32	22.52	0.179	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	20.5	21.7	0.148	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	19.48	20.68	0.117	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	18.93	20.13	0.103	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	16.95	18.15	0.065	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	20.01	21.21	0.132	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	20.08	21.28	0.134	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	20.05	21.25	0.133	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	18.53	19.73	0.094	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	18.46	19.66	0.092	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	17.98	19.18	0.083	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	14.87	16.07	0.04	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.58	22.78	0.19	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.74	22.94	0.197	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.73	22.93	0.196	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.29	22.49	0.177	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.51	22.71	0.187	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	21.75	22.95	0.197	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	21.63	22.83	0.192	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	20.69	21.89	0.155	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	19.96	21.16	0.131	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	19.4	20.6	0.115	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.44	22.64	0.184	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	17.44	18.64	0.073	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.05	21.25	0.133	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	20.43	21.63	0.146	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	20.16	21.36	0.137	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	18.96	20.16	0.104	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	19.02	20.22	0.105	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	18.4	19.6	0.091	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	15.38	16.58	0.045	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.47	22.67	0.185	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.53	22.73	0.187	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.34	22.54	0.179	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.02	22.22	0.167	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	21.48	22.68	0.185	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	21.59	22.79	0.19	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	21.34	22.54	0.179	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	20.5	21.7	0.148	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	19.7	20.9	0.123	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	19.13	20.33	0.108	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	17.15	18.35	0.068	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	20.09	21.29	0.135	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	20.06	21.26	0.134	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	19.89	21.09	0.129	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	18.69	19.89	0.097	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	18.65	19.85	0.097	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	18.13	19.33	0.086	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	15.07	16.27	0.042	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.11	22.31	0.17	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	21.45	22.65	0.184	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	21.29	22.49	0.177	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	20.8	22	0.158	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	21.08	22.28	0.169	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	21.45	22.65	0.184	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	21.27	22.47	0.177	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	20.5	21.7	0.148	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	19.38	20.58	0.114	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	18.95	20.15	0.104	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	16.86	18.06	0.064	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	19.96	21.16	0.131	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	20.05	21.25	0.133	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	20.11	21.31	0.135	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	18.37	19.57	0.091	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	18.38	19.58	0.091	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	17.86	19.06	0.081	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	14.9	16.1	0.041	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.31	22.51	0.178	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	21.77	22.97	0.198	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	21.6	22.8	0.191	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	21.28	22.48	0.177	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.35	22.55	0.18	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	21.84	23.04	0.201	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	21.46	22.66	0.185	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	20.74	21.94	0.156	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	19.93	21.13	0.13	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	19.46	20.66	0.116	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	17.44	18.64	0.073	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.18	21.38	0.137	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	20.4	21.6	0.145	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	20.14	21.34	0.136	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	18.95	20.15	0.104	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	18.87	20.07	0.102	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	18.38	19.58	0.091	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	15.37	16.57	0.045	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.42	22.62	0.183	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	21.56	22.76	0.189	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	21.31	22.51	0.178	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	20.98	22.18	0.165	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	21.36	22.56	0.18	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	21.59	22.79	0.19	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	21.2	22.4	0.174	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	20.51	21.71	0.148	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	19.67	20.87	0.122	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	19.12	20.32	0.108	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	17.18	18.38	0.069	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	20.11	21.31	0.135	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	20.03	21.23	0.133	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	19.87	21.07	0.128	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	18.66	19.86	0.097	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	18.61	19.81	0.096	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	18.11	19.31	0.085	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	15.15	16.35	0.043	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.81	22.01	0.159	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.49	22.69	0.186	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	21.25	22.45	0.176	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.84	22.04	0.16	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	20.79	21.99	0.158	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	21.5	22.7	0.186	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	21.26	22.46	0.176	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	20.3	21.5	0.141	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	19.43	20.63	0.116	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	19.05	20.25	0.106	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	16.96	18.16	0.065	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	19.32	20.52	0.113	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	20.06	21.26	0.134	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	19.65	20.85	0.122	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	18.45	19.65	0.092	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	18.46	19.66	0.092	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	17.94	19.14	0.082	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	14.93	16.13	0.041	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.96	22.16	0.164	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.72	22.92	0.196	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	21.2	22.4	0.174	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.15	22.35	0.172	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.98	22.18	0.165	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	21.79	22.99	0.199	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	21.2	22.4	0.174	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	20.68	21.88	0.154	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	20.06	21.26	0.134	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	19.39	20.59	0.115	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	17.44	18.64	0.073	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.97	21.17	0.131	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	20.52	21.72	0.149	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	19.85	21.05	0.127	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	18.93	20.13	0.103	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	18.84	20.04	0.101	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	18.4	19.6	0.091	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	15.26	16.46	0.044	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.28	22.48	0.177	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.66	22.86	0.193	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	21.1	22.3	0.17	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.04	22.24	0.167	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	21.25	22.45	0.176	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	21.65	22.85	0.193	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	20.97	22.17	0.165	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	20.52	21.72	0.149	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	19.77	20.97	0.125	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	19.19	20.39	0.109	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	17.31	18.51	0.071	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	19.57	20.77	0.119	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	20.11	21.31	0.135	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	19.33	20.53	0.113	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	18.74	19.94	0.099	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	18.75	19.95	0.099	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	18.25	19.45	0.088	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	15.21	16.41	0.044	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.7	21.9	0.155	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	21.52	22.72	0.187	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	20.92	22.12	0.163	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	20.75	21.95	0.157	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	20.68	21.88	0.154	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	21.54	22.74	0.188	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	20.92	22.12	0.163	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	20.29	21.49	0.141	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	19.5	20.7	0.117	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	19.05	20.25	0.106	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	16.98	18.18	0.066	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	19.62	20.82	0.121	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	20.15	21.35	0.136	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	19.97	21.17	0.131	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	18.48	19.68	0.093	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	18.55	19.75	0.094	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	17.95	19.15	0.082	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	14.87	16.07	0.04	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.68	21.88	0.154	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	21.79	22.99	0.199	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	21.06	22.26	0.168	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	21.22	22.42	0.175	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.72	21.92	0.156	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	21.83	23.03	0.201	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	20.98	22.18	0.165	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	20.69	21.89	0.155	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	20.01	21.21	0.132	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	19.43	20.63	0.116	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	17.34	18.54	0.071	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.71	20.91	0.123	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	20.43	21.63	0.146	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	19.57	20.77	0.119	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	18.85	20.05	0.101	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	18.89	20.09	0.102	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	18.39	19.59	0.091	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	15.32	16.52	0.045	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.99	22.19	0.166	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	21.72	22.92	0.196	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	20.93	22.13	0.163	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	21.11	22.31	0.17	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	21.02	22.22	0.167	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	21.65	22.85	0.193	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	20.79	21.99	0.158	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	20.52	21.72	0.149	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	19.79	20.99	0.126	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	19.23	20.43	0.11	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	17.2	18.4	0.069	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	19.88	21.08	0.128	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	20.1	21.3	0.135	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	19.44	20.64	0.116	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	18.8	20	0.1	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	18.77	19.97	0.099	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	18.22	19.42	0.087	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	15.18	16.38	0.043	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.42	21.62	0.145	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	21.53	22.73	0.187	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	20.72	21.92	0.156	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	20.67	21.87	0.154	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	20.47	21.67	0.147	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	21.53	22.73	0.187	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	20.63	21.83	0.152	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	20.17	21.37	0.137	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	19.38	20.58	0.114	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	18.9	20.1	0.102	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	16.87	18.07	0.064	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	19.5	20.7	0.117	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	20.15	21.35	0.136	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	19.58	20.78	0.12	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	18.4	19.6	0.091	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	18.39	19.59	0.091	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	17.84	19.04	0.08	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	14.83	16.03	0.04	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.48	21.68	0.147	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	21.79	22.99	0.199	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	20.78	21.98	0.158	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	21.11	22.31	0.17	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.47	21.67	0.147	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	21.76	22.96	0.198	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	20.71	21.91	0.155	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	20.59	21.79	0.151	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	19.89	21.09	0.129	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	19.41	20.61	0.115	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	17.24	18.44	0.07	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.41	20.61	0.115	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	20.46	21.66	0.147	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	19.36	20.56	0.114	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	18.84	20.04	0.101	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	18.76	19.96	0.099	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	18.36	19.56	0.09	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	15.31	16.51	0.045	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.59	21.79	0.151	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	21.67	22.87	0.194	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	20.73	21.93	0.156	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	21.06	22.26	0.168	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	20.58	21.78	0.151	2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	21.7	22.9	0.195	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	20.64	21.84	0.153	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	20.5	21.7	0.148	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	19.71	20.91	0.123	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	19.18	20.38	0.109	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	17.22	18.42	0.07	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	19.69	20.89	0.123	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	20.21	21.41	0.138	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	19.39	20.59	0.115	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	18.75	19.95	0.099	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	18.67	19.87	0.097	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	18.22	19.42	0.087	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	15.21	16.41	0.044	2	Pass

Note:

1.Ant Gain =1.2 dBi;

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0 dB;

n66 , Normal

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.98	22.58	0.181	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.96	22.56	0.18	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.99	22.59	0.182	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.48	22.08	0.161	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	21.99	22.59	0.182	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	21.99	22.59	0.182	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	21.86	22.46	0.176	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	20.95	21.55	0.143	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.94	20.54	0.113	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.65	20.25	0.106	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.51	18.11	0.065	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	20.54	21.14	0.13	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	20.43	21.03	0.127	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	20.55	21.15	0.13	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	19.13	19.73	0.094	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	19.2	19.8	0.095	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	18.61	19.21	0.083	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	15.45	16.05	0.04	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.67	22.27	0.169	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.7	22.3	0.17	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.66	22.26	0.168	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.17	21.77	0.15	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.49	22.09	0.162	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	21.71	22.31	0.17	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	21.57	22.17	0.165	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	20.64	21.24	0.133	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	19.8	20.4	0.11	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	19.32	19.92	0.098	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	17.3	17.9	0.062	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.15	20.75	0.119	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	20.15	20.75	0.119	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	20.17	20.77	0.119	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	18.78	19.38	0.087	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	18.87	19.47	0.089	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	18.28	18.88	0.077	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	15.15	15.75	0.038	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.55	22.15	0.164	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.51	22.11	0.163	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.54	22.14	0.164	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.06	21.66	0.147	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	21.41	22.01	0.159	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	21.6	22.2	0.166	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	21.46	22.06	0.161	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	20.59	21.19	0.132	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.63	20.23	0.105	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.09	19.69	0.093	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.13	17.73	0.059	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	20	20.6	0.115	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	19.97	20.57	0.114	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	20.12	20.72	0.118	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	18.66	19.26	0.084	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	18.76	19.36	0.086	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	18.16	18.76	0.075	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	15.13	15.73	0.037	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.68	22.28	0.169	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.74	22.34	0.171	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.74	22.34	0.171	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.23	21.83	0.152	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	21.7	22.3	0.17	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	21.73	22.33	0.171	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	21.67	22.27	0.169	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	20.73	21.33	0.136	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	19.78	20.38	0.109	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	19.32	19.92	0.098	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	17.3	17.9	0.062	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	20.32	20.92	0.124	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	20.24	20.84	0.121	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	20.25	20.85	0.122	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	18.85	19.45	0.088	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	18.93	19.53	0.09	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	18.36	18.96	0.079	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	15.29	15.89	0.039	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.43	22.03	0.16	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.48	22.08	0.161	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.36	21.96	0.157	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.02	21.62	0.145	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.38	21.98	0.158	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	21.51	22.11	0.163	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	21.4	22	0.158	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	20.48	21.08	0.128	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	19.45	20.05	0.101	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	19.03	19.63	0.092	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	17.04	17.64	0.058	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.03	20.63	0.116	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	20	20.6	0.115	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	20.03	20.63	0.116	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	18.65	19.25	0.084	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	18.64	19.24	0.084	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	18.16	18.76	0.075	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	15.15	15.75	0.038	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.35	21.95	0.157	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.42	22.02	0.159	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.32	21.92	0.156	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.96	21.56	0.143	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	21.27	21.87	0.154	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	21.42	22.02	0.159	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	21.31	21.91	0.155	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	20.42	21.02	0.126	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	19.4	20	0.1	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	19	19.6	0.091	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	17.01	17.61	0.058	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	19.81	20.41	0.11	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	19.86	20.46	0.111	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	19.89	20.49	0.112	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	18.57	19.17	0.083	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	18.51	19.11	0.081	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	17.99	18.59	0.072	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	14.92	15.52	0.036	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.83	22.43	0.175	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.91	22.51	0.178	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.67	22.27	0.169	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.46	22.06	0.161	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	21.76	22.36	0.172	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	21.87	22.47	0.177	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	21.62	22.22	0.167	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	20.91	21.51	0.142	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.86	20.46	0.111	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.45	20.05	0.101	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.47	18.07	0.064	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	20.26	20.86	0.122	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	20.4	21	0.126	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	20.36	20.96	0.125	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	19.08	19.68	0.093	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	19.11	19.71	0.094	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	18.47	19.07	0.081	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	15.52	16.12	0.041	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.55	22.15	0.164	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.68	22.28	0.169	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.53	22.13	0.163	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.17	21.77	0.15	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.54	22.14	0.164	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	21.61	22.21	0.166	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	21.38	21.98	0.158	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	20.59	21.19	0.132	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	19.65	20.25	0.106	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	19.22	19.82	0.096	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	17.3	17.9	0.062	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.2	20.8	0.12	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	20.16	20.76	0.119	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	19.98	20.58	0.114	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	18.8	19.4	0.087	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	18.85	19.45	0.088	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	18.29	18.89	0.077	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	15.29	15.89	0.039	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.41	22.01	0.159	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.59	22.19	0.166	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.37	21.97	0.157	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.11	21.71	0.148	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	21.36	21.96	0.157	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	21.56	22.16	0.164	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	21.4	22	0.158	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	20.6	21.2	0.132	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.58	20.18	0.104	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.15	19.75	0.094	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.24	17.84	0.061	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	20.09	20.69	0.117	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	20.06	20.66	0.116	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	19.84	20.44	0.111	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	18.73	19.33	0.086	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	18.69	19.29	0.085	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	18.22	18.82	0.076	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	15.17	15.77	0.038	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.85	22.45	0.176	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.88	22.48	0.177	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.71	22.31	0.17	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.33	21.93	0.156	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	21.79	22.39	0.173	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	21.86	22.46	0.176	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	21.59	22.19	0.166	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	20.79	21.39	0.138	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	19.86	20.46	0.111	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	19.47	20.07	0.102	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	17.45	18.05	0.064	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	20.3	20.9	0.123	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	20.32	20.92	0.124	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	20.25	20.85	0.122	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	18.9	19.5	0.089	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	18.94	19.54	0.09	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	18.39	18.99	0.079	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	15.33	15.93	0.039	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.6	22.2	0.166	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.69	22.29	0.169	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.55	22.15	0.164	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.26	21.86	0.153	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.5	22.1	0.162	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	21.71	22.31	0.17	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	21.38	21.98	0.158	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	20.71	21.31	0.135	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	19.71	20.31	0.107	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	19.29	19.89	0.097	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	17.3	17.9	0.062	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.28	20.88	0.122	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	20.13	20.73	0.118	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	20.1	20.7	0.117	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	18.84	19.44	0.088	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	18.86	19.46	0.088	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	18.4	19	0.079	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	15.32	15.92	0.039	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.4	22	0.158	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.53	22.13	0.163	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.43	22.03	0.16	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.08	21.68	0.147	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	21.41	22.01	0.159	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	21.65	22.25	0.168	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	21.36	21.96	0.157	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	20.58	21.18	0.131	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	19.54	20.14	0.103	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	19.13	19.73	0.094	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	17.21	17.81	0.06	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	20.1	20.7	0.117	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	20.08	20.68	0.117	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	19.8	20.4	0.11	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	18.63	19.23	0.084	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	18.71	19.31	0.085	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	18.17	18.77	0.075	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	15.04	15.64	0.037	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.73	22.33	0.171	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.83	22.43	0.175	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.64	22.24	0.167	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.22	21.82	0.152	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	21.62	22.22	0.167	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	21.8	22.4	0.174	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	21.45	22.05	0.16	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	20.77	21.37	0.137	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.69	20.29	0.107	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	19.29	19.89	0.097	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	17.27	17.87	0.061	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	20.38	20.98	0.125	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	20.3	20.9	0.123	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	20.18	20.78	0.12	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	18.87	19.47	0.089	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	18.85	19.45	0.088	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	18.34	18.94	0.078	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	15.28	15.88	0.039	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.53	22.13	0.163	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.67	22.27	0.169	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.47	22.07	0.161	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.12	21.72	0.149	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.42	22.02	0.159	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	21.67	22.27	0.169	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	21.4	22	0.158	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	20.61	21.21	0.132	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	19.58	20.18	0.104	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	19.2	19.8	0.095	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	17.25	17.85	0.061	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.97	20.57	0.114	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	20.16	20.76	0.119	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	20.06	20.66	0.116	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	18.73	19.33	0.086	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	18.81	19.41	0.087	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	18.19	18.79	0.076	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	15.17	15.77	0.038	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.38	21.98	0.158	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.56	22.16	0.164	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.4	22	0.158	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.97	21.57	0.144	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	21.33	21.93	0.156	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	21.51	22.11	0.163	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	21.28	21.88	0.154	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	20.44	21.04	0.127	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.42	20.02	0.1	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	19.1	19.7	0.093	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	17.13	17.73	0.059	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	19.94	20.54	0.113	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	20.07	20.67	0.117	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	19.93	20.53	0.113	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	18.62	19.22	0.084	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	18.59	19.19	0.083	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	18.02	18.62	0.073	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	15.05	15.65	0.037	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.57	22.17	0.165	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.76	22.36	0.172	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.4	22	0.158	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.17	21.77	0.15	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	21.58	22.18	0.165	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	21.78	22.38	0.173	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	21.28	21.88	0.154	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	20.57	21.17	0.131	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	19.58	20.18	0.104	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	19.15	19.75	0.094	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	17.16	17.76	0.06	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	20.25	20.85	0.122	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	20.24	20.84	0.121	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	19.81	20.41	0.11	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	18.65	19.25	0.084	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	18.76	19.36	0.086	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	18.16	18.76	0.075	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	15.16	15.76	0.038	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.44	22.04	0.16	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.61	22.21	0.166	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.25	21.85	0.153	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.13	21.73	0.149	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.36	21.96	0.157	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	21.61	22.21	0.166	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	21.25	21.85	0.153	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	20.69	21.29	0.135	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	19.63	20.23	0.105	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	19.34	19.94	0.099	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	17.21	17.81	0.06	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.82	20.42	0.11	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	20.16	20.76	0.119	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	19.83	20.43	0.11	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	18.82	19.42	0.087	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	18.74	19.34	0.086	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	18.33	18.93	0.078	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	15.22	15.82	0.038	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.23	21.83	0.152	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.5	22.1	0.162	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.19	21.79	0.151	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.86	21.46	0.14	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	21.17	21.77	0.15	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	21.55	22.15	0.164	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	21.16	21.76	0.15	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	20.35	20.95	0.124	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	19.38	19.98	0.1	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	18.95	19.55	0.09	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	16.92	17.52	0.056	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	19.97	20.57	0.114	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	20.04	20.64	0.116	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	19.7	20.3	0.107	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	18.53	19.13	0.082	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	18.54	19.14	0.082	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	18.01	18.61	0.073	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	14.98	15.58	0.036	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.35	21.95	0.157	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.71	22.31	0.17	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.14	21.74	0.149	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.97	21.57	0.144	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	21.37	21.97	0.157	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	21.77	22.37	0.173	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	21.02	21.62	0.145	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	20.41	21.01	0.126	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	19.41	20.01	0.1	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	19.1	19.7	0.093	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	17.05	17.65	0.058	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	20.04	20.64	0.116	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	20.18	20.78	0.12	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	19.64	20.24	0.106	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	19.06	19.66	0.092	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	18.54	19.14	0.082	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	17.97	18.57	0.072	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	15	15.6	0.036	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.26	21.86	0.153	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.63	22.23	0.167	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.06	21.66	0.147	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.23	21.83	0.152	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.19	21.79	0.151	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	21.62	22.22	0.167	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	20.9	21.5	0.141	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	20.69	21.29	0.135	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	19.73	20.33	0.108	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	19.43	20.03	0.101	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	17.43	18.03	0.064	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.96	20.56	0.114	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	20.17	20.77	0.119	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	19.51	20.11	0.103	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	18.86	19.46	0.088	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	18.94	19.54	0.09	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	18.39	18.99	0.079	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	15.37	15.97	0.04	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.08	21.68	0.147	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.5	22.1	0.162	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	20.97	21.57	0.144	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.77	21.37	0.137	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	21.03	21.63	0.146	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	21.53	22.13	0.163	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	20.92	21.52	0.142	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	20.27	20.87	0.122	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	19.24	19.84	0.096	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	18.95	19.55	0.09	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	16.91	17.51	0.056	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	19.54	20.14	0.103	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	20.04	20.64	0.116	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	19.57	20.17	0.104	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	18.44	19.04	0.08	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	18.46	19.06	0.081	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	17.85	18.45	0.07	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	14.9	15.5	0.035	1	Pass

Note:**1.Ant Gain =0.6 dBi;****2.EIRP = Value + Ant Gain – LC;****3.ERP = EIRP -2.15;****4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0 dB;****n71 , Normal**

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.3	19.75	0.094	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.38	19.83	0.096	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.38	19.83	0.096	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.79	19.24	0.084	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@1	22.24	19.69	0.093	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB12@6	22.34	19.79	0.095	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@23	22.25	19.7	0.093	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB25@0	21.25	18.7	0.074	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.21	17.66	0.058	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.72	17.17	0.052	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.85	15.3	0.034	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@1	20.93	18.38	0.069	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB13@6	20.79	18.24	0.067	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@23	20.95	18.4	0.069	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB25@0	19.4	16.85	0.048	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 16 QAM_RB25@0	19.29	16.74	0.047	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 64 QAM_RB25@0	18.71	16.16	0.041	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 256 QAM_RB25@0	15.79	13.24	0.021	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.28	19.73	0.094	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.39	19.84	0.096	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.33	19.78	0.095	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.86	19.31	0.085	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	22.21	19.66	0.092	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB12@6	22.34	19.79	0.095	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@23	22.25	19.7	0.093	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@0	21.37	18.82	0.076	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.28	17.73	0.059	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.76	17.21	0.053	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.02	15.47	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.97	18.42	0.07	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB13@6	20.86	18.31	0.068	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@23	20.89	18.34	0.068	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB25@0	19.39	16.84	0.048	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB25@0	19.44	16.89	0.049	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB25@0	18.75	16.2	0.042	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB25@0	15.94	13.39	0.022	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.27	19.72	0.094	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.4	19.85	0.097	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.41	19.86	0.097	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.81	19.26	0.084	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@1	22.3	19.75	0.094	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB12@6	22.36	19.81	0.096	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@23	22.33	19.78	0.095	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB25@0	21.3	18.75	0.075	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.35	17.8	0.06	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.84	17.29	0.054	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.95	15.4	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@1	20.91	18.36	0.069	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB13@6	20.83	18.28	0.067	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@23	20.91	18.36	0.069	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB25@0	19.28	16.73	0.047	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 16 QAM_RB25@0	19.33	16.78	0.048	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 64 QAM_RB25@0	18.8	16.25	0.042	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 256 QAM_RB25@0	15.93	13.38	0.022	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.03	19.48	0.089	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.12	19.57	0.091	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.11	19.56	0.09	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.51	18.96	0.079	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@1	22.05	19.5	0.089	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB25@12	22.17	19.62	0.092	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@50	22.07	19.52	0.09	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB50@0	21.05	18.5	0.071	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 16 QAM_RB50@0	20.03	17.48	0.056	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 64 QAM_RB50@0	19.59	17.04	0.051	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 256 QAM_RB50@0	17.58	15.03	0.032	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@1	20.49	17.94	0.062	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB26@13	20.6	18.05	0.064	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@50	20.65	18.1	0.065	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB52@0	19.16	16.61	0.046	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 16 QAM_RB52@0	19.02	16.47	0.044	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 64 QAM_RB52@0	18.67	16.12	0.041	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 256 QAM_RB52@0	15.54	12.99	0.02	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.13	19.58	0.091	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.23	19.68	0.093	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.11	19.56	0.09	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.61	19.06	0.081	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	22.1	19.55	0.09	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@12	22.22	19.67	0.093	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@50	22.05	19.5	0.089	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@0	21.15	18.6	0.072	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB50@0	20.17	17.62	0.058	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB50@0	19.62	17.07	0.051	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB50@0	17.71	15.16	0.033	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.7	18.15	0.065	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB26@13	20.65	18.1	0.065	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@50	20.58	18.03	0.064	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB52@0	19.2	16.65	0.046	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB52@0	19.1	16.55	0.045	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB52@0	18.76	16.21	0.042	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB52@0	15.62	13.07	0.02	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.07	19.52	0.09	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.17	19.62	0.092	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.11	19.56	0.09	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.69	19.14	0.082	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@1	22.03	19.48	0.089	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB25@12	22.24	19.69	0.093	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@50	22.06	19.51	0.089	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB50@0	21.16	18.61	0.073	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 16 QAM_RB50@0	20.16	17.61	0.058	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 64 QAM_RB50@0	19.64	17.09	0.051	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 256 QAM_RB50@0	17.64	15.09	0.032	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@1	20.68	18.13	0.065	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB26@13	20.68	18.13	0.065	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@50	20.82	18.27	0.067	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB52@0	19.09	16.54	0.045	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 16 QAM_RB52@0	19.11	16.56	0.045	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 64 QAM_RB52@0	18.79	16.24	0.042	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 256 QAM_RB52@0	15.68	13.13	0.021	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.18	19.63	0.092	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.39	19.84	0.096	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.23	19.68	0.093	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.94	19.39	0.087	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@1	22.17	19.62	0.092	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB36@18	22.43	19.88	0.097	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@77	22.18	19.63	0.092	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB75@0	21.35	18.8	0.076	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.38	17.83	0.061	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.91	17.36	0.054	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.99	15.44	0.035	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@1	20.8	18.25	0.067	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB39@19	20.83	18.28	0.067	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@77	20.84	18.29	0.067	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB79@0	19.44	16.89	0.049	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 16 QAM_RB79@0	19.53	16.98	0.05	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 64 QAM_RB79@0	18.94	16.39	0.044	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 256 QAM_RB79@0	15.97	13.42	0.022	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.25	19.7	0.093	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.36	19.81	0.096	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.18	19.63	0.092	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.76	19.21	0.083	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	22.16	19.61	0.091	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB36@18	22.32	19.77	0.095	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@77	22.13	19.58	0.091	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB75@0	21.32	18.77	0.075	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.31	17.76	0.06	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.84	17.29	0.054	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.82	15.27	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.84	18.29	0.067	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB39@19	20.86	18.31	0.068	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@77	20.77	18.22	0.066	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB79@0	19.41	16.86	0.049	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB79@0	19.41	16.86	0.049	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB79@0	18.94	16.39	0.044	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB79@0	15.81	13.26	0.021	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.19	19.64	0.092	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.37	19.82	0.096	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.37	19.82	0.096	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.92	19.37	0.086	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@1	22.27	19.72	0.094	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB36@18	22.38	19.83	0.096	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@77	22.3	19.75	0.094	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB75@0	21.36	18.81	0.076	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.38	17.83	0.061	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.98	17.43	0.055	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.91	15.36	0.034	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@1	20.81	18.26	0.067	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB39@19	20.82	18.27	0.067	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@77	20.85	18.3	0.068	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB79@0	19.38	16.83	0.048	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 16 QAM_RB79@0	19.36	16.81	0.048	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 64 QAM_RB79@0	18.95	16.4	0.044	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 256 QAM_RB79@0	15.9	13.35	0.022	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.12	19.57	0.091	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.39	19.84	0.096	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.26	19.71	0.094	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.96	19.41	0.087	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@1	22.09	19.54	0.09	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB50@25	22.47	19.92	0.098	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@104	22.18	19.63	0.092	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB100@0	21.46	18.91	0.078	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 16 QAM_RB100@0	20.45	17.9	0.062	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 64 QAM_RB100@0	19.89	17.34	0.054	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 256 QAM_RB100@0	17.96	15.41	0.035	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@1	20.74	18.19	0.066	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB53@26	20.84	18.29	0.067	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@104	20.88	18.33	0.068	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB106@0	19.6	17.05	0.051	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 16 QAM_RB106@0	19.51	16.96	0.05	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 64 QAM_RB106@0	19.02	16.47	0.044	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 256 QAM_RB106@0	15.96	13.41	0.022	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.24	19.69	0.093	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.36	19.81	0.096	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.3	19.75	0.094	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.69	19.14	0.082	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	22.14	19.59	0.091	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@25	22.38	19.83	0.096	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@104	22.15	19.6	0.091	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB100@0	21.26	18.71	0.074	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB100@0	20.22	17.67	0.058	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB100@0	19.71	17.16	0.052	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB100@0	17.77	15.22	0.033	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.85	18.3	0.068	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB53@26	20.8	18.25	0.067	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@104	20.84	18.29	0.067	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB106@0	19.29	16.74	0.047	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB106@0	19.32	16.77	0.048	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB106@0	18.72	16.17	0.041	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB106@0	15.72	13.17	0.021	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.19	19.64	0.092	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.42	19.87	0.097	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.32	19.77	0.095	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.93	19.38	0.087	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@1	22.16	19.61	0.091	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB50@25	22.45	19.9	0.098	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@104	22.24	19.69	0.093	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB100@0	21.48	18.93	0.078	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 16 QAM_RB100@0	20.52	17.97	0.063	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 64 QAM_RB100@0	19.88	17.33	0.054	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 256 QAM_RB100@0	18.01	15.46	0.035	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@1	20.78	18.23	0.067	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB53@26	20.88	18.33	0.068	3	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@104	20.78	18.23	0.067	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB106@0	19.38	16.83	0.048	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 16 QAM_RB106@0	19.42	16.87	0.049	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 64 QAM_RB106@0	19.01	16.46	0.044	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 256 QAM_RB106@0	15.96	13.41	0.022	3	Pass

Note:

1.Ant Gain =0.1 dBi;

2.EIRP = Value + Ant Gain – LC;

3.ERP = EIRP -2.15;

4.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;