




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 4000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE
Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE
Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE
Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 5000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 13



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 25



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 26



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 41



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 2.4GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.2GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WLAN 5.8GHz




Absolute minimal distance

OK

OK

5.1 Receive Volume Control Performance 8N---EVS NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 12



Speech Level RCV: 82.86 dB[SPL]

Calculated Value: 12.86 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 13



Speech Level RCV: 82.82 dB[SPL]

Calculated Value: 12.82 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 25



Speech Level RCV: 87.02 dB[SPL]

Calculated Value: 17.02 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 26



Speech Level RCV: 84.77 dB[SPL]

Calculated Value: 14.77 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 41



Speech Level RCV: 88.56 dB[SPL]

Calculated Value: 18.56 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 66



Speech Level RCV: 87.76 dB[SPL]

Calculated Value: 17.76 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 71



Speech Level RCV: 85.00 dB[SPL]

Calculated Value: 15.00 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 2.4GHz



Speech Level RCV: 84.34 dB[SPL]

Calculated Value: 14.34 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.2GHz



Speech Level RCV: 82.09 dB[SPL]

Calculated Value: 12.09 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.3GHz



Speech Level RCV: 85.88 dB[SPL]

Calculated Value: 15.88 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.5GHz



Speech Level RCV: 85.08 dB[SPL]

Calculated Value: 15.08 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.8GHz




Speech Level RCV: 82.32 dB[SPL]

Calculated Value: 12.32 dB Ok

5.1 Receive Volume Control Performance 8N---EVS WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 12



Speech Level RCV: 82.62 dB[SPL]

Calculated Value: 12.62 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 13



Speech Level RCV: 82.72 dB[SPL]

Calculated Value: 12.72 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 25



Speech Level RCV: 86.66 dB[SPL]

Calculated Value: 16.66 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 26



Speech Level RCV: 85.53 dB[SPL]

Calculated Value: 15.53 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 41



Speech Level RCV: 87.82 dB[SPL]

Calculated Value: 17.82 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 66



Speech Level RCV: 87.87 dB[SPL]

Calculated Value: 17.87 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 71



Speech Level RCV: 85.25 dB[SPL]

Calculated Value: 15.25 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 2.4GHz



Speech Level RCV: 83.98 dB[SPL]

Calculated Value: 13.98 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.2GHz



Speech Level RCV: 82.85 dB[SPL]

Calculated Value: 12.85 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.3GHz



Speech Level RCV: 85.14 dB[SPL]

Calculated Value: 15.14 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.5GHz



Speech Level RCV: 85.19 dB[SPL]

Calculated Value: 15.19 dB OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.8GHz




Speech Level RCV: 82.57 dB[SPL]

Calculated Value: 12.57 dB OK

5.1 Receive Volume Control Performance 2N---NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 850



Speech Level RCV: 81.23 dB[SPL]

Calculated Value: 11.23 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 1900



Speech Level RCV: 84.56 dB[SPL]

Calculated Value: 14.56 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 85.32 dB[SPL]

Calculated Value: 15.32 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV: 85.19 dB[SPL]

Calculated Value: 15.19 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 84.39 dB[SPL]

Calculated Value: 14.39 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 12



Speech Level RCV: 83.04 dB[SPL]

Calculated Value: 13.04 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 81.26 dB[SPL]

Calculated Value: 11.26 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 86.54 dB[SPL]

Calculated Value: 16.54 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 26



Speech Level RCV: 84.32 dB[SPL]

Calculated Value: 14.32 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 86.74 dB[SPL]

Calculated Value: 16.74 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 85.49 dB[SPL]

Calculated Value: 15.49 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 83.29 dB[SPL]

Calculated Value: 13.29 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \WLAN 2.4GHz



Speech Level RCV: 82.17 dB[SPL]

Calculated Value: 12.17 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \WLAN 5.2GHz



Speech Level RCV: 81.85 dB[SPL]

Calculated Value: 11.85 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \WLAN 5.3GHz



Speech Level RCV: 84.27 dB[SPL]

Calculated Value: 14.27 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.5GHz



Speech Level RCV: 83.02 dB[SPL]

Calculated Value: 13.02 dB OK

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.8GHz




Speech Level RCV: 80.82 dB[SPL]


Calculated Value: 10.82 dB OK

Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ GSM 850



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ GSM 1900



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 13



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 25



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 26



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 41



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 2.4GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.2GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.8GHz




Absolute minimal distance

OK

OK

5.1 Receive Volume Control Performance 2N---WB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\WCDMA Band II



Speech Level RCV: 86.11 dB[SPL]

Calculated Value: 16.11 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\WCDMA Band IV



Speech Level RCV: 85.73 dB[SPL]

Calculated Value: 15.73 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\WCDMA Band V



Speech Level RCV: 86.04 dB[SPL]

Calculated Value: 16.04 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\LTE Band 12



Speech Level RCV: 81.54 dB[SPL]

Calculated Value: 11.54 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\ LTE Band 13



Speech Level RCV: 81.33 dB[SPL]

Calculated Value: 11.33 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 86.28 dB[SPL]

Calculated Value: 16.28 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\ LTE Band 26



Speech Level RCV: 83.28 dB[SPL]

Calculated Value: 13.28 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 86.39 dB[SPL]

Calculated Value: 16.39 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 86.03 dB[SPL]

Calculated Value: 16.03 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 71



Speech Level RCV: 81.22 dB[SPL]

Calculated Value: 11.22 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 2.4GHz



Speech Level RCV: 83.81 dB[SPL]

Calculated Value: 13.81 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 5.2GHz



Speech Level RCV: 80.81 dB[SPL]

Calculated Value: 10.81 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 5.3GHz



Speech Level RCV: 83.92 dB[SPL]

Calculated Value: 13.92 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 5.5GHz



Speech Level RCV: 83.56 dB[SPL]

Calculated Value: 13.56 dB OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 5.8GHz




Speech Level RCV: 78.75 dB[SPL]


Calculated Value: 8.75 dB OK

Receive path - distortion and noise 250 WB only


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN
5.8GHz




Receive path - distortion and noise 315Hz WB only


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71

