




#### **Test Data**

# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.109	30	Pass
NVNT	BLE	2442	Ant1	-4.856	30	Pass
NVNT	BLE	2480	Ant1	-6.746	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.152	0.5	Pass
NVNT	BLE	2442	Ant1	1.162	0.5	Pass
NVNT	BLE	2480	Ant1	1.162	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.084	
NVNT	BLE	2442	Ant1	2.08	
NVNT	BLE	2480	Ant1	2.083	














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-23.714	8	Pass
NVNT	BLE	2442	Ant1	-22.475	8	Pass
NVNT	BLE	2480	Ant1	-24.334	8	Pass














## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.11	-20	Pass
NVNT	BLE	2480	Ant1	-42.53	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-36	-20	Pass
NVNT	BLE	2442	Ant1	-37.16	-20	Pass
NVNT	BLE	2480	Ant1	-35.36	-20	Pass



