



DH5\_Ant1\_2441\_0~Reference




DH5\_Ant1\_2441\_30~1000







### DH5\_Ant1\_2441\_1000~26500




### DH5\_Ant1\_2480\_0~Reference




### DH5\_Ant1\_2480\_30~1000



DH5\_Ant1\_2480\_1000~26500




2DH5\_Ant1\_2402\_0~Reference







2DH5\_Ant1\_2402\_30~1000




2DH5\_Ant1\_2402\_1000~26500




2DH5\_Ant1\_2441\_0~Reference



2DH5\_Ant1\_2441\_30~1000




2DH5\_Ant1\_2441\_1000~26500







### 2DH5\_Ant1\_2480\_0~Reference



### 2DH5\_Ant1\_2480\_30~1000



### 2DH5\_Ant1\_2480\_1000~26500





## A.8 Emissions in Restricted Bands

### Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-48.89	≤-41.20	46.31	≤54	PASS
				AV	2377.910	-44.87	≤-41.20	50.33	≤54	PASS
				AV	2390.000	-47.59	≤-41.20	47.61	≤54	PASS
				Peak	2310.000	-40.13	≤-21.20	55.07	≤74	PASS
				Peak	2378.330	-36.98	≤-21.20	58.22	≤74	PASS
				Peak	2390.000	-39.46	≤-21.20	55.74	≤74	PASS
		High	2480	AV	2483.500	-42.74	≤-41.20	52.46	≤54	PASS
				AV	2483.520	-42.74	≤-41.20	52.46	≤54	PASS
				AV	2500.000	-47.35	≤-41.20	47.85	≤54	PASS
				Peak	2483.500	-35.58	≤-21.20	59.62	≤74	PASS
				Peak	2483.520	-35.58	≤-21.20	59.62	≤74	PASS
				Peak	2500.000	-39.42	≤-21.20	55.78	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-48.95	≤-41.20	46.25	≤54	PASS
				AV	2377.910	-45.74	≤-41.20	49.46	≤54	PASS
				AV	2390.000	-47.85	≤-41.20	47.35	≤54	PASS
				Peak	2310.000	-40.76	≤-21.20	54.44	≤74	PASS
				Peak	2385.260	-37.09	≤-21.20	58.11	≤74	PASS
				Peak	2390.000	-40.51	≤-21.20	54.69	≤74	PASS
		High	2480	AV	2483.500	-44.49	≤-41.20	50.71	≤54	PASS
				AV	2483.520	-44.49	≤-41.20	50.71	≤54	PASS
				AV	2500.000	-47.25	≤-41.20	47.95	≤54	PASS
				Peak	2483.500	-36.56	≤-21.20	58.64	≤74	PASS
				Peak	2483.600	-35.66	≤-21.20	59.54	≤74	PASS
				Peak	2500.000	-38.98	≤-21.20	56.22	≤74	PASS


Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






### Test Graphs






DH5\_Ant1\_High\_2480\_Peak




2DH5\_Ant1\_Low\_2402\_AV






2DH5\_Ant1\_Low\_2402\_Peak



2DH5\_Ant1\_High\_2480\_AV



2DH5\_Ant1\_High\_2480\_Peak

