Care and Maintenance:

Do not subject the unit to excessive force, shock, dust or extreme temperature.

Do not tamper the internal components of the unit.

Clean the unit with a clean dry cloth.

Avoid leaving your unit in hot, humid or dusty places.

Keep your unit away from heating appliances and sources of electrical noise such as fluorescent lamps or motors.

Always keep your finger dry and clear before touching all the buttons.

Do not dispose of batteries in fire. Batteries may explode or leak.

User's Manual

Model:XO-8759 FCC ID:2ADK3XO-8759

Congratulations on your new ifidelity Mixmaster Bluetooth Speaker Set!

Read carefully and follow all instructions in this User's Manual before you use the Mixmaster Bluetooth Speakers.

Keep this User's Manual in a convenient location for future reference.

Safety Information

When used in the directed manner, this unit has been designed and manufactured to ensure your personal safety. However, improper use can result in potential electrical shock or fire hazards. Please read all safety and operating instructions carefully before installation and use, and keep these instructions handy for future reference. Take special note of all warnings listed in these instructions and on the unit.

- Avoid contact with liquids and damp areas.
- Do not block the ventilation openings
- Charge battery fully before use

Specifications:

Wireless Range: 33 ft Output Power: 3W

Frequency: 200Hz - 20kHz

Impedance; 4Ω

The right to make technical and design modifications in the course of continuous product development remains reserved.

This device has been tested according to all relevant and current CE guidelines, such as electromagnetic compatibility and low voltage directives, and has been constructed in accordance with the latest safety regulations.

ASSEMBLED IN CHINA

Included:

- Mixmaster Bluetooth Speaker Set
 Micro-USB to USB cables
- Micro-USB to USB caples
- AUX 3.5Mmm Line-in Cable
 Instruction Manual

Damage Requiring Service:

This unit should only be serviced by qualified service personnel when:


- Objects have been exposed to liquids.

- The unit has been dropped or the enclosure damaged.
- The unit exhibits a marked change in performance or does not operate normally.

Do not attempt to service the unit beyond the methods described above. Seek assistance from a qualified professional.

Periods of Non Use:

If the unit is to be left unused for a period of 1 week or more, the power cord should be unplugged from the unit to prevent damage or corrosion.



LED Indicator:

	Indicator	Status
	Red	Charging
	Off	Fully Charged
AUX/ BT	Flashing blue	Pairing Mode
	One LED flashing blue slowly, one stays alight.	Connected / AUX IN Mode

FCC Statement:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: Modifications to this product will void the user's authority to operate this equipment.