

Appendix A

RF Test Data for BT V5.1(DSS) (Conducted Measurement)

Product Name: Wireless headphone

Trade Mark: N/A

Test Model: XO-9902

Environmental Conditions


Temperature:	24.6 ° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Li
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	1.983	21	PASS
	MCH	1.118	21	PASS
	HCH	-0.110	21	PASS
$\pi/4$ DQPSK	LCH	4.298	21	PASS
	MCH	3.445	21	PASS
	HCH	2.185	21	PASS


Test Graphs

GFSK/LCH




Frequency	2.402000000 GHz
Auto Tune	
Center Freq	2.402000000 GHz
Start Freq	2.397000000 GHz
Stop Freq	2.407000000 GHz
CF Step	1.000000 MHz
	Auto Man
Freq Offset	0 Hz

GFSK/MCH




Frequency	2.441000000 GHz
Auto Tune	
Center Freq	2.441000000 GHz
Start Freq	2.436000000 GHz
Stop Freq	2.446000000 GHz
CF Step	1.000000 MHz
	Auto Man
Freq Offset	0 Hz


GFSK/HCH




π /4DQPSK/LCH



π /4DQPSK/MCH




π /4DQPSK/HCH




A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9524	Not Specified	PASS
	MCH	0.9505	Not Specified	PASS
	HCH	0.9521	Not Specified	PASS
π/4DQPSK	LCH	1.334	Not Specified	PASS
	MCH	1.333	Not Specified	PASS
	HCH	1.331	Not Specified	PASS




GFSK/MCH




Frequency	2.441000000 GHz
Center Freq	2.441000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

GFSK/HCH




Frequency	2.480000000 GHz
Center Freq	2.480000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz


$\pi/4$ DQPSK/LCH



$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH




A.3 Carrier Frequency Separation


Mode	Channel	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.946	0.635	PASS
	MCH	1.058	0.635	PASS
	HCH	1.088	0.635	PASS
π/4DQPSK	LCH	1.140	0.889	PASS
	MCH	1.276	0.889	PASS
	HCH	0.920	0.889	PASS




GFSK/MCH




GFSK/HCH




π/4DQPSK/LCH



π/4DQPSK/MCH



$\pi/4$ DQPSK/HCH



A.4 Hopping Channel Number


Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS

Test Graphs


<p>GFSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>ΔMkr1 78.125 MHz -1.944 dB</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>78.125 MHz (Δ)</td> <td>-1.944 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.401910 GHz</td> <td>1.422 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ 2	f	(Δ)	78.125 MHz (Δ)	-1.944 dB				2	F	f		2.401910 GHz	1.422 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ 2	f	(Δ)	78.125 MHz (Δ)	-1.944 dB																								
2	F	f		2.401910 GHz	1.422 dBm																								
<p>$\pi/4$DQPSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>ΔMkr1 77.968 MHz -2.562 dB</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>77.968 MHz (Δ)</td> <td>-2.562 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.401879 GHz</td> <td>1.215 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ 2	f	(Δ)	77.968 MHz (Δ)	-2.562 dB				2	F	f		2.401879 GHz	1.215 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ 2	f	(Δ)	77.968 MHz (Δ)	-2.562 dB																								
2	F	f		2.401879 GHz	1.215 dBm																								

A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.9	106.7	0.309	0.4	PASS
	DH5	MCH	2.9	106.7	0.309	0.4	PASS
	DH5	HCH	2.9	106.7	0.309	0.4	PASS
$\pi/4$ DQPSK	2DH5	LCH	2.9	106.7	0.309	0.4	PASS
	2DH5	MCH	2.9	106.7	0.309	0.4	PASS
	2DH5	HCH	2.9	106.7	0.309	0.4	PASS




GFSK_DH5/MCH



GFSK_DH5/HCH




$\pi/4$ DQPSK
_2DH5/LCH




Frequency	2.402000000 GHz
Auto Tune	
Center Freq	2.402000000 GHz
Start Freq	2.402000000 GHz
Stop Freq	2.402000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz

$\pi/4$ DQPSK
_2DH5/MCH



Frequency	2.441000000 GHz
Auto Tune	
Center Freq	2.441000000 GHz
Start Freq	2.441000000 GHz
Stop Freq	2.441000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz

$\pi/4$ DQPSK
_2DH5/HCH




Frequency	
Auto Tune	
Center Freq	2.480000000 GHz
Start Freq	2.480000000 GHz
Stop Freq	2.480000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz


A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	1.528	-37.332	-18.472	PASS
	MCH	0.7	-37.366	-19.300	PASS
	HCH	-0.378	-38.107	-20.378	PASS
π /4DQPSK	LCH	1.551	-37.499	-18.449	PASS
	MCH	0.682	-38.079	-19.318	PASS
	HCH	-0.547	-37.794	-20.547	PASS


GFSK LCH Graphs




Pref




GFSK_MCH_Graphs




GFSK_HCH_Graphs




$\pi/4$ DQPSK_LCH_Graphs



$\pi/4$ DQPSK_MCH_Graphs



$\pi/4$ DQPSK_HCH_Graphs




A.7 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	1.658	Off	-48.084	-18.34	PASS
			1.564	On	-48.178	-18.44	PASS
	HCH	2480	-0.361	Off	-49.380	-20.36	PASS
			0.255	On	-47.952	-19.75	PASS
$\pi/4$ DQPSK	LCH	2402	1.285	Off	-48.482	-18.72	PASS
			1.340	On	-48.452	-18.66	PASS
	HCH	2480	-0.514	Off	-49.005	-20.51	PASS
			-0.075	On	-47.743	-20.08	PASS

Test Graphs


GFSK/LCH/No Hop




GFSK/LCH/Hop




GFSK/HCH/No Hop




GFSK/HCH/Hop




$\pi/4$ DQPSK/LCH/No
Hop



$\pi/4$ DQPSK/LCH/Hop




$\pi/4$ DQPSK/HCH/No
Hop



Frequency
Auto Tune
Center Freq
2.489000000 GHz
Start Freq
2.478000000 GHz
Stop Freq
2.500000000 GHz
CF Step
2.200000 MHz
Auto Man
Freq Offset
0 Hz

$\pi/4$ DQPSK/HCH/Hop




Frequency
Auto Tune
Center Freq
2.483500000 GHz
Start Freq
2.453500000 GHz
Stop Freq
2.513500000 GHz
CF Step
6.000000 MHz
Auto Man
Freq Offset
0 Hz


A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-43.22	2.0	0	54.01	PEAK	74	PASS
	Off	2310.0	-53.31	2.0	0	43.92	AV	54	PASS
	Off	2390.0	-42.28	2.0	0	54.95	PEAK	74	PASS
	Off	2390.0	-52.95	2.0	0	44.28	AV	54	PASS
	Off	2483.5	-40.94	2.0	0	56.29	PEAK	74	PASS
	Off	2483.5	-52.30	2.0	0	44.93	AV	54	PASS
	Off	2500.0	-42.23	2.0	0	55.00	PEAK	74	PASS
	Off	2500.0	-52.19	2.0	0	45.04	AV	54	PASS
$\pi/4$ DQPSK	Off	2310.0	-42.79	2.0	0	54.44	PEAK	74	PASS
	Off	2310.0	-53.19	2.0	0	44.04	AV	54	PASS
	Off	2390.0	-43.57	2.0	0	53.66	PEAK	74	PASS
	Off	2390.0	-52.91	2.0	0	44.32	AV	54	PASS
	Off	2483.5	-42.27	2.0	0	54.96	PEAK	74	PASS
	Off	2483.5	-52.26	2.0	0	44.97	AV	54	PASS
	Off	2500.0	-42.53	2.0	0	54.7	PEAK	74	PASS
	Off	2500.0	-52.23	2.0	0	45.00	AV	54	PASS


Restrict-band band-edge measurements_Hopping Off_GFSK_PEAK (Low Channel)




Restrict-band band-edge measurements_Hopping Off_GFSK_Average (Low Channel)




Restrict-band band-edge measurements_Hopping Off_GFSK_PEAK (High Channel)




Restrict-band band-edge measurements_Hopping Off_GFSK_Average (High Channel)




Restrict-band band-edge measurements_Hopping Off $\pi/4$ -DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off $\pi/4$ -DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)

