FCC ID 2ADK3XY-AU006

Functions:

- 1. Power Button, Music Play/Pause, Answer/End call/reject call
- 2. Vol-/Previous Track
- 3. Vol +/Next Track
- 4. Type-C charging port
- 5. Microphone mute
- 6. Bluetooth and Charge indicator LED

Tech Specifications:

BT Version: 5.1

Microphones: 3 Microphone Arrays

Mic sensitivity: -38dB

Voice pick-up Distance: 3 meters

Speaker: 2W

S/N Ratio (dB): >70db

Frequency range (Hz-KHz):150Hz-18KHz

Battery Capacity: 1200mAh

Charging time: about 3.5 hours

How to use speaker:

1. Bluetooth Setup:

Press and hold power button to turn ON the speaker ,Turn on the Bluetooth function on mobile device, select "Collab Speaker" pairing name.

Speaker will automatically pair if the mobile device has been paired before.

If disconnect Bluetooth after 5 mins, the speaker Bluetooth will auto shut off.

Long press Power button to turn off the speaker.

2. Portable conference microphone speaker:

When the speaker is on, the top LED will in breathing flicker in Blue color.

- 360 degree omnidirectional & 3 meters pick up distance.
- Short press power button to answer/end call,double press power button to reject a call
- Short press Microphone mute button to mute/unmute. The top LEDs will in solid BLUE when microphone is on , The top LEDs will in Solid RED when the microphone in mute state.

3. Play music:

Short press power button to Play/Pause music. Short press"+""-" to control volume long press"+""-" to control audio tracks. It will auto off after disconnect Bluetooth 5mins. Playback time is up to 6 hrs.

4. Charging the speaker

Connect the provided charging cable to a power source and to the Type-C port on the side of the speaker. Red LED light when charging the speaker, light turn OFF when fully charged.

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including

interference that may

cause undesired operation.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different
- from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be u sed in portable exposure condition without restriction