




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #30	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/06/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 12/48/25
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: Memory Playing	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.5623	43.12	-10.27	32.85	40.00	-7.15	QP			
2	69.1140	43.12	-16.00	27.12	40.00	-12.88	QP			
3	78.9651	45.00	-16.52	28.48	40.00	-11.52	QP			
4	122.8340	43.12	-13.37	29.75	43.50	-13.75	QP			
5	169.5989	43.50	-13.60	29.90	43.50	-13.60	QP			
6	264.7456	37.45	-10.20	27.25	46.00	-18.75	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #31

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: Memory Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/06/09/

Time: 12/59/42

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.2924	45.30	-9.61	35.69	40.00	-4.31	QP			
2	38.2120	46.54	-11.13	35.41	40.00	-4.59	QP			
3	39.9941	46.12	-11.53	34.59	40.00	-5.41	QP			
4	76.7806	53.10	-16.62	36.48	40.00	-3.52	QP			
5	82.0704	52.12	-16.01	36.11	40.00	-3.89	QP			
6	122.4038	50.13	-13.33	36.80	43.50	-6.70	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #5
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: USB Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 8/30/6
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.7486	43.57	-10.20	33.37	40.00	-6.63	QP			
2	41.4215	46.12	-11.85	34.27	40.00	-5.73	QP			
3	73.6170	49.21	-16.54	32.67	40.00	-7.33	QP			
4	123.6985	53.56	-13.48	40.08	43.50	-3.42	QP			
5	171.3925	48.45	-13.52	34.93	43.50	-8.57	QP			
6	239.9874	50.93	-10.62	40.31	46.00	-5.69	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #6	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 8/40/26
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: USB Playing	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	30.3170	45.48	-9.02	36.46	40.00	-3.54	QP			
2	32.4059	46.54	-9.65	36.89	40.00	-3.11	QP			
3	38.6160	47.66	-11.23	36.43	40.00	-3.57	QP			
4	84.9993	52.32	-15.33	36.99	40.00	-3.01	QP			
5	122.8340	53.24	-13.37	39.87	43.50	-3.63	QP			
6	925.7563	37.21	2.66	39.87	46.00	-6.13	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #7
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: AV IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 8/51/19
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	30.4237	44.41	-9.04	35.37	40.00	-4.63	QP			
2	34.3962	45.54	-10.24	35.30	40.00	-4.70	QP			
3	38.7518	46.54	-11.25	35.29	40.00	-4.71	QP			
4	78.1389	52.43	-16.56	35.87	40.00	-4.13	QP			
5	122.4038	51.45	-13.33	38.12	43.50	-5.38	QP			
6	169.5988	52.45	-13.60	38.85	43.50	-4.65	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #8	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 9/02/46
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: AV IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.8637	40.77	-10.21	30.56	40.00	-9.44	QP			
2	56.0007	38.42	-13.14	25.28	40.00	-14.72	QP			
3	74.3955	44.45	-16.63	27.82	40.00	-12.18	QP			
4	124.5690	50.12	-13.58	36.54	43.50	-6.96	QP			
5	168.4138	46.45	-13.79	32.66	43.50	-10.84	QP			
6	390.7226	36.12	-6.83	29.29	46.00	-16.71	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #9
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: VGA IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 9/10/40
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	31.9545	46.54	-10.12	36.42	40.00	-3.58	QP			
2	39.1615	39.45	-11.35	28.10	40.00	-11.90	QP			
3	74.1350	50.12	-16.59	33.53	40.00	-6.47	QP			
4	124.1329	52.45	-13.54	38.91	43.50	-4.59	QP			
5	186.4408	44.15	-12.53	31.62	43.50	-11.88	QP			
6	827.4933	37.15	1.30	38.45	46.00	-7.55	QP			

Job No.: Frank2017 #10
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: VGA IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 9/20/58
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	30.3171	45.15	-9.02	36.13	40.00	-3.87	QP			
2	38.6160	46.46	-11.23	35.23	40.00	-4.77	QP			
3	73.6170	51.15	-16.54	34.61	40.00	-5.39	QP			
4	80.6440	50.10	-16.31	33.79	40.00	-6.21	QP			
5	123.2655	53.10	-13.43	39.67	43.50	-3.83	QP			
6	173.2050	50.12	-13.50	36.62	43.50	-6.88	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #11
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: DP IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 9/32/09
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.3962	45.12	-10.24	34.88	40.00	-5.12	QP			
2	39.2991	47.41	-11.38	36.03	40.00	-3.97	QP			
3	40.2757	48.12	-11.60	36.52	40.00	-3.48	QP			
4	77.0503	52.12	-16.61	35.51	40.00	-4.49	QP			
5	81.2116	52.45	-16.20	36.25	40.00	-3.75	QP			
6	166.0680	53.11	-14.16	38.95	43.50	-4.55	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #12
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: DP IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 9/45/39
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.8637	45.15	-10.21	34.94	40.00	-5.06	QP			
2	55.6094	45.12	-13.06	32.06	40.00	-7.94	QP			
3	124.1329	52.12	-13.54	38.58	43.50	-4.92	QP			
4	166.0680	53.11	-14.16	38.95	43.50	-4.55	QP			
5	173.2050	52.12	-13.50	38.62	43.50	-4.88	QP			
6	193.7726	49.45	-12.34	37.11	43.50	-6.39	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #13	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 9/52/25
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: HDMI IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.8637	45.12	-10.21	34.91	40.00	-5.09	QP			
2	55.2207	42.45	-12.99	29.46	40.00	-10.54	QP			
3	79.8002	46.49	-16.47	30.02	40.00	-9.98	QP			
4	122.8340	44.45	-13.37	31.08	43.50	-12.42	QP			
5	168.4138	46.40	-13.79	32.61	43.50	-10.89	QP			
6	827.4933	39.95	1.30	41.25	46.00	-4.75	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #14	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 10/10/40
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: HDMI IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.5623	45.86	-9.99	35.87	40.00	-4.13	QP			
2	39.1613	47.45	-11.35	36.10	40.00	-3.90	QP			
3	52.5752	50.12	-12.77	37.35	40.00	-2.65	QP			
4	73.6170	52.12	-16.54	35.58	40.00	-4.42	QP			
5	122.4038	52.13	-13.33	38.80	43.50	-4.70	QP			
6	166.0680	52.78	-14.16	38.62	43.50	-4.88	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #15
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: Memory Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/09/
Time: 10/19/48
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.5623	46.12	-9.99	36.13	40.00	-3.87	QP			
2	39.1613	47.45	-11.35	36.10	40.00	-3.90	QP			
3	52.5752	49.12	-12.77	36.35	40.00	-3.65	QP			
4	80.0806	52.12	-16.44	35.68	40.00	-4.32	QP			
5	123.6984	53.10	-13.48	39.62	43.50	-3.88	QP			
6	166.0680	54.15	-14.16	39.99	43.50	-3.51	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #16	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 10/33/00
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: Memory Playing	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.8637	43.45	-10.21	33.24	40.00	-6.76	QP			
2	54.8348	42.10	-12.94	29.16	40.00	-10.84	QP			
3	83.2297	44.12	-15.73	28.39	40.00	-11.61	QP			
4	122.8340	46.01	-13.37	32.64	43.50	-10.86	QP			
5	193.7727	46.20	-12.34	33.86	43.50	-9.64	QP			
6	785.0934	35.02	0.46	35.48	46.00	-10.52	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #34

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: USB Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/06/10/

Time: 7/45/02

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5864.443	32.63	8.29	40.92	74.00	-33.08	peak			
2	5864.443	22.63	8.29	30.92	54.00	-23.08	AVG			
3	9781.602	28.37	16.68	45.05	74.00	-28.95	peak			
4	9781.602	18.37	16.68	35.05	54.00	-18.95	AVG			
5	11269.856	28.78	18.64	47.42	74.00	-26.58	peak			
6	11269.856	18.78	18.64	37.42	54.00	-16.58	AVG			
7	13211.689	-7.83	56.42	48.59	74.00	-25.41	peak			
8	13211.689	-17.83	56.42	38.59	54.00	-15.41	AVG			
9	15896.290	-9.19	58.54	49.35	74.00	-24.65	peak			
10	15896.290	-19.19	58.54	39.35	54.00	-14.65	AVG			
11	17948.048	-16.20	65.80	49.60	74.00	-24.40	peak			
12	17948.048	-26.20	65.80	39.60	54.00	-14.40	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #35

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: USB Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 17/06/10/

Time: 7/56/20

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	3856.668	37.86	1.56	39.42	74.00	-34.58	peak			
2	3856.668	27.86	1.56	29.42	54.00	-24.58	AVG			
3	6545.263	33.73	8.97	42.70	74.00	-31.30	peak			
4	6545.263	22.75	8.97	31.72	54.00	-22.28	AVG			
5	8153.195	33.06	13.21	46.27	74.00	-27.73	peak			
6	8153.195	23.42	13.21	36.63	54.00	-17.37	AVG			
7	10393.713	31.54	16.59	48.13	74.00	-25.87	peak			
8	10393.713	21.65	16.59	38.24	54.00	-15.76	AVG			
9	11533.485	28.46	20.13	48.59	74.00	-25.41	peak			
10	11533.485	19.10	20.13	39.23	54.00	-14.77	AVG			
11	15988.449	-8.11	58.59	50.48	74.00	-23.52	peak			
12	15988.449	-18.11	58.59	40.48	54.00	-13.52	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

 Job No.: Frank2017 #36
 Standard: FCC PK
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 23 C / 48 %
 EUT: Interactive Flat Panel
 Mode: AV IN
 Model: ST-750U
 Manufacturer: Recordex USA,Inc.

 Polarization: Horizontal
 Power Source: AC 120V/60Hz
 Date: 17/06/10/
 Time: 8/02/39
 Engineer Signature: Frank
 Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	3845.537	36.96	1.55	38.51	74.00	-35.49	peak			
2	3845.537	27.12	1.55	28.67	54.00	-25.33	AVG			
3	6231.427	31.40	8.69	40.09	74.00	-33.91	peak			
4	6231.427	21.43	8.69	30.12	54.00	-23.88	AVG			
5	9285.710	28.38	14.41	42.79	74.00	-31.21	peak			
6	9285.710	18.39	14.41	32.80	54.00	-21.20	AVG			
7	10729.481	29.23	16.59	45.82	74.00	-28.18	peak			
8	10729.481	20.00	16.59	36.59	54.00	-17.41	AVG			
9	11975.098	26.56	21.35	47.91	74.00	-26.09	peak			
10	11975.098	16.12	21.35	37.47	54.00	-16.53	AVG			
11	16457.318	-7.86	59.24	51.38	74.00	-22.62	peak			
12	16457.318	-17.86	59.24	41.38	54.00	-12.62	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #37
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: AV IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 8/10/47
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5002.496	31.50	6.29	37.79	74.00	-36.21	peak			
2	5002.496	22.15	6.29	28.44	54.00	-25.56	AVG			
3	7221.150	33.03	8.49	41.52	74.00	-32.48	peak			
4	7221.150	24.45	8.49	32.94	54.00	-21.06	AVG			
5	8688.481	31.50	12.61	44.11	74.00	-29.89	peak			
6	8688.481	22.45	12.61	35.06	54.00	-18.94	AVG			
7	12114.352	27.26	21.09	48.35	74.00	-25.65	peak			
8	12114.352	18.45	21.09	39.54	54.00	-14.46	AVG			
9	16988.970	-10.43	60.87	50.44	74.00	-23.56	peak			
10	16988.970	-20.43	60.87	40.44	54.00	-13.56	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #38

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: VGA IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/06/10/

Time: 8/22/01

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	9781.602	27.35	16.68	44.03	74.00	-29.97	peak			
2	9781.602	17.35	16.68	34.03	54.00	-19.97	AVG			
3	11400.908	24.79	19.60	44.39	74.00	-29.61	peak			
4	11400.908	14.79	19.60	34.39	54.00	-19.61	AVG			
5	12578.206	-8.77	55.09	46.32	74.00	-27.68	peak			
6	12578.206	-18.12	55.09	36.97	54.00	-17.03	AVG			
7	14450.131	-11.97	60.27	48.30	74.00	-25.70	peak			
8	14450.131	-22.12	60.27	38.15	54.00	-15.85	AVG			
9	16081.142	-9.34	58.71	49.37	74.00	-24.63	peak			
10	16081.142	-20.12	58.71	38.59	54.00	-15.41	AVG			
11	17386.383	-12.25	62.68	50.43	74.00	-23.57	peak			
12	17386.383	-22.25	62.68	40.43	54.00	-13.57	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #39
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: VGA IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 8/30/23
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	9393.689	30.03	15.48	45.51	74.00	-28.49	peak			
2	9393.689	20.45	15.48	35.93	54.00	-18.07	AVG			
3	11803.280	27.00	22.21	49.21	74.00	-24.79	peak			
4	11803.280	26.12	22.21	48.33	54.00	-5.67	AVG			
5	12326.274	-4.54	54.62	50.08	74.00	-23.92	peak			
6	12326.274	-14.54	54.62	40.08	54.00	-13.92	AVG			
7	13326.747	-6.52	56.65	50.13	74.00	-23.87	peak			
8	13326.747	-16.42	56.65	40.23	54.00	-13.77	AVG			
9	15354.388	-7.41	58.53	51.12	74.00	-22.88	peak			
10	15354.388	-17.12	58.53	41.41	54.00	-12.59	AVG			
11	17136.924	-9.56	61.53	51.97	74.00	-22.03	peak			
12	17136.924	-20.45	61.53	41.08	54.00	-12.92	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #40
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: DP IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 8/43/36
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	3834.438	38.38	1.54	39.92	74.00	-34.08	peak			
2	3834.438	29.15	1.54	30.69	54.00	-23.31	AVG			
3	6249.464	33.04	8.75	41.79	74.00	-32.21	peak			
4	6249.464	23.41	8.75	32.16	54.00	-21.84	AVG			
5	9285.710	30.26	14.41	44.67	74.00	-29.33	peak			
6	9285.710	20.45	14.41	34.86	54.00	-19.14	AVG			
7	13677.969	-7.87	57.42	49.55	74.00	-24.45	peak			
8	13677.969	-18.54	57.42	38.88	54.00	-15.12	AVG			
9	14788.154	-8.66	59.70	51.04	74.00	-22.96	peak			
10	14788.154	-19.45	59.70	40.25	54.00	-13.75	AVG			
11	17896.247	-15.33	65.50	50.17	74.00	-23.83	peak			
12	17896.247	-26.45	65.50	39.05	54.00	-14.95	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #41	Polarization: Vertical
Standard: FCC PK	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 8/53/50
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: DP IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	9099.724	30.63	13.00	43.63	74.00	-30.37	peak			
2	9099.724	20.63	13.00	33.63	54.00	-20.37	AVG			
3	11906.073	27.01	21.69	48.70	74.00	-25.30	peak			
4	11906.073	17.01	21.69	38.70	54.00	-15.30	AVG			
5	13173.558	-5.95	56.35	50.40	74.00	-23.60	peak			
6	13173.558	-16.45	56.35	39.90	54.00	-14.10	AVG			
7	15177.891	-7.80	58.81	51.01	74.00	-22.99	peak			
8	15177.891	-18.45	58.81	40.36	54.00	-13.64	AVG			
9	16745.214	-8.64	60.09	51.45	74.00	-22.55	peak			
10	16745.214	-19.54	60.09	40.55	54.00	-13.45	AVG			
11	17896.247	-13.16	65.50	52.34	74.00	-21.66	peak			
12	17896.247	-23.45	65.50	42.05	54.00	-11.95	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #42
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: HDMI IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 9/04/02
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	8343.918	29.99	13.26	43.25	74.00	-30.75	peak			
2	8343.918	20.12	13.26	33.38	54.00	-20.62	AVG			
3	9895.349	28.88	16.97	45.85	74.00	-28.15	peak			
4	9895.349	19.45	16.97	36.42	54.00	-17.58	AVG			
5	11803.280	26.97	22.21	49.18	74.00	-24.82	peak			
6	11803.280	16.97	22.21	39.18	54.00	-14.82	AVG			
7	13326.747	-4.54	56.65	52.11	74.00	-21.89	peak			
8	13326.747	-14.54	56.65	42.11	54.00	-11.89	AVG			
9	14660.479	-7.51	60.05	52.54	74.00	-21.46	peak			
10	14660.479	-17.51	60.05	42.54	54.00	-11.46	AVG			
11	17639.473	-12.05	64.01	51.96	74.00	-22.04	peak			
12	17639.473	-22.05	64.01	41.96	54.00	-12.04	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #43
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: HDMI IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 9/14/16
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	10606.147	29.65	16.25	45.90	74.00	-28.10	peak			
2	10606.147	20.31	16.25	36.56	54.00	-17.44	AVG			
3	12361.953	-7.22	54.68	47.46	74.00	-26.54	peak			
4	12361.953	-18.12	54.68	36.56	54.00	-17.44	AVG			
5	13097.624	-7.40	56.20	48.80	74.00	-25.20	peak			
6	13097.624	-17.40	56.20	38.80	54.00	-15.20	AVG			
7	15310.072	-8.01	58.60	50.59	74.00	-23.41	peak			
8	15310.072	-18.01	58.60	40.59	54.00	-13.41	AVG			
9	16842.294	-9.29	60.40	51.11	74.00	-22.89	peak			
10	16842.294	-20.12	60.40	40.28	54.00	-13.72	AVG			
11	18000.000	-14.71	66.10	51.39	74.00	-22.61	peak			
12	18000.000	-24.71	66.10	41.39	54.00	-12.61	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #44
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: Memory Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 9/25/28
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	9047.272	32.97	12.72	45.69	74.00	-28.31	peak			
2	9047.272	23.45	12.72	36.17	54.00	-17.83	AVG			
3	10917.177	30.53	16.94	47.47	74.00	-26.53	peak			
4	10917.177	21.20	16.94	38.14	54.00	-15.86	AVG			
5	11906.073	29.01	21.69	50.70	74.00	-23.30	peak			
6	11906.073	20.01	21.69	41.70	54.00	-12.30	AVG			
7	13326.747	-6.27	56.65	50.38	74.00	-23.62	peak			
8	13326.747	-17.12	56.65	39.53	54.00	-14.47	AVG			
9	16409.819	-8.08	59.18	51.10	74.00	-22.90	peak			
10	16409.819	-18.08	59.18	41.10	54.00	-12.90	AVG			
11	17690.531	-13.19	64.30	51.11	74.00	-22.89	peak			
12	17690.531	-23.12	64.30	41.18	54.00	-12.82	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #45
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: Memory Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 9/34/42
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	7096.999	33.85	8.92	42.77	74.00	-31.23	peak			
2	7096.999	24.54	8.92	33.46	54.00	-20.54	AVG			
3	10215.017	27.22	16.66	43.88	74.00	-30.12	peak			
4	10215.017	18.45	16.66	35.11	54.00	-18.89	AVG			
5	12397.735	-8.80	54.75	45.95	74.00	-28.05	peak			
6	12397.735	-18.80	54.75	35.95	54.00	-18.05	AVG			
7	14450.131	-11.22	60.27	49.05	74.00	-24.95	peak			
8	14450.131	-21.22	60.27	39.05	54.00	-14.95	AVG			
9	16127.689	-8.65	58.78	50.13	74.00	-23.87	peak			
10	16127.689	-18.65	58.78	40.13	54.00	-13.87	AVG			
11	17436.709	-12.79	62.91	50.12	74.00	-23.88	peak			
12	17436.709	-22.79	62.91	40.12	54.00	-13.88	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #48

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: USB Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Horizontal

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 10/05/35

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	10854.250	31.19	16.86	48.05	74.00	-25.95	peak			
2	10854.250	22.12	16.86	38.98	54.00	-15.02	AVG			
3	12326.274	-5.22	54.62	49.40	74.00	-24.60	peak			
4	12326.274	-16.12	54.62	38.50	54.00	-15.50	AVG			
5	14284.028	-9.40	59.51	50.11	74.00	-23.89	peak			
6	14284.028	-20.12	59.51	39.39	54.00	-14.61	AVG			
7	15134.085	-8.73	58.88	50.15	74.00	-23.85	peak			
8	15134.085	-19.12	58.88	39.76	54.00	-14.24	AVG			
9	16745.214	-9.66	60.09	50.43	74.00	-23.57	peak			
10	16745.214	-20.12	60.09	39.97	54.00	-14.03	AVG			
11	17844.595	-14.76	65.19	50.43	74.00	-23.57	peak			
12	17844.595	-25.45	65.19	39.74	54.00	-14.26	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #49

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: USB Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 10/15/49

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	6303.889	31.15	8.91	40.06	74.00	-33.94	peak			
2	6303.889	21.15	8.91	30.06	54.00	-23.94	AVG			
3	9339.543	27.59	14.94	42.53	74.00	-31.47	peak			
4	9339.543	17.59	14.94	32.53	54.00	-21.47	AVG			
5	13599.128	-9.21	57.24	48.03	74.00	-25.97	peak			
6	13599.128	-19.21	57.24	38.03	54.00	-15.97	AVG			
7	14702.914	-9.88	59.93	50.05	74.00	-23.95	peak			
8	14702.914	-19.88	59.93	40.05	54.00	-13.95	AVG			
9	16552.729	-8.42	59.47	51.05	74.00	-22.95	peak			
10	16552.729	-18.42	59.47	41.05	54.00	-12.95	AVG			
11	17896.247	-13.67	65.50	51.83	74.00	-22.17	peak			
12	17896.247	-24.54	65.50	40.96	54.00	-13.04	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #50
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: AV IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/10/
Time: 10/26/10
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	7263.015	32.59	8.61	41.20	74.00	-32.80	peak			
2	7263.015	22.45	8.61	31.06	54.00	-22.94	AVG			
3	10097.596	28.42	16.96	45.38	74.00	-28.62	peak			
4	10097.596	19.13	16.96	36.09	54.00	-17.91	AVG			
5	11400.908	26.29	19.60	45.89	74.00	-28.11	peak			
6	11400.908	18.12	19.60	37.72	54.00	-16.28	AVG			
7	13717.561	-9.40	57.52	48.12	74.00	-25.88	peak			
8	13717.561	-19.40	57.52	38.12	54.00	-15.88	AVG			
9	15310.072	-9.54	58.60	49.06	74.00	-24.94	peak			
10	15310.072	-19.54	58.60	39.06	54.00	-14.94	AVG			
11	17793.091	-15.22	64.90	49.68	74.00	-24.32	peak			
12	17793.091	-25.22	64.90	39.68	54.00	-14.32	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #51
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: AV IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 240V/60Hz
Date: 17/06/10/
Time: 10/38/18
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	8416.584	31.77	13.24	45.01	74.00	-28.99	peak			
2	8416.584	22.12	13.24	35.36	54.00	-18.64	AVG			
3	10854.250	29.88	16.86	46.74	74.00	-27.26	peak			
4	10854.250	20.12	16.86	36.98	54.00	-17.02	AVG			
5	12578.206	-5.48	55.09	49.61	74.00	-24.39	peak			
6	12578.206	-15.63	55.09	39.46	54.00	-14.54	AVG			
7	14242.802	-9.51	59.32	49.81	74.00	-24.19	peak			
8	14242.802	-20.12	59.32	39.20	54.00	-14.80	AVG			
9	16504.954	-8.47	59.31	50.84	74.00	-23.16	peak			
10	16504.954	-19.12	59.31	40.19	54.00	-13.81	AVG			
11	17948.048	-14.64	65.80	51.16	74.00	-22.84	peak			
12	17948.048	-25.12	65.80	40.68	54.00	-13.32	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #52	Polarization: Horizontal
Standard: FCC PK	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 10/48/36
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: VGA IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	11140.310	27.80	17.80	45.60	74.00	-28.40	peak			
2	11140.310	18.12	17.80	35.92	54.00	-18.08	AVG			
3	13957.529	-8.32	58.10	49.78	74.00	-24.22	peak			
4	13957.529	-19.21	58.10	38.89	54.00	-15.11	AVG			
5	15046.851	-8.62	59.03	50.41	74.00	-23.59	peak			
6	15046.851	-19.05	59.03	39.98	54.00	-14.02	AVG			
7	15896.290	-8.05	58.54	50.49	74.00	-23.51	peak			
8	15896.290	-19.12	58.54	39.42	54.00	-14.58	AVG			
9	16457.318	-8.69	59.24	50.55	74.00	-23.45	peak			
10	16457.318	-19.15	59.24	40.09	54.00	-13.91	AVG			
11	17896.247	-14.83	65.50	50.67	74.00	-23.33	peak			
12	17896.247	-25.50	65.50	40.00	54.00	-14.00	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #53

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: VGA IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 11/01/46

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	9047.272	32.27	12.72	44.99	74.00	-29.01	peak			
2	9047.272	23.12	12.72	35.84	54.00	-18.16	AVG			
3	13442.808	-8.15	56.88	48.73	74.00	-25.27	peak			
4	13442.808	-19.21	56.88	37.67	54.00	-16.33	AVG			
5	14119.835	-9.41	58.75	49.34	74.00	-24.66	peak			
6	14119.835	-20.12	58.75	38.63	54.00	-15.37	AVG			
7	15354.388	-7.41	58.53	51.12	74.00	-22.88	peak			
8	15354.388	-18.12	58.53	40.41	54.00	-13.59	AVG			
9	16793.683	-9.39	60.24	50.85	74.00	-23.15	peak			
10	16793.683	-20.12	60.24	40.12	54.00	-13.88	AVG			
11	17741.737	-13.85	64.60	50.75	74.00	-23.25	peak			
12	17741.737	-24.15	64.60	40.45	54.00	-13.55	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #54

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: DP IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 11/07/19

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	11940.535	27.71	21.53	49.24	74.00	-24.76	peak			
2	11940.535	18.15	21.53	39.68	54.00	-14.32	AVG			
3	12798.243	-6.34	55.57	49.23	74.00	-24.77	peak			
4	12798.243	-17.21	55.57	38.36	54.00	-15.64	AVG			
5	14450.131	-8.84	60.27	51.43	74.00	-22.57	peak			
6	14450.131	-19.12	60.27	41.15	54.00	-12.85	AVG			
7	15265.885	-7.68	58.68	51.00	74.00	-23.00	peak			
8	15265.885	-17.20	58.68	41.48	54.00	-12.52	AVG			
9	16696.884	-9.15	59.93	50.78	74.00	-23.22	peak			
10	16696.884	-20.12	59.93	39.81	54.00	-14.19	AVG			
11	17741.737	-13.81	64.60	50.79	74.00	-23.21	peak			
12	17741.737	-23.54	64.60	41.06	54.00	-12.94	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #55

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: DP IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Horizontal

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 11/17/32

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	11735.245	25.11	21.61	46.72	74.00	-27.28	peak			
2	11735.245	15.54	21.61	37.15	54.00	-16.85	AVG			
3	13559.879	-7.62	57.15	49.53	74.00	-24.47	peak			
4	13559.879	-18.12	57.15	39.03	54.00	-14.97	AVG			
5	14284.028	-10.04	59.51	49.47	74.00	-24.53	peak			
6	14284.028	-20.12	59.51	39.39	54.00	-14.61	AVG			
7	15804.663	-8.89	58.48	49.59	74.00	-24.41	peak			
8	15804.663	-19.12	58.48	39.36	54.00	-14.64	AVG			
9	17236.275	-11.86	61.99	50.13	74.00	-23.87	peak			
10	17236.275	-22.15	61.99	39.84	54.00	-14.16	AVG			
11	17896.247	-14.78	65.50	50.72	74.00	-23.28	peak			
12	17896.247	-25.54	65.50	39.96	54.00	-14.04	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Frank2017 #56

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: HDMI IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Horizontal

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 11/25/47

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	10484.230	31.42	16.43	47.85	74.00	-26.15	peak			
2	10484.230	22.10	16.43	38.53	54.00	-15.47	AVG			
3	12009.761	26.65	21.22	47.87	74.00	-26.13	peak			
4	12009.761	17.21	21.22	38.43	54.00	-15.57	AVG			
5	14408.425	-11.61	60.08	48.47	74.00	-25.53	peak			
6	14408.425	-21.61	60.08	38.47	54.00	-15.53	AVG			
7	15942.303	-9.18	58.56	49.38	74.00	-24.62	peak			
8	15942.303	-20.12	58.56	38.44	54.00	-15.56	AVG			
9	16988.970	-11.22	60.87	49.65	74.00	-24.35	peak			
10	16988.970	-22.12	60.87	38.75	54.00	-15.25	AVG			
11	17896.247	-16.62	65.50	48.88	74.00	-25.12	peak			
12	17896.247	-26.12	65.50	39.38	54.00	-14.62	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #57
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: HDMI IN
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/10/
Time: 11/36/55
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	10885.668	29.80	16.91	46.71	74.00	-27.29	peak			
2	10885.668	20.40	16.91	37.31	54.00	-16.69	AVG			
3	11975.098	25.45	21.35	46.80	74.00	-27.20	peak			
4	11975.098	15.15	21.35	36.50	54.00	-17.50	AVG			
5	13481.719	-8.52	56.96	48.44	74.00	-25.56	peak			
6	13481.719	-18.00	56.96	38.96	54.00	-15.04	AVG			
7	14702.914	-10.48	59.93	49.45	74.00	-24.55	peak			
8	14702.914	-20.54	59.93	39.39	54.00	-14.61	AVG			
9	15988.449	-9.09	58.59	49.50	74.00	-24.50	peak			
10	15988.449	-20.45	58.59	38.14	54.00	-15.86	AVG			
11	17537.798	-13.65	63.42	49.77	74.00	-24.23	peak			
12	17537.798	-24.30	63.42	39.12	54.00	-14.88	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #58
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: Memory Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Vertical
Power Source: AC 240V/60Hz
Date: 17/06/10/
Time: 11/45/24
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	12326.274	-5.91	54.62	48.71	74.00	-25.29	peak			
2	12326.274	-16.45	54.62	38.17	54.00	-15.83	AVG			
3	13957.529	-7.50	58.10	50.60	74.00	-23.40	peak			
4	13957.529	-18.12	58.10	39.98	54.00	-14.02	AVG			
5	15003.422	-8.62	59.09	50.47	74.00	-23.53	peak			
6	15003.422	-19.54	59.09	39.55	54.00	-14.45	AVG			
7	15488.107	-7.59	58.31	50.72	74.00	-23.28	peak			
8	15488.107	-18.41	58.31	39.90	54.00	-14.10	AVG			
9	16221.189	-8.21	58.91	50.70	74.00	-23.30	peak			
10	16221.189	-19.12	58.91	39.79	54.00	-14.21	AVG			
11	17844.595	-12.71	65.19	52.48	74.00	-21.52	peak			
12	17844.595	-22.30	65.19	42.89	54.00	-11.11	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #59
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: Memory Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 240V/60Hz
Date: 17/06/10/
Time: 11/58/34
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	10453.971	32.12	16.49	48.61	74.00	-25.39	peak			
2	10453.971	23.15	16.49	39.64	54.00	-14.36	AVG			
3	11302.477	29.51	18.88	48.39	74.00	-25.61	peak			
4	11302.477	10.54	18.88	29.42	54.00	-24.58	AVG			
5	13022.129	-6.58	56.05	49.47	74.00	-24.53	peak			
6	13022.129	-17.00	56.05	39.05	54.00	-14.95	AVG			
7	15090.405	-9.04	58.96	49.92	74.00	-24.08	peak			
8	15090.405	-20.12	58.96	38.84	54.00	-15.16	AVG			
9	16268.142	-9.41	58.97	49.56	74.00	-24.44	peak			
10	16268.142	-20.13	58.97	38.84	54.00	-15.16	AVG			
11	17690.531	-13.74	64.30	50.56	74.00	-23.44	peak			
12	17690.531	-24.45	64.30	39.85	54.00	-14.15	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #76
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Interactive Flat Panel
Mode: USB Playing
Model: ST-750U
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 17/06/10/
Time: 15/42/04
Engineer Signature: Frank
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18266.506	11.70	37.96	49.66	74.00	-24.34	peak			
2	18266.506	2.12	37.96	40.08	54.00	-13.92	AVG			
3	18920.869	12.23	37.12	49.35	74.00	-24.65	peak			
4	18920.869	3.12	37.12	40.24	54.00	-13.76	AVG			
5	19896.542	11.12	38.22	49.34	74.00	-24.66	peak			
6	19896.542	2.12	38.22	40.34	54.00	-13.66	AVG			
7	21052.405	10.23	38.42	48.65	74.00	-25.35	peak			
8	21052.405	1.12	38.42	39.54	54.00	-14.46	AVG			
9	23578.595	9.54	40.10	49.64	74.00	-24.36	peak			
10	23578.595	1.00	40.10	41.10	54.00	-12.90	AVG			
11	25356.944	9.70	39.92	49.62	74.00	-24.38	peak			
12	25356.944	1.02	39.92	40.94	54.00	-13.06	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #77

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: USB Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/06/10/

Time: 15/48/06

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18351.483	12.02	37.78	49.80	74.00	-24.20	peak			
2	18351.483	3.12	37.78	40.90	54.00	-13.10	AVG			
3	18928.188	12.54	37.12	49.66	74.00	-24.34	peak			
4	18928.188	5.21	37.12	42.33	54.00	-11.67	AVG			
5	19881.157	11.60	38.20	49.80	74.00	-24.20	peak			
6	19881.157	2.14	38.20	40.34	54.00	-13.66	AVG			
7	21455.193	10.10	38.50	48.60	74.00	-25.40	peak			
8	21455.193	2.01	38.50	40.51	54.00	-13.49	AVG			
9	22684.049	9.47	39.74	49.21	74.00	-24.79	peak			
10	22684.049	1.03	39.74	40.77	54.00	-13.23	AVG			
11	24651.018	9.49	39.78	49.27	74.00	-24.73	peak			
12	24651.018	1.45	39.78	41.23	54.00	-12.77	AVG			