



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #78

Standard: FCC PK

Test item: Radiation Test

Temp.( C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: AV IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/06/10/

Time: 15/56/14

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18408.354	11.34	37.65	48.99	74.00	-25.01	peak			
2	18408.354	2.12	37.65	39.77	54.00	-14.23	AVG			
3	19455.176	11.04	37.65	48.69	74.00	-25.31	peak			
4	19455.176	2.10	37.65	39.75	54.00	-14.25	AVG			
5	20395.197	11.30	38.28	49.58	74.00	-24.42	peak			
6	20395.197	2.45	38.28	40.73	54.00	-13.27	AVG			
7	22886.742	9.51	39.64	49.15	74.00	-24.85	peak			
8	22886.742	1.54	39.64	41.18	54.00	-12.82	AVG			
9	24651.018	9.99	39.78	49.77	74.00	-24.23	peak			
10	24651.018	2.01	39.78	41.79	54.00	-12.21	AVG			
11	26367.091	8.82	40.43	49.25	74.00	-24.75	peak			
12	26367.091	1.03	40.43	41.46	54.00	-12.54	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #79  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: AV IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal  
Power Source: AC 120V/60Hz  
Date: 17/06/10/  
Time: 16/12/23  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18104.732	11.72	38.33	50.05	74.00	-23.95	peak			
2	18104.732	2.34	38.33	40.67	54.00	-13.33	AVG			
3	18408.354	12.34	37.65	49.99	74.00	-24.01	peak			
4	18408.354	3.12	37.65	40.77	54.00	-13.23	AVG			
5	19819.736	11.59	38.12	49.71	74.00	-24.29	peak			
6	19819.736	2.10	38.12	40.22	54.00	-13.78	AVG			
7	21781.279	11.11	39.01	50.12	74.00	-23.88	peak			
8	21781.279	2.12	39.01	41.13	54.00	-12.87	AVG			
9	23396.907	8.53	39.95	48.48	74.00	-25.52	peak			
10	23396.907	1.00	39.95	40.95	54.00	-13.05	AVG			
11	25083.819	9.77	39.78	49.55	74.00	-24.45	peak			
12	25083.819	2.00	39.78	41.78	54.00	-12.22	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A.Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #80  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: VGA IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal  
Power Source: AC 120V/60Hz  
Date: 17/06/10/  
Time: 16/21/30  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18365.684	11.86	37.74	49.60	74.00	-24.40	peak			
2	18365.684	2.12	37.74	39.86	54.00	-14.14	AVG			
3	19097.320	12.70	37.19	49.89	74.00	-24.11	peak			
4	19097.320	3.10	37.19	40.29	54.00	-13.71	AVG			
5	20206.753	11.31	38.31	49.62	74.00	-24.38	peak			
6	20206.753	2.12	38.31	40.43	54.00	-13.57	AVG			
7	21764.437	10.48	38.98	49.46	74.00	-24.54	peak			
8	21764.437	1.21	38.98	40.19	54.00	-13.81	AVG			
9	23342.674	9.75	39.89	49.64	74.00	-24.36	peak			
10	23342.674	0.10	39.89	39.99	54.00	-14.01	AVG			
11	25317.745	9.71	39.90	49.61	74.00	-24.39	peak			
12	25317.745	0.54	39.90	40.44	54.00	-13.56	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #81  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: VGA IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Vertical  
Power Source: AC 120V/60Hz  
Date: 17/06/10/  
Time: 16/32/32  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18210.074	11.68	38.09	49.77	74.00	-24.23	peak			
2	18210.074	2.12	38.09	40.21	54.00	-13.79	AVG			
3	18746.047	12.38	37.26	49.64	74.00	-24.36	peak			
4	18746.047	3.42	37.26	40.68	54.00	-13.32	AVG			
5	19996.835	10.42	38.35	48.77	74.00	-25.23	peak			
6	19996.835	1.42	38.35	39.77	54.00	-14.23	AVG			
7	20793.451	10.75	38.35	49.10	74.00	-24.90	peak			
8	20793.451	2.41	38.35	40.76	54.00	-13.24	AVG			
9	21756.020	11.31	38.97	50.28	74.00	-23.72	peak			
10	21756.020	2.10	38.97	41.07	54.00	-12.93	AVG			
11	24527.382	10.98	39.80	50.78	74.00	-23.22	peak			
12	24527.382	1.00	39.80	40.80	54.00	-13.20	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #82  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: DP IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Vertical  
Power Source: AC 120V/60Hz  
Date: 17/06/10/  
Time: 16/39/46  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18210.074	11.68	38.09	49.77	74.00	-24.23	peak			
2	18210.074	2.14	38.09	40.23	54.00	-13.77	AVG			
3	19060.424	12.55	37.14	49.69	74.00	-24.31	peak			
4	19060.424	3.23	37.14	40.37	54.00	-13.63	AVG			
5	20355.793	11.45	38.29	49.74	74.00	-24.26	peak			
6	20355.793	2.12	38.29	40.41	54.00	-13.59	AVG			
7	22474.458	9.41	39.81	49.22	74.00	-24.78	peak			
8	22474.458	1.12	39.81	40.93	54.00	-13.07	AVG			
9	24020.422	8.92	40.39	49.31	74.00	-24.69	peak			
10	24020.422	0.45	40.39	40.84	54.00	-13.16	AVG			
11	25298.168	9.41	39.89	49.30	74.00	-24.70	peak			
12	25298.168	1.21	39.89	41.10	54.00	-12.90	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #83	Polarization: Horizontal
Standard: FCC PK	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.( C)/Hum.(%) 23 C / 48 %	Time: 16/50/49
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: DP IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18188.957	11.65	38.14	49.79	74.00	-24.21	peak			
2	18188.957	3.15	38.14	41.29	54.00	-12.71	AVG			
3	19008.890	12.71	37.07	49.78	74.00	-24.22	peak			
4	19008.890	4.12	37.07	41.19	54.00	-12.81	AVG			
5	20292.906	11.50	38.29	49.79	74.00	-24.21	peak			
6	20292.906	3.12	38.29	41.41	54.00	-12.59	AVG			
7	21823.442	10.44	39.09	49.53	74.00	-24.47	peak			
8	21823.442	2.45	39.09	41.54	54.00	-12.46	AVG			
9	23761.693	8.91	40.24	49.15	74.00	-24.85	peak			
10	23761.693	1.54	40.24	41.78	54.00	-12.22	AVG			
11	25366.753	9.21	39.93	49.14	74.00	-24.86	peak			
12	25366.753	1.32	39.93	41.25	54.00	-12.75	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #84	Polarization: Horizontal
Standard: FCC PK	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.( C)/Hum.(%) 23 C / 48 %	Time: 17/02/56
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: HDMI IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18358.583	11.01	37.76	48.77	74.00	-25.23	peak			
2	18358.583	2.45	37.76	40.21	54.00	-13.79	AVG			
3	19958.201	10.55	38.31	48.86	74.00	-25.14	peak			
4	19958.201	1.74	38.31	40.05	54.00	-13.95	AVG			
5	21865.686	10.27	39.16	49.43	74.00	-24.57	peak			
6	21865.686	1.45	39.16	40.61	54.00	-13.39	AVG			
7	24958.013	8.88	39.75	48.63	74.00	-25.37	peak			
8	24958.013	0.65	39.75	40.40	54.00	-13.60	AVG			
9	25762.251	8.39	40.13	48.52	74.00	-25.48	peak			
10	25762.251	0.10	40.13	40.23	54.00	-13.77	AVG			
11	26305.974	8.28	40.40	48.68	74.00	-25.32	peak			
12	26305.974	0.45	40.40	40.85	54.00	-13.15	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #85

Standard: FCC PK

Test item: Radiation Test

Temp.( C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: HDMI IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/06/10/

Time: 17/11/58

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18181.923	10.22	38.16	48.38	74.00	-25.62	peak			
2	18181.923	1.54	38.16	39.70	54.00	-14.30	AVG			
3	19193.584	10.61	37.31	47.92	74.00	-26.08	peak			
4	19193.584	1.54	37.31	38.85	54.00	-15.15	AVG			
5	20355.793	10.45	38.29	48.74	74.00	-25.26	peak			
6	20355.793	1.87	38.29	40.16	54.00	-13.84	AVG			
7	22684.049	8.97	39.74	48.71	74.00	-25.29	peak			
8	22684.049	0.54	39.74	40.28	54.00	-13.72	AVG			
9	24508.417	9.44	39.80	49.24	74.00	-24.76	peak			
10	24508.417	0.86	39.80	40.66	54.00	-13.34	AVG			
11	25722.426	9.10	40.11	49.21	74.00	-24.79	peak			
12	25722.426	0.86	40.11	40.97	54.00	-13.03	AVG			





**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #86  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: Memory Playing  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Vertical  
Power Source: AC 120V/60Hz  
Date: 17/06/10/  
Time: 17/23/10  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18287.714	11.03	37.92	48.95	74.00	-25.05	peak			
2	18287.714	2.54	37.92	40.46	54.00	-13.54	AVG			
3	19097.320	11.20	37.19	48.39	74.00	-25.61	peak			
4	19097.320	2.65	37.19	39.84	54.00	-14.16	AVG			
5	20809.542	10.06	38.36	48.42	74.00	-25.58	peak			
6	20809.542	1.45	38.36	39.81	54.00	-14.19	AVG			
7	21756.020	10.31	38.97	49.28	74.00	-24.72	peak			
8	21756.020	1.56	38.97	40.53	54.00	-13.47	AVG			
9	23642.518	9.12	40.15	49.27	74.00	-24.73	peak			
10	23642.518	0.90	40.15	41.05	54.00	-12.95	AVG			
11	24986.989	9.51	39.74	49.25	74.00	-24.75	peak			
12	24986.989	0.80	39.74	40.54	54.00	-13.46	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #87  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: Memory Playing  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal  
Power Source: AC 120V/60Hz  
Date: 17/06/10/  
Time: 17/33/13  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18287.714	10.03	37.92	47.95	74.00	-26.05	peak			
2	18287.714	1.20	37.92	39.12	54.00	-14.88	AVG			
3	19097.320	9.70	37.19	46.89	74.00	-27.11	peak			
4	19097.320	0.80	37.19	37.99	54.00	-16.01	AVG			
5	20585.398	9.91	38.28	48.19	74.00	-25.81	peak			
6	20585.398	0.60	38.28	38.88	54.00	-15.12	AVG			
7	21891.072	9.34	39.20	48.54	74.00	-25.46	peak			
8	21891.072	0.40	39.20	39.60	54.00	-14.40	AVG			
9	23126.997	9.86	39.69	49.55	74.00	-24.45	peak			
10	23126.997	0.80	39.69	40.49	54.00	-13.51	AVG			
11	24376.067	9.58	39.96	49.54	74.00	-24.46	peak			
12	24376.067	0.80	39.96	40.76	54.00	-13.24	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #62

Standard: FCC PK

Test item: Radiation Test

Temp.( C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: USB Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Horizontal

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 13/25/33

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18358.583	12.96	37.76	50.72	74.00	-23.28	peak			
2	18358.583	3.12	37.76	40.88	54.00	-13.12	AVG			
3	19023.600	12.73	37.09	49.82	74.00	-24.18	peak			
4	19023.600	3.54	37.09	40.63	54.00	-13.37	AVG			
5	20285.059	12.88	38.30	51.18	74.00	-22.82	peak			
6	20285.059	4.12	38.30	42.42	54.00	-11.58	AVG			
7	21496.724	11.11	38.51	49.62	74.00	-24.38	peak			
8	21496.724	2.12	38.51	40.63	54.00	-13.37	AVG			
9	21713.988	12.01	38.89	50.90	74.00	-23.10	peak			
10	21713.988	3.12	38.89	42.01	54.00	-11.99	AVG			
11	24479.996	10.14	39.83	49.97	74.00	-24.03	peak			
12	24479.996	2.40	39.83	42.23	54.00	-11.77	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #63  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: USB Playing  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Vertical  
Power Source: AC 240V/60Hz  
Date: 17/06/10/  
Time: 13/34/36  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21713.988	11.51	38.89	50.40	74.00	-23.60	peak			
2	21713.988	2.10	38.89	40.99	54.00	-13.01	AVG			
3	22483.152	10.19	39.81	50.00	74.00	-24.00	peak			
4	22483.152	1.54	39.81	41.35	54.00	-12.65	AVG			
5	23605.969	9.83	40.12	49.95	74.00	-24.05	peak			
6	23605.969	1.12	40.12	41.24	54.00	-12.76	AVG			
7	24861.668	10.54	39.76	50.30	74.00	-23.70	peak			
8	24861.668	2.10	39.76	41.86	54.00	-12.14	AVG			
9	25239.528	10.95	39.86	50.81	74.00	-23.19	peak			
10	25239.528	1.50	39.86	41.36	54.00	-12.64	AVG			
11	26174.038	9.47	40.33	49.80	74.00	-24.20	peak			
12	26174.038	1.20	40.33	41.53	54.00	-12.47	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #64

Standard: FCC PK

Test item: Radiation Test

Temp.( C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: AV IN

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Horizontal

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 13/41/45

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18174.892	11.78	38.17	49.95	74.00	-24.05	peak			
2	18174.892	2.10	38.17	40.27	54.00	-13.73	AVG			
3	19372.579	12.41	37.54	49.95	74.00	-24.05	peak			
4	19372.579	3.10	37.54	40.64	54.00	-13.36	AVG			
5	21397.183	11.42	38.49	49.91	74.00	-24.09	peak			
6	21397.183	2.12	38.49	40.61	54.00	-13.39	AVG			
7	23189.696	10.13	39.75	49.88	74.00	-24.12	peak			
8	23189.696	1.52	39.75	41.27	54.00	-12.73	AVG			
9	24670.094	10.14	39.78	49.92	74.00	-24.08	peak			
10	24689.185	1.50	39.78	41.28	54.00	-12.72	AVG			
11	26346.703	8.99	40.42	49.41	74.00	-24.59	peak			
12	26346.703	0.40	40.42	40.82	54.00	-13.18	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #65  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: AV IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Vertical  
Power Source: AC 240V/60Hz  
Date: 17/06/10/  
Time: 13/50/48  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18055.782	11.86	38.43	50.29	74.00	-23.71	peak			
2	18055.782	2.12	38.43	40.55	54.00	-13.45	AVG			
3	18365.684	14.04	37.74	51.78	74.00	-22.22	peak			
4	18365.684	5.12	37.74	42.86	54.00	-11.14	AVG			
5	18746.047	13.88	37.26	51.14	74.00	-22.86	peak			
6	18746.047	4.12	37.26	41.38	54.00	-12.62	AVG			
7	19651.805	11.86	37.90	49.76	74.00	-24.24	peak			
8	19651.805	2.40	37.90	40.30	54.00	-13.70	AVG			
9	22379.043	10.87	39.73	50.60	74.00	-23.40	peak			
10	22379.043	1.52	39.73	41.25	54.00	-12.75	AVG			
11	25425.689	10.09	39.96	50.05	74.00	-23.95	peak			
12	25425.689	2.10	39.96	42.06	54.00	-11.94	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #66  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: VGA IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal  
Power Source: AC 240V/60Hz  
Date: 17/06/10/  
Time: 14/00/59  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18203.032	12.66	38.11	50.77	74.00	-23.23	peak			
2	18203.032	2.66	38.11	40.77	54.00	-13.23	AVG			
3	18365.684	13.54	37.74	51.28	74.00	-22.72	peak			
4	18365.684	2.54	37.74	40.28	54.00	-13.72	AVG			
5	18746.047	12.88	37.26	50.14	74.00	-23.86	peak			
6	18746.047	3.12	37.26	40.38	54.00	-13.62	AVG			
7	20253.700	11.42	38.30	49.72	74.00	-24.28	peak			
8	20253.700	2.12	38.30	40.42	54.00	-13.58	AVG			
9	21975.905	10.13	39.36	49.49	74.00	-24.51	peak			
10	21975.905	1.21	39.36	40.57	54.00	-13.43	AVG			
11	23118.054	11.14	39.69	50.83	74.00	-23.17	peak			
12	23118.054	2.01	39.69	41.70	54.00	-12.30	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #67	Polarization: Vertical
Standard: FCC PK	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.( C)/Hum.(%) 23 C / 48 %	Time: 14/11/03
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: VGA IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18055.782	10.86	38.43	49.29	74.00	-24.71	peak			
2	18055.782	1.54	38.43	39.97	54.00	-14.03	AVG			
3	18702.595	11.69	37.29	48.98	74.00	-25.02	peak			
4	18702.595	2.12	37.29	39.41	54.00	-14.59	AVG			
5	19621.426	10.80	37.86	48.66	74.00	-25.34	peak			
6	19621.426	1.45	37.86	39.31	54.00	-14.69	AVG			
7	20609.297	10.41	38.30	48.71	74.00	-25.29	peak			
8	20609.297	2.12	38.30	40.42	54.00	-13.58	AVG			
9	21571.684	11.04	38.64	49.68	74.00	-24.32	peak			
10	21571.684	2.12	38.64	40.76	54.00	-13.24	AVG			
11	22692.824	8.94	39.73	48.67	74.00	-25.33	peak			
12	22692.824	1.10	39.73	40.83	54.00	-13.17	AVG			






**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #68	Polarization: Horizontal
Standard: FCC PK	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.( C)/Hum.(%) 23 C / 48 %	Time: 14/21/11
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: DP IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18203.032	11.16	38.11	49.27	74.00	-24.73	peak			
2	18203.032	2.12	38.11	40.23	54.00	-13.77	AVG			
3	18522.625	12.58	37.43	50.01	74.00	-23.99	peak			
4	18522.625	3.02	37.43	40.45	54.00	-13.55	AVG			
5	19973.646	10.81	38.32	49.13	74.00	-24.87	peak			
6	19973.646	1.54	38.32	39.86	54.00	-14.14	AVG			
7	21823.442	9.94	39.09	49.03	74.00	-24.97	peak			
8	21823.442	1.12	39.09	40.21	54.00	-13.79	AVG			
9	23180.729	10.45	39.75	50.20	74.00	-23.80	peak			
10	23180.729	1.54	39.75	41.29	54.00	-12.71	AVG			
11	25366.753	10.21	39.93	50.14	74.00	-23.86	peak			
12	25366.753	1.54	39.93	41.47	54.00	-12.53	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #69	Polarization: Vertical
Standard: FCC PK	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.( C)/Hum.(%) 23 C / 48 %	Time: 14/31/14
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: DP IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18702.595	12.69	37.29	49.98	74.00	-24.02	peak			
2	18702.595	3.45	37.29	40.74	54.00	-13.26	AVG			
3	19996.835	11.92	38.35	50.27	74.00	-23.73	peak			
4	19996.835	2.12	38.35	40.47	54.00	-13.53	AVG			
5	21289.867	11.56	38.47	50.03	74.00	-23.97	peak			
6	21289.867	2.45	38.47	40.92	54.00	-13.08	AVG			
7	22886.742	9.81	39.64	49.45	74.00	-24.55	peak			
8	22886.742	1.54	39.64	41.18	54.00	-12.82	AVG			
9	24122.835	9.99	40.28	50.27	74.00	-23.73	peak			
10	24122.835	1.21	40.28	41.49	54.00	-12.51	AVG			
11	26163.916	9.89	40.33	50.22	74.00	-23.78	peak			
12	26163.916	1.55	40.33	41.88	54.00	-12.12	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #70	Polarization: Horizontal
Standard: FCC PK	Power Source: AC 240V/60Hz
Test item: Radiation Test	Date: 17/06/10/
Temp.( C)/Hum.(%) 23 C / 48 %	Time: 14/41/24
EUT: Interactive Flat Panel	Engineer Signature: Frank
Mode: HDMI IN	Distance: 3m
Model: ST-750U	
Manufacturer: Recordex USA,Inc.	

Note: Report NO.:ATE20170892




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18365.684	13.04	37.74	50.78	74.00	-23.22	peak			
2	18365.684	4.12	37.74	41.86	54.00	-12.14	AVG			
3	19178.743	12.19	37.29	49.48	74.00	-24.52	peak			
4	19178.743	3.12	37.29	40.41	54.00	-13.59	AVG			
5	21166.709	11.07	38.45	49.52	74.00	-24.48	peak			
6	21166.709	2.15	38.45	40.60	54.00	-13.40	AVG			
7	22172.269	10.01	39.55	49.56	74.00	-24.44	peak			
8	22172.269	1.20	39.55	40.75	54.00	-13.25	AVG			
9	24919.430	10.49	39.75	50.24	74.00	-23.76	peak			
10	24919.430	1.51	39.75	41.26	54.00	-12.74	AVG			
11	26265.307	10.04	40.38	50.42	74.00	-23.58	peak			
12	26265.307	1.54	40.38	41.92	54.00	-12.08	AVG			

Job No.: Frank2017 #71  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: HDMI IN  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Vertical  
Power Source: AC 240V/60Hz  
Date: 17/06/10/  
Time: 14/50/26  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18203.032	12.16	38.11	50.27	74.00	-23.73	peak			
2	18203.032	3.12	38.11	41.23	54.00	-12.77	AVG			
3	18365.684	13.04	37.74	50.78	74.00	-23.22	peak			
4	18365.684	4.12	37.74	41.86	54.00	-12.14	AVG			
5	20753.278	10.97	38.34	49.31	74.00	-24.69	peak			
6	20753.278	1.50	38.34	39.84	54.00	-14.16	AVG			
7	22309.905	9.80	39.67	49.47	74.00	-24.53	peak			
8	22309.905	1.00	39.67	40.67	54.00	-13.33	AVG			
9	24160.184	9.66	40.22	49.88	74.00	-24.12	peak			
10	24160.184	1.20	40.22	41.42	54.00	-12.58	AVG			
11	25337.337	9.21	39.91	49.12	74.00	-24.88	peak			
12	25337.337	1.50	39.91	41.41	54.00	-12.59	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Frank2017 #72  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT: Interactive Flat Panel  
Mode: Memory Playing  
Model: ST-750U  
Manufacturer: Recordex USA,Inc.

Polarization: Horizontal  
Power Source: AC 240V/60Hz  
Date: 17/06/10/  
Time: 14/59/35  
Engineer Signature: Frank  
Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18365.684	12.86	37.74	50.60	74.00	-23.40	peak			
2	18365.684	3.12	37.74	40.86	54.00	-13.14	AVG			
3	18746.047	13.38	37.26	50.64	74.00	-23.36	peak			
4	18746.047	4.12	37.26	41.38	54.00	-12.62	AVG			
5	19380.073	12.19	37.55	49.74	74.00	-24.26	peak			
6	19380.073	3.12	37.55	40.67	54.00	-13.33	AVG			
7	22301.278	9.89	39.66	49.55	74.00	-24.45	peak			
8	22301.278	1.01	39.66	40.67	54.00	-13.33	AVG			
9	23752.505	8.78	40.24	49.02	74.00	-24.98	peak			
10	23752.505	0.80	40.24	41.04	54.00	-12.96	AVG			
11	25151.823	9.76	39.82	49.58	74.00	-24.42	peak			
12	25151.823	1.05	39.82	40.87	54.00	-13.13	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Frank2017 #73

Standard: FCC PK

Test item: Radiation Test

Temp.( C)/Hum.(%) 23 C / 48 %

EUT: Interactive Flat Panel

Mode: Memory Playing

Model: ST-750U

Manufacturer: Recordex USA,Inc.

Polarization: Vertical

Power Source: AC 240V/60Hz


Date: 17/06/10/

Time: 15/09/37

Engineer Signature: Frank

Distance: 3m

Note: Report NO.:ATE20170892



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18365.684	12.86	37.74	50.60	74.00	-23.40	peak			
2	18365.684	3.45	37.74	41.19	54.00	-12.81	AVG			
3	18587.214	12.05	37.38	49.43	74.00	-24.57	peak			
4	18587.214	3.12	37.38	40.50	54.00	-13.50	AVG			
5	18746.047	13.38	37.26	50.64	74.00	-23.36	peak			
6	18746.047	5.12	37.26	42.38	54.00	-11.62	AVG			
7	20458.401	10.59	38.27	48.86	74.00	-25.14	peak			
8	20458.401	1.12	38.27	39.39	54.00	-14.61	AVG			
9	22180.847	10.50	39.55	50.05	74.00	-23.95	peak			
10	22180.847	1.54	39.55	41.09	54.00	-12.91	AVG			
11	24225.684	9.23	40.15	49.38	74.00	-24.62	peak			
12	24225.684	0.50	40.15	40.65	54.00	-13.35	AVG			

## 6. PHOTOGRAPHS

### 6.1.Photos of Radiated Emission Measurement





6.2.Photo of Conducted Emission Measurement






6.3.Photo of EUT







































**\*\*\*\*\* End of Test Report \*\*\*\*\***