

Test Report No.60377098 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 60377098 001Appendix D)

Contents


Spurious Emissions, Band Edges for 1DH5	2
Spurious Emissions, Band Edges for 3DH5	14
Spurious Emissions, TX Mode, 9kHz-30MHz for 1DH5	26
Spurious Emissions, TX Mode, 30MHz-1GHz for 1DH5	28
Spurious Emissions, TX Mode, 1GHz-26.5GHz for 1DH5	30
Spurious Emissions, TX Mode, 1GHz-26.5GHz for 3DH5	36
Spurious Emissions, AC Mains for 1DH5	42

Spurious Emissions, Band Edges for 1DH5


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
1	2388.67	55.59	18.45	37.14	74.00	-18.41	163	6 Peak	Horizontal	
2 *	2402.00	102.89	65.74	37.15	74.00	28.89	163	6 Peak	Horizontal	
3	2609.92	51.62	13.89	37.73	74.00	-22.38	163	6 Peak	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.26	54.53	17.39	37.14	74.00	-19.47	306	163	Peak	Vertical	
2 *	2402.00	100.53	63.38	37.15	74.00	26.53	306	163	Peak	Vertical	
3	2782.20	49.12	11.02	38.10	74.00	-24.88	306	163	Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.49	42.19	5.03	37.16	54.00	-11.81	163	6	Average	Horizontal	
2 *	2402.00	102.42	65.27	37.15	54.00	48.42	163	6	Average	Horizontal	
3	2609.72	47.12	9.39	37.73	54.00	-6.88	163	6	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.69	39.77	2.61	37.16	54.00	-14.23	306	163	Average	Vertical	
2 *	2402.00	100.05	62.90	37.15	54.00	46.05	306	163	Average	Vertical	
3	2609.92	38.30	0.57	37.73	54.00	-15.70	306	163	Average	Vertical	




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2370.38	46.69	9.53	37.16	74.00	-27.31	158	3	Peak	Horizontal	
2 *	2441.00	101.16	63.81	37.35	74.00	27.16	158	3	Peak	Horizontal	
3	2753.09	48.21	10.14	38.07	74.00	-25.79	158	3	Peak	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2318.85	46.95	9.81	37.14	74.00	-27.05	294	304	Peak	Vertical	
2 *	2441.00	98.12	60.77	37.35	74.00	24.12	294	304	Peak	Vertical	
3	2748.37	47.95	9.90	38.05	74.00	-26.05	294	304	Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.67	35.57	-1.57	37.14	54.00	-18.43	158	3	Average	Horizontal	
2 *	2441.00	100.69	63.34	37.35	54.00	46.69	158	3	Average	Horizontal	
3	2648.86	41.55	4.00	37.55	54.00	-12.45	158	3	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2336.75	34.62	-2.54	37.16	54.00	-19.38	294	304	Average	Vertical	
2 *	2440.00	97.67	60.32	37.35	54.00	43.67	294	304	Average	Vertical	
3	2648.66	38.63	1.08	37.55	54.00	-15.37	294	304	Average	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2380.60	46.27	9.12	37.15	74.00	-27.73	236	7	Peak	Horizontal	
2 *	2480.00	102.19	64.63	37.56	74.00	28.19	236	7	Peak	Horizontal	
3	2483.50	56.35	18.78	37.57	74.00	-17.65	236	7	Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.77	46.24	9.10	37.14	74.00	-27.76	291	320	Peak	Vertical	
2 *	2480.00	99.96	62.40	37.56	74.00	25.96	291	320	Peak	Vertical	
3	2483.66	56.39	18.82	37.57	74.00	-17.61	291	320	Peak	Vertical	






	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.29	34.23	-2.93	37.16	54.00	-19.77	291	320	Average	Vertical	
2 *	2480.00	99.50	61.94	37.56	54.00	45.50	291	320	Average	Vertical	
3	2483.50	44.06	6.49	37.57	54.00	-9.94	291	320	Average	Vertical	

Spurious Emissions, Band Edges for 3DH5


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.54	49.62	12.47	37.15	74.00	-24.38	163	6 Peak	Horizontal	
2 *	2402.00	102.87	65.72	37.15	74.00	28.87	163	6 Peak	Horizontal	
3	2610.31	50.29	12.56	37.73	74.00	-23.71	163	6 Peak	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2376.28	47.87	10.71	37.16	74.00	-26.13	306	163	Peak	Vertical	
2 *	2402.00	100.52	63.37	37.15	74.00	26.52	306	163	Peak	Vertical	
3	2768.23	48.15	10.06	38.09	74.00	-25.85	306	163	Peak	Vertical	







	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.69	37.76	0.60	37.16	54.00	-16.24	306	163	Average	Vertical
2 *	2402.00	95.84	58.69	37.15	54.00	41.84	306	163	Average	Vertical
3	2609.92	37.23	-0.50	37.73	54.00	-16.77	306	163	Average	Vertical




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.65	46.51	9.37	37.14	74.00	-27.49	158	3	Peak	Horizontal	
2 *	2441.00	101.14	63.79	37.35	74.00	27.14	158	3	Peak	Horizontal	
3	2648.66	49.08	11.53	37.55	74.00	-24.92	158	3	Peak	Horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.65	48.14	11.00	37.14	74.00	-25.86	294	304 Peak	Vertical	
2 *	2441.00	98.10	60.75	37.35	74.00	24.10	294	304 Peak	Vertical	
3	2677.57	48.86	11.22	37.64	74.00	-25.14	294	304 Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.06	34.93	-2.21	37.14	54.00	-19.07	158	3	Average	Horizontal	
2 *	2441.00	96.72	59.37	37.35	54.00	42.72	158	3	Average	Horizontal	
3	2648.66	39.34	1.79	37.55	54.00	-14.66	158	3	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2336.75	34.17	-2.99	37.16	54.00	-19.83	294	304	Average	Vertical	
2 *	2441.00	93.64	56.29	37.35	54.00	39.64	294	304	Average	Vertical	
3	2648.66	36.94	-0.61	37.55	54.00	-17.06	294	304	Average	Vertical	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2344.02	46.39	9.22	37.17	74.00	-27.61	236	7 Peak	Horizontal	
2 *	2480.00	102.18	64.62	37.56	74.00	28.18	236	7 Peak	Horizontal	
3	2483.50	62.92	25.35	37.57	74.00	-11.08	236	7 Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2363.10	46.85	9.69	37.16	74.00	-27.15	291	320	Peak	Vertical	
2 *	2480.00	99.97	62.41	37.56	74.00	25.97	291	320	Peak	Vertical	
3	2483.50	63.88	26.31	37.57	74.00	-10.12	291	320	Peak	Vertical	





	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.29	34.20	-2.96	37.16	54.00	-19.80	236	7 Average	Horizontal		
2 *	2480.00	97.77	60.21	37.56	54.00	43.77	236	7 Average	Horizontal		
3	2483.50	46.88	9.31	37.57	54.00	-7.12	236	7 Average	Horizontal		



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2333.01	34.59	-2.56	37.15	54.00	-19.41	291	320	Average	Vertical	
2 *	2480.00	95.53	57.97	37.56	54.00	41.53	291	320	Average	Vertical	
3	2483.50	44.44	6.87	37.57	54.00	-9.56	291	320	Average	Vertical	

2402MHz






	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.20	66.74	13.40	53.34	101.42	-34.68	100	131 QP	vertical	
2	0.92	52.48	11.78	40.70	68.33	-15.85	100	150 QP	vertical	
3	7.65	50.66	12.49	38.17	69.50	-18.84	100	265 QP	vertical	
4	13.35	49.49	12.01	37.48	69.50	-20.01	100	203 QP	vertical	
5	19.57	49.93	13.59	36.34	69.50	-19.57	100	75 QP	vertical	
6	28.43	47.88	11.87	36.01	69.50	-21.62	100	10 QP	vertical	

Spurious Emissions, TX Mode, 30MHz-1GHz for 1DH5


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
				dB/m	dBuV/m	dB	cm	deg		
1 !	143.88	39.25	45.63	-6.38	43.50	-4.25	205	0 QP	horizontal	
2	207.90	37.24	45.53	-8.29	43.50	-6.26	100	156 QP	horizontal	
3	288.21	34.43	39.50	-5.07	46.00	-11.57	260	155 QP	horizontal	
4	408.69	36.57	39.58	-3.01	46.00	-9.43	300	251 QP	horizontal	
5	515.97	29.66	31.24	-1.58	46.00	-16.34	200	268 QP	horizontal	
6	844.99	33.72	30.29	3.43	46.00	-12.28	150	265 QP	horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	43.58	22.24	28.54	-6.30	40.00	-17.76	200	248 QP	vertical	
2	143.88	32.18	38.56	-6.38	43.50	-11.32	300	64 QP	vertical	
3	288.02	26.61	31.68	-5.07	46.00	-19.39	100	83 QP	vertical	
4	408.11	29.31	32.34	-3.03	46.00	-16.69	300	185 QP	vertical	
5	729.56	32.29	30.44	1.85	46.00	-13.71	100	0 QP	vertical	
6	933.85	33.63	28.86	4.77	46.00	-12.37	138	360 QP	vertical	

Spurious Emissions, TX Mode, 1GHz-26.5GHz for 1DH5


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	55.96	65.40	-9.44	74.00	-18.04	400	56	Peak	horizontal	
2	4804.00	31.17	40.61	-9.44	54.00	-22.83	400	56	Average	horizontal	DF
3	7206.00	63.74	70.56	-6.82	74.00	-10.26	100	152	Peak	horizontal	
4	7206.00	38.95	45.77	-6.82	54.00	-15.05	100	152	Average	horizontal	DF




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	56.15	65.59	-9.44	74.00	-17.85	300	303	Peak	vertical	
2	4804.00	31.36	40.80	-9.44	54.00	-22.64	300	303	Average	vertical	DF
3	7206.00	58.39	65.21	-6.82	74.00	-15.61	300	189	Peak	vertical	
4	7206.00	33.60	40.42	-6.82	54.00	-20.40	300	189	Average	vertical	DF




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	57.06	66.36	-9.30	74.00	-16.94	300	76	Peak	horizontal	
2	4882.00	32.27	41.57	-9.30	54.00	-21.73	300	76	Average	horizontal	DF
3	7323.00	58.95	65.65	-6.70	74.00	-15.05	300	161	Peak	horizontal	
4	7323.00	34.16	40.86	-6.70	54.00	-19.84	300	161	Average	horizontal	DF



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
						cm	deg			
1	4882.00	53.80	63.10	-9.30	74.00	-20.20	100	170 Peak	vertical	
2	4882.00	29.01	38.31	-9.30	54.00	-24.99	100	170 Average	vertical	DF
3	7323.00	57.03	63.73	-6.70	74.00	-16.97	300	142 Peak	vertical	
4	7323.00	32.24	38.94	-6.70	54.00	-21.76	300	142 Average	vertical	DF



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	55.65	64.78	-9.13	74.00	-18.35	300	265	Peak	horizontal	
2	4960.00	30.86	39.99	-9.13	54.00	-23.14	300	265	Average	horizontal	DF
3	7440.00	57.62	64.32	-6.70	74.00	-16.38	100	152	Peak	horizontal	
4	7440.00	32.83	39.53	-6.70	54.00	-21.17	100	152	Average	horizontal	DF




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	55.96	65.09	-9.13	74.00	-18.04	200	331	Peak	vertical	
2	4960.00	31.17	40.30	-9.13	54.00	-22.83	200	331	Average	vertical	DF
3	7440.00	51.65	58.35	-6.70	74.00	-22.35	300	141	Peak	vertical	
4	7440.00	26.86	33.56	-6.70	54.00	-27.14	300	141	Average	vertical	DF

Spurious Emissions, TX Mode, 1GHz-26.5GHz for 3DH5


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	55.44	64.88	-9.44	74.00	-18.56	100	332	Peak	horizontal	
2	4804.00	30.65	40.09	-9.44	54.00	-23.35	100	332	Average	horizontal	DF
3	7206.00	63.33	70.15	-6.82	74.00	-10.67	100	180	Peak	horizontal	
4	7206.00	38.54	45.36	-6.82	54.00	-15.46	100	180	Average	horizontal	DF




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
1	4804.00	55.27	64.71	-9.44	74.00	-18.73	300	314 Peak	vertical	
2	4804.00	30.48	39.92	-9.44	54.00	-23.52	300	314 Average	vertical	DF
3	7206.00	58.79	65.61	-6.82	74.00	-15.21	300	210 Peak	vertical	
4	7206.00	34.00	40.82	-6.82	54.00	-20.00	300	210 Average	vertical	DF




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	57.19	66.49	-9.30	74.00	-16.81	300	76	Peak	horizontal	
2	4882.00	32.40	41.70	-9.30	54.00	-21.60	300	76	Average	horizontal	DF
3	7323.00	59.68	66.38	-6.70	74.00	-14.32	100	152	Peak	horizontal	
4	7323.00	34.89	41.59	-6.70	54.00	-19.11	100	152	Average	horizontal	DF



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
1	4882.00	52.74	62.04	-9.30	74.00	-21.26	400	334 Peak	vertical	
2	4882.00	27.95	37.25	-9.30	54.00	-26.05	400	334 Average	vertical	DF
3	7323.00	57.01	63.71	-6.70	74.00	-16.99	300	152 Peak	vertical	
4	7323.00	32.22	38.92	-6.70	54.00	-21.78	300	152 Average	vertical	DF



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	54.48	63.61	-9.13	74.00	-19.52	200	237	Peak	horizontal	
2	4960.00	20.13	29.26	-9.13	54.00	-33.87	200	237	Average	horizontal	DF
3	7440.00	56.54	63.24	-6.70	74.00	-17.46	100	162	Peak	horizontal	
4	7440.00	31.75	38.45	-6.70	54.00	-22.25	100	162	Average	horizontal	DF




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	54.47	63.60	-9.13	74.00	-19.53	200	333	Peak	vertical	
2	4960.00	29.68	38.81	-9.13	54.00	-24.32	200	333	Average	vertical	DF
3	7440.00	52.78	59.48	-6.70	74.00	-21.22	400	171	Peak	vertical	
4	7440.00	27.99	34.69	-6.70	54.00	-26.01	400	171	Average	vertical	DF

Spurious Emissions, AC Mains for 1DH5

2402MHz




TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Over Limit	Remark	Note
	MHz	dBuV	dB	dBuV	dB		
1	0.173	36.80	10.11	46.91	-17.89	QP	
2	0.173	21.10	10.11	31.21	-23.59	Average	
3	0.229	27.82	10.11	37.93	-24.55	QP	
4	0.229	13.04	10.11	23.15	-29.33	Average	
5	0.354	17.51	10.12	27.63	-31.25	QP	
6	0.354	5.25	10.12	15.37	-33.51	Average	
7	0.562	12.05	10.12	22.17	-33.83	QP	
8	0.562	5.73	10.12	15.85	-30.15	Average	
9	4.491	13.55	10.23	23.78	-32.22	QP	
10	4.491	5.40	10.23	15.63	-30.37	Average	
11	6.692	13.15	10.29	23.44	-36.56	QP	
12	6.692	4.54	10.29	14.83	-35.17	Average	



Trace: 1

	Freq	Read Level	Factor	Level	Over Limit	Remark	Note
	MHz	dBuV	dB	dBuV	dB		
1	0.184	32.48	10.11	42.59	-21.71	QP	
2	0.184	15.68	10.11	25.79	-28.51	Average	
3	0.328	19.75	10.10	29.85	-29.65	QP	
4	0.328	9.55	10.10	19.65	-29.85	Average	
5	1.146	10.74	10.14	20.88	-35.12	QP	
6	1.146	6.69	10.14	16.83	-29.17	Average	
7	2.421	9.98	10.17	20.15	-35.85	QP	
8	2.421	4.38	10.17	14.55	-31.45	Average	
9	6.027	16.68	10.26	26.94	-33.06	QP	
10	6.027	11.04	10.26	21.30	-28.70	Average	
11	8.333	15.84	10.32	26.16	-33.84	QP	
12	8.333	11.48	10.32	21.80	-28.20	Average	