

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26_1.4MHz_ERP

1.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	814.7	1	0	24.07	-3.44	18.48	<=50	Pass		
			2	24.20	-3.44	18.61	<=50	Pass		
			5	24.13	-3.44	18.54	<=50	Pass		
		3	0	24.09	-3.44	18.50	<=50	Pass		
			2	24.08	-3.44	18.49	<=50	Pass		
			3	24.07	-3.44	18.48	<=50	Pass		
		6	0	23.02	-3.44	17.43	<=50	Pass		
		831.5	1	0	24.31	-3.44	18.72	/	Pass	
				2	24.29	-3.44	18.70	/	Pass	
	5			24.32	-3.44	18.73	/	Pass		
	3		0	24.34	-3.44	18.75	/	Pass		
			2	24.37	-3.44	18.78	/	Pass		
			3	24.34	-3.44	18.75	/	Pass		
	6		0	23.35	-3.44	17.76	/	Pass		
	848.3		1	0	24.30	-3.44	18.71	/	Pass	
				2	24.36	-3.44	18.77	/	Pass	
		5		24.26	-3.44	18.67	/	Pass		
		3	0	24.29	-3.44	18.70	/	Pass		
			2	24.36	-3.44	18.77	/	Pass		
			3	24.25	-3.44	18.66	/	Pass		
		6	0	23.13	-3.44	17.54	/	Pass		
		16QAM	814.7	1	0	23.10	-3.44	17.51	<=50	Pass
					2	23.16	-3.44	17.57	<=50	Pass
	5				23.13	-3.44	17.54	<=50	Pass	
3	0			22.81	-3.44	17.22	<=50	Pass		
	2			22.80	-3.44	17.21	<=50	Pass		
	3			22.78	-3.44	17.19	<=50	Pass		
6	0			22.16	-3.44	16.57	<=50	Pass		
831.5	1			0	23.96	-3.44	18.37	/	Pass	
				2	23.97	-3.44	18.38	/	Pass	
			5	24.01	-3.44	18.42	/	Pass		
	3		0	23.39	-3.44	17.80	/	Pass		
			2	23.31	-3.44	17.72	/	Pass		
			3	23.37	-3.44	17.78	/	Pass		
	6		0	22.38	-3.44	16.79	/	Pass		
	848.3		1	0	23.87	-3.44	18.28	/	Pass	
				2	23.80	-3.44	18.21	/	Pass	
5				23.74	-3.44	18.15	/	Pass		
3			0	23.14	-3.44	17.55	/	Pass		
			2	23.12	-3.44	17.53	/	Pass		
			3	23.05	-3.44	17.46	/	Pass		
6			0	22.38	-3.44	16.79	/	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B26_3MHz_ERP

1.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	815.5	1	0	23.01	-3.44	17.42	<=50	Pass		
			7	22.99	-3.44	17.40	<=50	Pass		
			14	23.04	-3.44	17.45	<=50	Pass		
		8	0	23.00	-3.44	17.41	<=50	Pass		
			4	22.97	-3.44	17.38	<=50	Pass		
			7	23.06	-3.44	17.47	<=50	Pass		
		15	0	23.03	-3.44	17.44	<=50	Pass		
		831.5	1	0	23.29	-3.44	17.70	/	Pass	
				7	23.35	-3.44	17.76	/	Pass	
	14			23.33	-3.44	17.74	/	Pass		
	8		0	23.32	-3.44	17.73	/	Pass		
			4	23.31	-3.44	17.72	/	Pass		
			7	23.30	-3.44	17.71	/	Pass		
	15		0	23.29	-3.44	17.70	/	Pass		
	847.5		1	0	23.20	-3.44	17.61	/	Pass	
				7	23.25	-3.44	17.66	/	Pass	
		14		23.21	-3.44	17.62	/	Pass		
		8	0	23.19	-3.44	17.60	/	Pass		
			4	23.31	-3.44	17.72	/	Pass		
			7	23.28	-3.44	17.69	/	Pass		
		15	0	23.27	-3.44	17.68	/	Pass		
		16QAM	815.5	1	0	23.01	-3.44	17.42	<=50	Pass
					7	22.99	-3.44	17.40	<=50	Pass
	14				22.97	-3.44	17.38	<=50	Pass	
8	0			22.97	-3.44	17.38	<=50	Pass		
	4			22.95	-3.44	17.36	<=50	Pass		
	7			23.05	-3.44	17.46	<=50	Pass		
15	0			23.04	-3.44	17.45	<=50	Pass		
831.5	1			0	23.28	-3.44	17.69	/	Pass	
				7	23.27	-3.44	17.68	/	Pass	
			14	23.26	-3.44	17.67	/	Pass		
	8		0	23.25	-3.44	17.66	/	Pass		
			4	23.25	-3.44	17.66	/	Pass		
			7	23.24	-3.44	17.65	/	Pass		
	15		0	23.23	-3.44	17.64	/	Pass		
	847.5		1	0	23.25	-3.44	17.66	/	Pass	
				7	23.24	-3.44	17.65	/	Pass	
14				23.22	-3.44	17.63	/	Pass		
8			0	23.21	-3.44	17.62	/	Pass		
			4	23.20	-3.44	17.61	/	Pass		
			7	23.18	-3.44	17.59	/	Pass		
15			0	23.17	-3.44	17.58	/	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B26_5MHz_ERP

1.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTN

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	816.5	1	0	23.89	-3.44	18.30	<=50	Pass		
			13	23.87	-3.44	18.28	<=50	Pass		
			24	23.89	-3.44	18.30	<=50	Pass		
		12	0	22.94	-3.44	17.35	<=50	Pass		
			6	23.07	-3.44	17.48	<=50	Pass		
			13	23.01	-3.44	17.42	<=50	Pass		
		25	0	23.01	-3.44	17.42	<=50	Pass		
		831.5	1	0	24.19	-3.44	18.60	/	Pass	
				13	24.01	-3.44	18.42	/	Pass	
	24			24.13	-3.44	18.54	/	Pass		
	12		0	23.28	-3.44	17.69	/	Pass		
			6	23.10	-3.44	17.51	/	Pass		
			13	23.28	-3.44	17.69	/	Pass		
	25		0	23.33	-3.44	17.74	/	Pass		
	846.5		1	0	24.30	-3.44	18.71	/	Pass	
				13	24.32	-3.44	18.73	/	Pass	
		24		24.28	-3.44	18.69	/	Pass		
		12	0	23.15	-3.44	17.56	/	Pass		
			6	23.15	-3.44	17.56	/	Pass		
			13	23.27	-3.44	17.68	/	Pass		
		25	0	23.14	-3.44	17.55	/	Pass		
		16QAM	816.5	1	0	22.68	-3.44	17.09	<=50	Pass
					13	22.75	-3.44	17.16	<=50	Pass
	24				22.70	-3.44	17.11	<=50	Pass	
12	0			21.94	-3.44	16.35	<=50	Pass		
	6			22.04	-3.44	16.45	<=50	Pass		
	13			22.07	-3.44	16.48	<=50	Pass		
25	0			22.12	-3.44	16.53	<=50	Pass		
831.5	1			0	23.80	-3.44	18.21	/	Pass	
				13	23.75	-3.44	18.16	/	Pass	
			24	23.82	-3.44	18.23	/	Pass		
	12		0	22.23	-3.44	16.64	/	Pass		
			6	22.18	-3.44	16.59	/	Pass		
			13	22.23	-3.44	16.64	/	Pass		
	25		0	22.27	-3.44	16.68	/	Pass		
	846.5		1	0	23.57	-3.44	17.98	/	Pass	
				13	23.56	-3.44	17.97	/	Pass	
24				23.59	-3.44	18.00	/	Pass		
12			0	22.07	-3.44	16.48	/	Pass		
			6	22.11	-3.44	16.52	/	Pass		
			13	22.09	-3.44	16.50	/	Pass		
25			0	22.17	-3.44	16.58	/	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B26_10MHz_ERP

1.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	22.38	-3.44	16.79	<=50	Pass
			25	23.92	-3.44	18.33	<=50	Pass

	831.5	25	49	23.93	-3.44	18.34	<=50	Pass		
			0	23.08	-3.44	17.49	<=50	Pass		
			13	22.97	-3.44	17.38	<=50	Pass		
			25	22.97	-3.44	17.38	<=50	Pass		
		50	0	23.01	-3.44	17.42	<=50	Pass		
			1	0	24.06	-3.44	18.47	/	Pass	
				25	24.20	-3.44	18.61	/	Pass	
				49	24.28	-3.44	18.69	/	Pass	
		25	0	23.15	-3.44	17.56	/	Pass		
			13	23.26	-3.44	17.67	/	Pass		
			25	23.19	-3.44	17.60	/	Pass		
		50	0	23.22	-3.44	17.63	/	Pass		
	844	1	0	24.02	-3.44	18.43	/	Pass		
			25	24.03	-3.44	18.44	/	Pass		
			49	24.03	-3.44	18.44	/	Pass		
		25	0	23.14	-3.44	17.55	/	Pass		
			13	23.18	-3.44	17.59	/	Pass		
			25	23.18	-3.44	17.59	/	Pass		
		50	0	23.25	-3.44	17.66	/	Pass		
		16QAM	819	1	0	23.53	-3.44	17.94	<=50	Pass
					25	23.59	-3.44	18.00	<=50	Pass
	49				23.57	-3.44	17.98	<=50	Pass	
	25			0	22.01	-3.44	16.42	<=50	Pass	
				13	21.99	-3.44	16.40	<=50	Pass	
25				21.99	-3.44	16.40	<=50	Pass		
50	0		22.10	-3.44	16.51	<=50	Pass			
831.5	1		0	23.44	-3.44	17.85	/	Pass		
			25	23.62	-3.44	18.03	/	Pass		
			49	23.56	-3.44	17.97	/	Pass		
	25		0	22.29	-3.44	16.70	/	Pass		
			13	22.32	-3.44	16.73	/	Pass		
			25	22.38	-3.44	16.79	/	Pass		
50	0		22.21	-3.44	16.62	/	Pass			
844	1		0	24.27	-3.44	18.68	/	Pass		
		25	24.31	-3.44	18.72	/	Pass			
		49	24.29	-3.44	18.70	/	Pass			
	25	0	22.21	-3.44	16.62	/	Pass			
		13	22.20	-3.44	16.61	/	Pass			
		25	22.32	-3.44	16.73	/	Pass			
50	0	22.29	-3.44	16.70	/	Pass				
Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.5 B26_15MHz_ERP

1.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	23.94	-3.44	18.35	<=50	Pass
			38	23.85	-3.44	18.26	<=50	Pass
			74	24.05	-3.44	18.46	<=50	Pass
		36	0	22.98	-3.44	17.39	<=50	Pass
			18	22.87	-3.44	17.28	<=50	Pass
			39	23.03	-3.44	17.44	<=50	Pass

	831.5	75	0	22.93	-3.44	17.34	<=50	Pass	
		1	0	23.94	-3.44	18.35	/	Pass	
			38	24.03	-3.44	18.44	/	Pass	
			74	23.96	-3.44	18.37	/	Pass	
			0	23.08	-3.44	17.49	/	Pass	
		36	18	23.15	-3.44	17.56	/	Pass	
			39	23.03	-3.44	17.44	/	Pass	
	75		0	23.05	-3.44	17.46	/	Pass	
	841.5	1	0	24.09	-3.44	18.50	/	Pass	
			38	24.08	-3.44	18.49	/	Pass	
			74	24.05	-3.44	18.46	/	Pass	
		36	0	23.13	-3.44	17.54	/	Pass	
			18	23.09	-3.44	17.50	/	Pass	
			39	23.12	-3.44	17.53	/	Pass	
		75	0	23.16	-3.44	17.57	/	Pass	
	16QAM	821.5	1	0	23.52	-3.44	17.93	<=50	Pass
				38	23.51	-3.44	17.92	<=50	Pass
				74	23.75	-3.44	18.16	<=50	Pass
			36	0	22.09	-3.44	16.50	<=50	Pass
				18	22.08	-3.44	16.49	<=50	Pass
				39	22.08	-3.44	16.49	<=50	Pass
75			0	21.94	-3.44	16.35	<=50	Pass	
831.5		1	0	23.60	-3.44	18.01	/	Pass	
			38	23.74	-3.44	18.15	/	Pass	
			74	23.71	-3.44	18.12	/	Pass	
		36	0	22.08	-3.44	16.49	/	Pass	
			18	22.16	-3.44	16.57	/	Pass	
			39	22.20	-3.44	16.61	/	Pass	
		75	0	22.08	-3.44	16.49	/	Pass	
841.5		1	0	24.26	-3.44	18.67	/	Pass	
			38	24.25	-3.44	18.66	/	Pass	
			74	24.27	-3.44	18.68	/	Pass	
		36	0	22.20	-3.44	16.61	/	Pass	
			18	22.18	-3.44	16.59	/	Pass	
			39	22.13	-3.44	16.54	/	Pass	
		75	0	22.13	-3.44	16.54	/	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26_1.4MHz

2.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	814.7	6	0	20	3.27	-18.053	-0.0222	-2.5 to 2.5	Pass	
					3.85	-12.517	-0.0154	-2.5 to 2.5	Pass	
					4.43	-9.069	-0.0111	-2.5 to 2.5	Pass	
				-30	3.85	-41.270	-0.0507	-2.5 to 2.5	Pass	
					-20	3.85	-27.051	-0.0332	-2.5 to 2.5	Pass
					-10	3.85	-4.263	-0.0052	-2.5 to 2.5	Pass
					0	3.85	-24.576	-0.0302	-2.5 to 2.5	Pass

				10	3.85	-26.293	-0.0323	-2.5 to 2.5	Pass
				30	3.85	-21.629	-0.0265	-2.5 to 2.5	Pass
				40	3.85	-18.640	-0.0229	-2.5 to 2.5	Pass
				50	3.85	-16.365	-0.0201	-2.5 to 2.5	Pass
	831.5	6	0	20	3.27	-1.159	-0.0014	-2.5 to 2.5	Pass
					3.85	8.984	0.0108	-2.5 to 2.5	Pass
					4.43	25.692	0.0309	-2.5 to 2.5	Pass
				-30	3.85	3.247	0.0039	-2.5 to 2.5	Pass
				-20	3.85	21.758	0.0262	-2.5 to 2.5	Pass
				-10	3.85	44.432	0.0534	-2.5 to 2.5	Pass
				0	3.85	12.589	0.0151	-2.5 to 2.5	Pass
				10	3.85	32.902	0.0396	-2.5 to 2.5	Pass
				30	3.85	1.402	0.0017	-2.5 to 2.5	Pass
				40	3.85	20.356	0.0245	-2.5 to 2.5	Pass
				50	3.85	41.099	0.0494	-2.5 to 2.5	Pass
				848.3	6	0	20	3.27	16.952
	3.85	0.529	0.0006					-2.5 to 2.5	Pass
	4.43	32.544	0.0384					-2.5 to 2.5	Pass
	-30	3.85	35.777				0.0422	-2.5 to 2.5	Pass
	-20	3.85	40.283				0.0475	-2.5 to 2.5	Pass
-10	3.85	22.788	0.0269				-2.5 to 2.5	Pass	
0	3.85	10.014	0.0118				-2.5 to 2.5	Pass	
10	3.85	40.112	0.0473				-2.5 to 2.5	Pass	
30	3.85	26.650	0.0314				-2.5 to 2.5	Pass	
40	3.85	1.345	0.0016				-2.5 to 2.5	Pass	
50	3.85	31.657	0.0373				-2.5 to 2.5	Pass	
16QAM	814.7	6	0				20	3.27	-8.354
				3.85	-8.039	-0.0099		-2.5 to 2.5	Pass
				4.43	-2.460	-0.0030		-2.5 to 2.5	Pass
				-30	3.85	0.787	0.0010	-2.5 to 2.5	Pass
				-20	3.85	4.992	0.0061	-2.5 to 2.5	Pass
				-10	3.85	11.516	0.0141	-2.5 to 2.5	Pass
				0	3.85	19.183	0.0235	-2.5 to 2.5	Pass
				10	3.85	25.220	0.0310	-2.5 to 2.5	Pass
				30	3.85	37.694	0.0463	-2.5 to 2.5	Pass
				40	3.85	27.308	0.0335	-2.5 to 2.5	Pass
				50	3.85	5.193	0.0064	-2.5 to 2.5	Pass
				831.5	6	0	20	3.27	15.435
	3.85	24.047	0.0289					-2.5 to 2.5	Pass
	4.43	38.652	0.0465					-2.5 to 2.5	Pass
	-30	3.85	13.533				0.0163	-2.5 to 2.5	Pass
	-20	3.85	29.240				0.0352	-2.5 to 2.5	Pass
	-10	3.85	1.187				0.0014	-2.5 to 2.5	Pass
	0	3.85	22.888				0.0275	-2.5 to 2.5	Pass
	10	3.85	43.731				0.0526	-2.5 to 2.5	Pass
	30	3.85	11.587				0.0139	-2.5 to 2.5	Pass
40	3.85	29.697	0.0357				-2.5 to 2.5	Pass	
50	3.85	27.738	0.0334				-2.5 to 2.5	Pass	
848.3	6	0	20				3.27	4.678	0.0055
				3.85	11.144	0.0131	-2.5 to 2.5	Pass	
				4.43	7.110	0.0084	-2.5 to 2.5	Pass	
			-30	3.85	3.834	0.0045	-2.5 to 2.5	Pass	
			-20	3.85	6.838	0.0081	-2.5 to 2.5	Pass	
			-10	3.85	1.073	0.0013	-2.5 to 2.5	Pass	
			0	3.85	44.575	0.0525	-2.5 to 2.5	Pass	
			10	3.85	38.810	0.0458	-2.5 to 2.5	Pass	
30	3.85	33.231	0.0392	-2.5 to 2.5	Pass				

				40	3.85	41.270	0.0487	-2.5 to 2.5	Pass
				50	3.85	35.949	0.0424	-2.5 to 2.5	Pass

2.2 B26_3MHz

2.2.1 Test Result

Band: 26 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	28.338	0.0347	-2.5 to 2.5	Pass
					3.85	38.152	0.0468	-2.5 to 2.5	Pass
					4.43	38.009	0.0466	-2.5 to 2.5	Pass
				-30	3.85	32.358	0.0397	-2.5 to 2.5	Pass
				-20	3.85	22.445	0.0275	-2.5 to 2.5	Pass
				-10	3.85	4.606	0.0056	-2.5 to 2.5	Pass
				0	3.85	30.942	0.0379	-2.5 to 2.5	Pass
				10	3.85	6.952	0.0085	-2.5 to 2.5	Pass
				30	3.85	22.860	0.0280	-2.5 to 2.5	Pass
	40	3.85	36.364	0.0446	-2.5 to 2.5	Pass			
	50	3.85	10.357	0.0127	-2.5 to 2.5	Pass			
	831.5	15	0	20	3.27	-40.026	-0.0481	-2.5 to 2.5	Pass
					3.85	-13.146	-0.0158	-2.5 to 2.5	Pass
					4.43	27.623	0.0332	-2.5 to 2.5	Pass
				-30	3.85	25.907	0.0312	-2.5 to 2.5	Pass
				-20	3.85	26.679	0.0321	-2.5 to 2.5	Pass
				-10	3.85	15.664	0.0188	-2.5 to 2.5	Pass
				0	3.85	6.595	0.0079	-2.5 to 2.5	Pass
				10	3.85	41.699	0.0501	-2.5 to 2.5	Pass
				30	3.85	44.160	0.0531	-2.5 to 2.5	Pass
	40	3.85	28.081	0.0338	-2.5 to 2.5	Pass			
	50	3.85	10.200	0.0123	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	1.144	0.0013	-2.5 to 2.5	Pass
					3.85	44.403	0.0524	-2.5 to 2.5	Pass
					4.43	13.704	0.0162	-2.5 to 2.5	Pass
				-30	3.85	25.392	0.0300	-2.5 to 2.5	Pass
				-20	3.85	22.130	0.0261	-2.5 to 2.5	Pass
-10				3.85	23.689	0.0280	-2.5 to 2.5	Pass	
0				3.85	14.634	0.0173	-2.5 to 2.5	Pass	
10				3.85	6.022	0.0071	-2.5 to 2.5	Pass	
30				3.85	43.201	0.0510	-2.5 to 2.5	Pass	
40	3.85	30.227	0.0357	-2.5 to 2.5	Pass				
50	3.85	8.998	0.0106	-2.5 to 2.5	Pass				
16QAM	815.5	15	0	20	3.27	8.612	0.0106	-2.5 to 2.5	Pass
					3.85	12.202	0.0150	-2.5 to 2.5	Pass
					4.43	17.180	0.0211	-2.5 to 2.5	Pass
				-30	3.85	30.413	0.0373	-2.5 to 2.5	Pass
				-20	3.85	31.743	0.0389	-2.5 to 2.5	Pass
				-10	3.85	29.025	0.0356	-2.5 to 2.5	Pass
				0	3.85	25.148	0.0308	-2.5 to 2.5	Pass
				10	3.85	25.735	0.0316	-2.5 to 2.5	Pass
				30	3.85	22.645	0.0278	-2.5 to 2.5	Pass
	40	3.85	18.010	0.0221	-2.5 to 2.5	Pass			
	50	3.85	9.170	0.0112	-2.5 to 2.5	Pass			
	831.5	15	0	20	3.27	45.633	0.0549	-2.5 to 2.5	Pass

					3.85	29.855	0.0359	-2.5 to 2.5	Pass	
					4.43	16.909	0.0203	-2.5 to 2.5	Pass	
				-30	3.85	-1.287	-0.0015	-2.5 to 2.5	Pass	
				-20	3.85	32.401	0.0390	-2.5 to 2.5	Pass	
				-10	3.85	13.018	0.0157	-2.5 to 2.5	Pass	
				0	3.85	39.797	0.0479	-2.5 to 2.5	Pass	
				10	3.85	24.161	0.0291	-2.5 to 2.5	Pass	
				30	3.85	4.134	0.0050	-2.5 to 2.5	Pass	
				40	3.85	33.417	0.0402	-2.5 to 2.5	Pass	
	50	3.85	11.258	0.0135	-2.5 to 2.5	Pass				
	847.5	15	0	20		3.27	5.450	0.0064	-2.5 to 2.5	Pass
						3.85	30.513	0.0360	-2.5 to 2.5	Pass
						4.43	33.560	0.0396	-2.5 to 2.5	Pass
				-30	3.85	13.404	0.0158	-2.5 to 2.5	Pass	
				-20	3.85	31.099	0.0367	-2.5 to 2.5	Pass	
				-10	3.85	46.577	0.0550	-2.5 to 2.5	Pass	
				0	3.85	-10.800	-0.0127	-2.5 to 2.5	Pass	
				10	3.85	-9.170	-0.0108	-2.5 to 2.5	Pass	
				30	3.85	-23.975	-0.0283	-2.5 to 2.5	Pass	
40	3.85	-22.430	-0.0265	-2.5 to 2.5	Pass					
50	3.85	-15.063	-0.0178	-2.5 to 2.5	Pass					

2.3 B26_5MHz

2.3.1 Test Result

Band: 26 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	816.5	25	0	20		3.27	-16.265	-0.0199	-2.5 to 2.5	Pass
						3.85	-42.300	-0.0518	-2.5 to 2.5	Pass
						4.43	-36.707	-0.0450	-2.5 to 2.5	Pass
				-30	3.85	-21.415	-0.0262	-2.5 to 2.5	Pass	
				-20	3.85	-11.287	-0.0138	-2.5 to 2.5	Pass	
				-10	3.85	-6.866	-0.0084	-2.5 to 2.5	Pass	
				0	3.85	-5.550	-0.0068	-2.5 to 2.5	Pass	
				10	3.85	-7.811	-0.0096	-2.5 to 2.5	Pass	
				30	3.85	-6.266	-0.0077	-2.5 to 2.5	Pass	
				40	3.85	-8.698	-0.0107	-2.5 to 2.5	Pass	
				50	3.85	2.861	0.0035	-2.5 to 2.5	Pass	
				831.5	25	0	20		3.27	-4.377
		3.85	9.999					0.0120	-2.5 to 2.5	Pass
		4.43	-3.777					-0.0045	-2.5 to 2.5	Pass
	-30	3.85	-5.822				-0.0070	-2.5 to 2.5	Pass	
	-20	3.85	-3.147				-0.0038	-2.5 to 2.5	Pass	
	-10	3.85	-6.537				-0.0079	-2.5 to 2.5	Pass	
	0	3.85	-3.161				-0.0038	-2.5 to 2.5	Pass	
	10	3.85	-2.232				-0.0027	-2.5 to 2.5	Pass	
	30	3.85	-7.768				-0.0093	-2.5 to 2.5	Pass	
	40	3.85	-7.024				-0.0084	-2.5 to 2.5	Pass	
	50	3.85	-5.322				-0.0064	-2.5 to 2.5	Pass	
	846.5	25	0				20		3.27	-8.783
					3.85	-8.011		-0.0095	-2.5 to 2.5	Pass
					4.43	-10.242		-0.0121	-2.5 to 2.5	Pass
				-30	3.85	-6.280		-0.0074	-2.5 to 2.5	Pass

				-20	3.85	-8.454	-0.0100	-2.5 to 2.5	Pass
				-10	3.85	-8.111	-0.0096	-2.5 to 2.5	Pass
				0	3.85	-8.368	-0.0099	-2.5 to 2.5	Pass
				10	3.85	-5.851	-0.0069	-2.5 to 2.5	Pass
				30	3.85	-5.021	-0.0059	-2.5 to 2.5	Pass
				40	3.85	-4.277	-0.0051	-2.5 to 2.5	Pass
				50	3.85	-6.638	-0.0078	-2.5 to 2.5	Pass
16QAM	816.5	25	0	20	3.27	-5.422	-0.0066	-2.5 to 2.5	Pass
					3.85	-7.524	-0.0092	-2.5 to 2.5	Pass
					4.43	-5.937	-0.0073	-2.5 to 2.5	Pass
				-30	3.85	-6.838	-0.0084	-2.5 to 2.5	Pass
				-20	3.85	-9.542	-0.0117	-2.5 to 2.5	Pass
				-10	3.85	-8.512	-0.0104	-2.5 to 2.5	Pass
				0	3.85	-6.781	-0.0083	-2.5 to 2.5	Pass
				10	3.85	-6.709	-0.0082	-2.5 to 2.5	Pass
				30	3.85	-6.638	-0.0081	-2.5 to 2.5	Pass
				40	3.85	-6.266	-0.0077	-2.5 to 2.5	Pass
	50	3.85	-6.208	-0.0076	-2.5 to 2.5	Pass			
	831.5	25	0	20	3.27	-4.034	-0.0049	-2.5 to 2.5	Pass
					3.85	-7.324	-0.0088	-2.5 to 2.5	Pass
					4.43	-5.765	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-7.782	-0.0094	-2.5 to 2.5	Pass
				-20	3.85	-7.911	-0.0095	-2.5 to 2.5	Pass
				-10	3.85	-7.038	-0.0085	-2.5 to 2.5	Pass
				0	3.85	-6.509	-0.0078	-2.5 to 2.5	Pass
				10	3.85	-8.154	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-7.367	-0.0089	-2.5 to 2.5	Pass
				40	3.85	-8.082	-0.0097	-2.5 to 2.5	Pass
	50	3.85	-5.193	-0.0062	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.27	-8.798	-0.0104	-2.5 to 2.5	Pass
					3.85	7.668	0.0091	-2.5 to 2.5	Pass
					4.43	-6.280	-0.0074	-2.5 to 2.5	Pass
				-30	3.85	-5.894	-0.0070	-2.5 to 2.5	Pass
				-20	3.85	-7.482	-0.0088	-2.5 to 2.5	Pass
				-10	3.85	-7.095	-0.0084	-2.5 to 2.5	Pass
				0	3.85	-9.198	-0.0109	-2.5 to 2.5	Pass
				10	3.85	-7.653	-0.0090	-2.5 to 2.5	Pass
30				3.85	-6.294	-0.0074	-2.5 to 2.5	Pass	
40				3.85	-4.363	-0.0052	-2.5 to 2.5	Pass	
50	3.85	-7.396	-0.0087	-2.5 to 2.5	Pass				

2.4 B26_10MHz

2.4.1 Test Result

Band: 26 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-3.920	-0.0048	-2.5 to 2.5	Pass
					3.85	-2.861	-0.0035	-2.5 to 2.5	Pass
					4.43	-4.148	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-2.975	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-3.490	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	-7.195	-0.0088	-2.5 to 2.5	Pass
				0	3.85	-7.238	-0.0088	-2.5 to 2.5	Pass

	831.5	50	0	10	3.85	-8.111	-0.0099	-2.5 to 2.5	Pass	
				30	3.85	-7.796	-0.0095	-2.5 to 2.5	Pass	
				40	3.85	-4.334	-0.0053	-2.5 to 2.5	Pass	
				50	3.85	-4.592	-0.0056	-2.5 to 2.5	Pass	
				20	3.27	-4.249	-0.0051	-2.5 to 2.5	Pass	
					3.85	-7.753	-0.0093	-2.5 to 2.5	Pass	
					4.43	-6.409	-0.0077	-2.5 to 2.5	Pass	
				-30	3.85	-5.207	-0.0063	-2.5 to 2.5	Pass	
				-20	3.85	-4.377	-0.0053	-2.5 to 2.5	Pass	
				-10	3.85	-5.250	-0.0063	-2.5 to 2.5	Pass	
				0	3.85	-5.436	-0.0065	-2.5 to 2.5	Pass	
				10	3.85	-4.635	-0.0056	-2.5 to 2.5	Pass	
	30	3.85	-4.206	-0.0051	-2.5 to 2.5	Pass				
	40	3.85	-5.064	-0.0061	-2.5 to 2.5	Pass				
	50	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass				
	844	50	0	20	3.27	-6.738	-0.0080	-2.5 to 2.5	Pass	
					3.85	-8.383	-0.0099	-2.5 to 2.5	Pass	
					4.43	-8.240	-0.0098	-2.5 to 2.5	Pass	
				-30	3.85	-3.490	-0.0041	-2.5 to 2.5	Pass	
				-20	3.85	-3.619	-0.0043	-2.5 to 2.5	Pass	
				-10	3.85	-6.366	-0.0075	-2.5 to 2.5	Pass	
				0	3.85	-6.752	-0.0080	-2.5 to 2.5	Pass	
				10	3.85	-7.968	-0.0094	-2.5 to 2.5	Pass	
				30	3.85	-7.010	-0.0083	-2.5 to 2.5	Pass	
				40	3.85	-7.682	-0.0091	-2.5 to 2.5	Pass	
				50	3.85	-3.176	-0.0038	-2.5 to 2.5	Pass	
				16QAM	819	50	0	20	3.27	-6.680
	3.85	-2.904	-0.0035						-2.5 to 2.5	Pass
	4.43	-9.255	-0.0113						-2.5 to 2.5	Pass
	-30	3.85	-1.588					-0.0019	-2.5 to 2.5	Pass
	-20	3.85	-6.022					-0.0074	-2.5 to 2.5	Pass
	-10	3.85	-5.379					-0.0066	-2.5 to 2.5	Pass
	0	3.85	-6.595					-0.0081	-2.5 to 2.5	Pass
10	3.85	-7.453	-0.0091					-2.5 to 2.5	Pass	
30	3.85	-5.379	-0.0066					-2.5 to 2.5	Pass	
40	3.85	-7.582	-0.0093					-2.5 to 2.5	Pass	
50	3.85	-6.967	-0.0085					-2.5 to 2.5	Pass	
831.5	50	0	20					3.27	-0.186	-0.0002
					3.85	-4.191	-0.0050	-2.5 to 2.5	Pass	
					4.43	-5.307	-0.0064	-2.5 to 2.5	Pass	
			-30		3.85	-7.138	-0.0086	-2.5 to 2.5	Pass	
			-20		3.85	-1.645	-0.0020	-2.5 to 2.5	Pass	
			-10		3.85	-3.705	-0.0045	-2.5 to 2.5	Pass	
			0		3.85	-4.563	-0.0055	-2.5 to 2.5	Pass	
			10		3.85	-7.582	-0.0091	-2.5 to 2.5	Pass	
			30		3.85	-5.436	-0.0065	-2.5 to 2.5	Pass	
			40		3.85	-6.323	-0.0076	-2.5 to 2.5	Pass	
			50		3.85	-6.981	-0.0084	-2.5 to 2.5	Pass	
			844		50	0	20	3.27	-1.903	-0.0023
3.85	-10.057	-0.0119						-2.5 to 2.5	Pass	
4.43	-5.422	-0.0064						-2.5 to 2.5	Pass	
-30	3.85	-8.869					-0.0105	-2.5 to 2.5	Pass	
-20	3.85	-5.651					-0.0067	-2.5 to 2.5	Pass	
-10	3.85	-7.410					-0.0088	-2.5 to 2.5	Pass	
0	3.85	-5.851					-0.0069	-2.5 to 2.5	Pass	
10	3.85	-1.788					-0.0021	-2.5 to 2.5	Pass	
30	3.85	-3.619					-0.0043	-2.5 to 2.5	Pass	

				40	3.85	-4.234	-0.0050	-2.5 to 2.5	Pass
				50	3.85	-7.882	-0.0093	-2.5 to 2.5	Pass

2.5 B26_15MHz

2.5.1 Test Result

Band: 26 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.27	-4.563	-0.0056	-2.5 to 2.5	Pass
					3.85	-4.449	-0.0054	-2.5 to 2.5	Pass
					4.43	-5.407	-0.0066	-2.5 to 2.5	Pass
				-30	3.85	-4.635	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-8.869	-0.0108	-2.5 to 2.5	Pass
				-10	3.85	-5.193	-0.0063	-2.5 to 2.5	Pass
				0	3.85	-4.048	-0.0049	-2.5 to 2.5	Pass
				10	3.85	-6.452	-0.0079	-2.5 to 2.5	Pass
				30	3.85	-6.166	-0.0075	-2.5 to 2.5	Pass
				40	3.85	-6.909	-0.0084	-2.5 to 2.5	Pass
	50	3.85	-5.193	-0.0063	-2.5 to 2.5	Pass			
	831.5	75	0	20	3.27	-4.563	-0.0055	-2.5 to 2.5	Pass
					3.85	-6.022	-0.0072	-2.5 to 2.5	Pass
					4.43	-3.834	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-3.533	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-3.362	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-2.503	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-7.052	-0.0085	-2.5 to 2.5	Pass
				10	3.85	-6.394	-0.0077	-2.5 to 2.5	Pass
				30	3.85	-2.732	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-1.931	-0.0023	-2.5 to 2.5	Pass
	50	3.85	-6.123	-0.0074	-2.5 to 2.5	Pass			
	841.5	75	0	20	3.27	-9.098	-0.0108	-2.5 to 2.5	Pass
					3.85	-5.193	-0.0062	-2.5 to 2.5	Pass
					4.43	-6.051	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-8.111	-0.0096	-2.5 to 2.5	Pass
				-20	3.85	-7.453	-0.0089	-2.5 to 2.5	Pass
				-10	3.85	-8.869	-0.0105	-2.5 to 2.5	Pass
				0	3.85	-7.067	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-4.492	-0.0053	-2.5 to 2.5	Pass
30				3.85	-6.809	-0.0081	-2.5 to 2.5	Pass	
40				3.85	-7.010	-0.0083	-2.5 to 2.5	Pass	
50	3.85	-7.467	-0.0089	-2.5 to 2.5	Pass				
16QAM	821.5	75	0	20	3.27	-6.495	-0.0079	-2.5 to 2.5	Pass
					3.85	-4.520	-0.0055	-2.5 to 2.5	Pass
					4.43	-7.110	-0.0087	-2.5 to 2.5	Pass
				-30	3.85	-4.807	-0.0059	-2.5 to 2.5	Pass
				-20	3.85	-6.037	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-3.791	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-6.566	-0.0080	-2.5 to 2.5	Pass
				10	3.85	-4.907	-0.0060	-2.5 to 2.5	Pass
				30	3.85	-4.821	-0.0059	-2.5 to 2.5	Pass
				40	3.85	-4.392	-0.0053	-2.5 to 2.5	Pass
	50	3.85	-8.411	-0.0102	-2.5 to 2.5	Pass			
	831.5	75	0	20	3.27	-5.922	-0.0071	-2.5 to 2.5	Pass

					3.85	-7.896	-0.0095	-2.5 to 2.5	Pass	
					4.43	-7.253	-0.0087	-2.5 to 2.5	Pass	
				-30	3.85	-8.512	-0.0102	-2.5 to 2.5	Pass	
				-20	3.85	-6.680	-0.0080	-2.5 to 2.5	Pass	
				-10	3.85	-5.522	-0.0066	-2.5 to 2.5	Pass	
				0	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass	
				10	3.85	-3.762	-0.0045	-2.5 to 2.5	Pass	
				30	3.85	-3.333	-0.0040	-2.5 to 2.5	Pass	
				40	3.85	-4.535	-0.0055	-2.5 to 2.5	Pass	
				50	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass	
	841.5	75	0	20		3.27	-3.262	-0.0039	-2.5 to 2.5	Pass
						3.85	-4.921	-0.0058	-2.5 to 2.5	Pass
						4.43	-4.163	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-6.366	-0.0076	-2.5 to 2.5	Pass	
				-20	3.85	-4.892	-0.0058	-2.5 to 2.5	Pass	
				-10	3.85	-4.649	-0.0055	-2.5 to 2.5	Pass	
				0	3.85	-9.069	-0.0108	-2.5 to 2.5	Pass	
				10	3.85	-7.467	-0.0089	-2.5 to 2.5	Pass	
				30	3.85	-7.124	-0.0085	-2.5 to 2.5	Pass	
				40	3.85	-7.339	-0.0087	-2.5 to 2.5	Pass	
50	3.85	-10.586	-0.0126	-2.5 to 2.5	Pass					


3. Modulation Characteristics

3.1 B26_1.4MHz

3.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	6	0	Refer To Test Graph		Pass
16QAM	831.5	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B26_3MHz

3.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	15	0	Refer To Test Graph		Pass
16QAM	831.5	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B26_5MHz

3.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	25	0	Refer To Test Graph		Pass
16QAM	831.5	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B26_10MHz

3.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	50	0	Refer To Test Graph		Pass
16QAM	831.5	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




3.5 B26_15MHz

3.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	Refer To Test Graph		Pass
16QAM	831.5	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band26_OBW


4.1.1 Test Result

Band: 26 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.114	/	Pass
		831.5	6	0	1.109	/	Pass
		848.3	6	0	1.117	/	Pass
	16QAM	814.7	6	0	1.101	/	Pass
		831.5	6	0	1.117	/	Pass
		848.3	6	0	1.105	/	Pass
3	QPSK	815.5	15	0	2.728	/	Pass
		831.5	15	0	2.726	/	Pass
		847.5	15	0	2.726	/	Pass
	16QAM	815.5	15	0	2.728	/	Pass
		831.5	15	0	2.723	/	Pass
		847.5	15	0	2.718	/	Pass
5	QPSK	816.5	25	0	4.558	/	Pass
		831.5	25	0	4.547	/	Pass
		846.5	25	0	4.563	/	Pass
	16QAM	816.5	25	0	4.568	/	Pass
		831.5	25	0	4.589	/	Pass
		846.5	25	0	4.548	/	Pass
10	QPSK	819	50	0	9.083	/	Pass
		831.5	50	0	9.015	/	Pass
		844	50	0	9.047	/	Pass
	16QAM	819	50	0	9.071	/	Pass
		831.5	50	0	9.048	/	Pass
		844	50	0	9.055	/	Pass
15	QPSK	821.5	75	0	13.590	/	Pass
		831.5	75	0	13.568	/	Pass
		841.5	75	0	13.595	/	Pass
	16QAM	821.5	75	0	13.648	/	Pass
		831.5	75	0	13.563	/	Pass
		841.5	75	0	13.628	/	Pass


4.1.2 Test Graph




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_MCH_831.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2 Band26_XDB


4.2.1 Test Result

Band: 26 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.333	/	Pass
		831.5	6	0	1.327	/	Pass
		848.3	6	0	1.298	/	Pass
	16QAM	814.7	6	0	1.292	/	Pass
		831.5	6	0	1.333	/	Pass
		848.3	6	0	1.326	/	Pass
3	QPSK	815.5	15	0	2.990	/	Pass
		831.5	15	0	2.997	/	Pass
		847.5	15	0	2.994	/	Pass
	16QAM	815.5	15	0	3.003	/	Pass
		831.5	15	0	2.989	/	Pass
		847.5	15	0	2.966	/	Pass
5	QPSK	816.5	25	0	5.223	/	Pass
		831.5	25	0	5.280	/	Pass
		846.5	25	0	5.272	/	Pass
	16QAM	816.5	25	0	5.304	/	Pass
		831.5	25	0	5.219	/	Pass
		846.5	25	0	5.253	/	Pass
10	QPSK	819	50	0	10.273	/	Pass
		831.5	50	0	10.159	/	Pass
		844	50	0	10.285	/	Pass
	16QAM	819	50	0	10.192	/	Pass
		831.5	50	0	10.113	/	Pass
		844	50	0	10.164	/	Pass
15	QPSK	821.5	75	0	15.278	/	Pass
		831.5	75	0	15.307	/	Pass
		841.5	75	0	15.335	/	Pass
	16QAM	821.5	75	0	15.372	/	Pass
		831.5	75	0	15.203	/	Pass
		841.5	75	0	15.266	/	Pass


4.2.2 Test Graph




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_MCH_831.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




5. Peak-Average Ratio

5.1 B26_1.4MHz


5.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	4.57	<=13	Pass
	831.5	6	0	4.38	<=13	Pass
	848.3	6	0	4.81	<=13	Pass
16QAM	814.7	6	0	5.31	<=13	Pass
	831.5	6	0	5.28	<=13	Pass
	848.3	6	0	5.48	<=13	Pass


5.1.2 Test Graph




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV



Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_6_0_NTNV



Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2 B26_3MHz


5.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	4.72	<=13	Pass
	831.5	15	0	4.54	<=13	Pass
	847.5	15	0	4.94	<=13	Pass
16QAM	815.5	15	0	4.75	<=13	Pass
	831.5	15	0	4.52	<=13	Pass
	847.5	15	0	4.92	<=13	Pass


5.2.2 Test Graph




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV



Band26_3MHz_16QAM_MCH_831.5MHz_RB_15_0_NTNV



Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.3 B26_5MHz


5.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.05	<=13	Pass
	831.5	25	0	4.82	<=13	Pass
	846.5	25	0	5.24	<=13	Pass
16QAM	816.5	25	0	5.73	<=13	Pass
	831.5	25	0	5.63	<=13	Pass
	846.5	25	0	5.99	<=13	Pass


5.3.2 Test Graph




Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV



Band26_5MHz_16QAM_MCH_831.5MHz_RB_25_0_NTNV



Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.4 B26_10MHz


5.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.26	<=13	Pass
	831.5	50	0	5.02	<=13	Pass
	844	50	0	5.34	<=13	Pass
16QAM	819	50	0	6.02	<=13	Pass
	831.5	50	0	5.77	<=13	Pass
	844	50	0	6.11	<=13	Pass


5.4.2 Test Graph




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV



Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV



Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





5.5 B26_15MHz


5.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	4.89	<=13	Pass
	831.5	75	0	4.84	<=13	Pass
	841.5	75	0	4.86	<=13	Pass
16QAM	821.5	75	0	6.12	<=13	Pass
	831.5	75	0	6.04	<=13	Pass
	841.5	75	0	6.20	<=13	Pass


5.5.2 Test Graph




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





6. Spurious Emission

6.1 B26_1.4MHz


6.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass


6.1.2 Test Graph




Band26_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	1	849.003	-30.90	-13	Pass
849	850.5	0.003	CHP	2	850.350	-43.60	-13	Pass


Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV



Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.947	-38.25	-13	Pass
813	814	0.013	/	2	813.922	-31.40	-13	Pass
814	815.5	0.013	/	/	/	/	/	/


Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26 1.4MHz 16QAM_HCH_848.3MHz_RB_1_5_NTNV



Band26 1.4MHz 16QAM_HCH_848.3MHz_RB_6_0_NTNV





6.2 B26_3MHz


6.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


6.2.2 Test Graph




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_1_0_NTNV



Band26_3MHz_16QAM_LCH_815.5MHz_RB_1_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.680	-34.11	-13	Pass
813	814	0.03	/	2	814.000	-23.83	-13	Pass
814	817	0.03	/	/	/	/	/	/


Band26_3MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV



Band26_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTV



Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTV





6.3 B26_5MHz


6.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


6.3.2 Test Graph




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	1	849.000	-42.40	-13	Pass
849	850	0.003	/	1	849.000	-42.40	-13	Pass
850	854	0.1	CHP	2	850.010	-34.67	-13	Pass


Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_1_0_NTNV



Band26_5MHz_16QAM_LCH_816.5MHz_RB_1_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.730	-33.56	-13	Pass
813	814	0.056	/	2	814.000	-29.85	-13	Pass
814	819	0.056	/	/	/	/	/	/


Band26_5MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV



Band26_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTV



Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTV





6.4 B26_10MHz


6.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		844	1	0	Refer To Test Graph	
				49	Refer To Test Graph	
			50	0	Refer To Test Graph	
16QAM	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		844	1	0	Refer To Test Graph	
				49	Refer To Test Graph	
			50	0	Refer To Test Graph	


6.4.2 Test Graph




Band26_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV



Band26_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	811.980	-38.40	-13	Pass
813	814	0.102	/	2	814.000	-31.87	-13	Pass
814	824	0.102	/	/	/	/	/	/


Band26_10MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV



Band26_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV



Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





6.5 B26_15MHz


6.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
				74	Refer To Test Graph	
			75	0	Refer To Test Graph	
16QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
				74	Refer To Test Graph	
			75	0	Refer To Test Graph	

6.5.2 Test Graph




Band26_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	811.900	-36.86	-13	Pass
813	814	0.153	/	2	814.000	-33.56	-13	Pass
814	829	0.153	/	/	/	/	/	/

Band26_15MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV




Marker:
1 873.000 MHz
-42.01 dBm

Band26_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	1	849.000	-38.62	-13	Pass
849	850	0.003	/	1	849.000	-38.62	-13	Pass
850	864	0.1	CHP	2	850.000	-52.15	-13	Pass


Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV



Band26_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.380	-39.22	-13	Pass
813	814	0.154	/	2	813.910	-33.82	-13	Pass
814	829	0.154	/	/	/	/	/	/


Band26_15MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26	1.4	814.7	848.3	0.2735	0.0534	ppm	1M12G7D	22H	24.37
26	1.4	814.7	848.3	0.2518	0.0526	ppm	1M12W7D	22H	24.01
26	3	815.5	847.5	0.2163	0.0531	ppm	2M73G7D	22H	23.35
26	3	815.5	847.5	0.2128	0.0550	ppm	2M73W7D	22H	23.28
26	5	816.5	846.5	0.2704	0.0518	ppm	4M56G7D	22H	24.32
26	5	816.5	846.5	0.2410	0.0117	ppm	4M59W7D	22H	23.82
26	10	819	844	0.2679	0.0099	ppm	9M08G7D	22H	24.28
26	10	819	844	0.2698	0.0119	ppm	9M07W7D	22H	24.31
26	15	821.5	841.5	0.2564	0.0108	ppm	13M6G7D	22H	24.09
26	15	821.5	841.5	0.2673	0.0126	ppm	13M6W7D	22H	24.27

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26	1.4	814.7	848.3	0.0755	0.0534	ppm	1M12G7D	22H	18.78
26	1.4	814.7	848.3	0.0695	0.0526	ppm	1M12W7D	22H	18.42
26	3	815.5	847.5	0.0597	0.0531	ppm	2M73G7D	22H	17.76
26	3	815.5	847.5	0.0587	0.0550	ppm	2M73W7D	22H	17.69
26	5	816.5	846.5	0.0746	0.0518	ppm	4M56G7D	22H	18.73
26	5	816.5	846.5	0.0665	0.0117	ppm	4M59W7D	22H	18.23
26	10	819	844	0.0740	0.0099	ppm	9M08G7D	22H	18.69
26	10	819	844	0.0745	0.0119	ppm	9M07W7D	22H	18.72
26	15	821.5	841.5	0.0708	0.0108	ppm	13M6G7D	22H	18.50
26	15	821.5	841.5	0.0738	0.0126	ppm	13M6W7D	22H	18.68