



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.7600MHz	-78.34	-13.00	-65.34	PK	Hor
2*	65.0413MHz	-78.78	-13.00	-65.78	PK	Hor
3*	157.4338MHz	-76.83	-13.00	-63.83	PK	Hor
4*	422.6075MHz	-74.34	-13.00	-61.34	PK	Hor
5*	607.6350MHz	-68.28	-13.00	-55.28	PK	Hor
6*	984.2375MHz	-60.61	-13.00	-47.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.0975MHz	-77.67	-13.00	-64.67	PK	Ver
2*	143.4900MHz	-76.69	-13.00	-63.69	PK	Ver
3*	157.6763MHz	-74.64	-13.00	-61.64	PK	Ver
4*	298.0838MHz	-75.85	-13.00	-62.85	PK	Ver
5*	623.0338MHz	-66.73	-13.00	-53.73	PK	Ver
6*	970.0513MHz	-60.23	-13.00	-47.23	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.5200MHz	-78.37	-13.00	-65.37	PK	Hor
2*	157.6763MHz	-76.25	-13.00	-63.25	PK	Hor
3*	168.8313MHz	-77.08	-13.00	-64.08	PK	Hor
4*	411.9375MHz	-74.06	-13.00	-61.06	PK	Hor
5*	688.6300MHz	-65.04	-13.00	-52.04	PK	Hor
6*	980.8425MHz	-60.73	-13.00	-47.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.8263MHz	-78.39	-13.00	-65.39	PK	Ver
2*	125.9088MHz	-78.09	-13.00	-65.09	PK	Ver
3*	163.3750MHz	-76.30	-13.00	-63.30	PK	Ver
4*	401.8738MHz	-74.63	-13.00	-61.63	PK	Ver
5*	648.7388MHz	-65.78	-13.00	-52.78	PK	Ver
6*	988.7238MHz	-60.38	-13.00	-47.38	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875MHz	-77.85	-13.00	-64.85	PK	Hor
2*	114.2688MHz	-79.84	-13.00	-66.84	PK	Hor
3*	152.7050MHz	-76.79	-13.00	-63.79	PK	Hor
4*	289.8388MHz	-77.60	-13.00	-64.60	PK	Hor
5*	628.8538MHz	-66.45	-13.00	-53.45	PK	Hor
6*	945.8013MHz	-60.93	-13.00	-47.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.6750MHz	-78.40	-13.00	-65.40	PK	Ver
2*	164.9513MHz	-77.06	-13.00	-64.06	PK	Ver
3*	365.2563MHz	-75.64	-13.00	-62.64	PK	Ver
4*	554.4063MHz	-70.56	-13.00	-57.56	PK	Ver
5*	859.8350MHz	-62.34	-13.00	-49.34	PK	Ver
6*	972.7188MHz	-60.72	-13.00	-47.72	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.0913MHz	-79.81	-13.00	-66.81	PK	Hor
2*	41.1550MHz	-78.31	-13.00	-65.31	PK	Hor
3*	70.0125MHz	-80.31	-13.00	-67.31	PK	Hor
4*	150.6438MHz	-76.39	-13.00	-63.39	PK	Hor
5*	297.9625MHz	-76.28	-13.00	-63.28	PK	Hor
6*	991.1488MHz	-61.21	-13.00	-48.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.3350MHz	-78.88	-13.00	-65.88	PK	Ver
2*	51.2188MHz	-77.19	-13.00	-64.19	PK	Ver
3*	154.0388MHz	-77.35	-13.00	-64.35	PK	Ver
4*	375.1988MHz	-75.51	-13.00	-62.51	PK	Ver
5*	612.3638MHz	-67.08	-13.00	-54.08	PK	Ver
6*	978.0538MHz	-60.39	-13.00	-47.39	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.7600MHz	-78.64	-13.00	-65.64	PK	Hor
2*	61.5250MHz	-78.32	-13.00	-65.32	PK	Hor
3*	155.4938MHz	-77.11	-13.00	-64.11	PK	Hor
4*	337.1263MHz	-76.96	-13.00	-63.96	PK	Hor
5*	480.5650MHz	-72.97	-13.00	-59.97	PK	Hor
6*	985.9350MHz	-61.48	-13.00	-48.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.7925MHz	-78.09	-13.00	-65.09	PK	Ver
2*	61.7675MHz	-78.18	-13.00	-65.18	PK	Ver
3*	133.1838MHz	-79.00	-13.00	-66.00	PK	Ver
4*	160.2225MHz	-76.46	-13.00	-63.46	PK	Ver
5*	545.6763MHz	-70.27	-13.00	-57.27	PK	Ver
6*	996.9688MHz	-60.01	-13.00	-47.01	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	61.1613MHz	-78.57	-13.00	-65.57	PK	Hor
2*	143.7325MHz	-78.84	-13.00	-65.84	PK	Hor
3*	274.1975MHz	-77.39	-13.00	-64.39	PK	Hor
4*	374.1075MHz	-75.18	-13.00	-62.18	PK	Hor
5*	713.4863MHz	-65.05	-13.00	-52.05	PK	Hor
6*	950.6513MHz	-60.18	-13.00	-47.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.5238MHz	-78.17	-13.00	-65.17	PK	Ver
2*	117.1788MHz	-79.85	-13.00	-66.85	PK	Ver
3*	165.1938MHz	-76.91	-13.00	-63.91	PK	Ver
4*	354.7075MHz	-75.63	-13.00	-62.63	PK	Ver
5*	625.7013MHz	-66.79	-13.00	-53.79	PK	Ver
6*	986.1775MHz	-61.00	-13.00	-48.00	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.1575MHz	-77.92	-13.00	-64.92	PK	Hor
2*	61.1613MHz	-78.32	-13.00	-65.32	PK	Hor
3*	152.0988MHz	-76.75	-13.00	-63.75	PK	Hor
4*	314.5738MHz	-76.70	-13.00	-63.70	PK	Hor
5*	646.4350MHz	-66.80	-13.00	-53.80	PK	Hor
6*	994.0588MHz	-60.90	-13.00	-47.90	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.5763MHz	-78.97	-13.00	-65.97	PK	Ver
2*	46.8538MHz	-76.89	-13.00	-63.89	PK	Ver
3*	151.1288MHz	-77.06	-13.00	-64.06	PK	Ver
4*	477.8975MHz	-72.98	-13.00	-59.98	PK	Ver
5*	613.8188MHz	-67.29	-13.00	-54.29	PK	Ver
6*	977.9325MHz	-60.59	-13.00	-47.59	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.3700MHz	-78.47	-13.00	-65.47	PK	Hor
2*	69.1638MHz	-80.09	-13.00	-67.09	PK	Hor
3*	157.9188MHz	-76.86	-13.00	-63.86	PK	Hor
4*	292.9913MHz	-75.94	-13.00	-62.94	PK	Hor
5*	641.3425MHz	-67.00	-13.00	-54.00	PK	Hor
6*	972.2338MHz	-60.50	-13.00	-47.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.8188MHz	-78.45	-13.00	-65.45	PK	Ver
2*	47.0963MHz	-78.48	-13.00	-65.48	PK	Ver
3*	156.9488MHz	-76.51	-13.00	-63.51	PK	Ver
4*	480.0800MHz	-72.06	-13.00	-59.06	PK	Ver
5*	840.6775MHz	-63.07	-13.00	-50.07	PK	Ver
6*	934.4038MHz	-60.90	-13.00	-47.90	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-78.45	-13.00	-65.45	PK	Hor
2*	47.3388MHz	-77.90	-13.00	-64.90	PK	Hor
3*	166.0425MHz	-76.96	-13.00	-63.96	PK	Hor
4*	430.6100MHz	-74.86	-13.00	-61.86	PK	Hor
5*	623.0338MHz	-68.07	-13.00	-55.07	PK	Hor
6*	978.4175MHz	-61.31	-13.00	-48.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.2188MHz	-78.13	-13.00	-65.13	PK	Ver
2*	138.5188MHz	-77.55	-13.00	-64.55	PK	Ver
3*	159.2525MHz	-76.75	-13.00	-63.75	PK	Ver
4*	471.3500MHz	-71.87	-13.00	-58.87	PK	Ver
5*	598.0563MHz	-67.72	-13.00	-54.72	PK	Ver
6*	999.2725MHz	-59.55	-13.00	-46.55	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.0038MHz	-78.69	-13.00	-65.69	PK	Hor
2*	65.7688MHz	-78.89	-13.00	-65.89	PK	Hor
3*	149.7950MHz	-78.27	-13.00	-65.27	PK	Hor
4*	286.9288MHz	-77.98	-13.00	-64.98	PK	Hor
5*	600.9663MHz	-68.19	-13.00	-55.19	PK	Hor
6*	988.3600MHz	-60.68	-13.00	-47.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.1575MHz	-78.19	-13.00	-65.19	PK	Ver
2*	59.4638MHz	-78.01	-13.00	-65.01	PK	Ver
3*	149.1888MHz	-76.62	-13.00	-63.62	PK	Ver
4*	333.1250MHz	-76.57	-13.00	-63.57	PK	Ver
5*	748.2850MHz	-64.89	-13.00	-51.89	PK	Ver
6*	971.0213MHz	-61.11	-13.00	-48.11	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.9138MHz	-77.54	-13.00	-64.54	PK	Hor
2*	69.5275MHz	-78.97	-13.00	-65.97	PK	Hor
3*	151.1288MHz	-75.16	-13.00	-62.16	PK	Hor
4*	325.3650MHz	-76.29	-13.00	-63.29	PK	Hor
5*	549.7988MHz	-70.52	-13.00	-57.52	PK	Hor
6*	990.5425MHz	-60.44	-13.00	-47.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.8838MHz	-77.74	-13.00	-64.74	PK	Ver
2*	67.1025MHz	-79.23	-13.00	-66.23	PK	Ver
3*	161.7988MHz	-76.26	-13.00	-63.26	PK	Ver
4*	445.7663MHz	-73.50	-13.00	-60.50	PK	Ver
5*	646.9200MHz	-64.75	-13.00	-51.75	PK	Ver
6*	981.2063MHz	-59.72	-13.00	-46.72	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.3350MHz	-78.98	-13.00	-65.98	PK	Hor
2*	60.9188MHz	-77.21	-13.00	-64.21	PK	Hor
3*	168.8313MHz	-76.42	-13.00	-63.42	PK	Hor
4*	510.3925MHz	-71.45	-13.00	-58.45	PK	Hor
5*	644.4950MHz	-65.94	-13.00	-52.94	PK	Hor
6*	995.6350MHz	-60.84	-13.00	-47.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.0938MHz	-77.91	-13.00	-64.91	PK	Ver
2*	57.4025MHz	-77.95	-13.00	-64.95	PK	Ver
3*	147.6125MHz	-76.49	-13.00	-63.49	PK	Ver
4*	314.2100MHz	-75.38	-13.00	-62.38	PK	Ver
5*	687.5388MHz	-64.42	-13.00	-51.42	PK	Ver
6*	966.1713MHz	-60.68	-13.00	-47.68	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 25 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.6100MHz	-78.47	-13.00	-65.47	PK	Hor
2*	53.4013MHz	-78.27	-13.00	-65.27	PK	Hor
3*	64.5563MHz	-78.53	-13.00	-65.53	PK	Hor
4*	171.1350MHz	-77.05	-13.00	-64.05	PK	Hor
5*	555.6188MHz	-70.58	-13.00	-57.58	PK	Hor
6*	977.8113MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.1538MHz	-78.60	-13.00	-65.60	PK	Ver
2*	40.3063MHz	-77.34	-13.00	-64.34	PK	Ver
3*	146.4000MHz	-76.06	-13.00	-63.06	PK	Ver
4*	341.8550MHz	-76.31	-13.00	-63.31	PK	Ver
5*	552.3450MHz	-70.21	-13.00	-57.21	PK	Ver
6*	913.3063MHz	-60.81	-13.00	-47.81	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.3388MHz	-77.87	-13.00	-64.87	PK	Hor
2*	58.3725MHz	-77.66	-13.00	-64.66	PK	Hor
3*	152.5838MHz	-77.52	-13.00	-64.52	PK	Hor
4*	304.7525MHz	-76.82	-13.00	-63.82	PK	Hor
5*	562.0450MHz	-70.35	-13.00	-57.35	PK	Hor
6*	988.4813MHz	-60.54	-13.00	-47.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.1213MHz	-77.83	-13.00	-64.83	PK	Ver
2*	52.3100MHz	-77.79	-13.00	-64.79	PK	Ver
3*	155.6150MHz	-76.79	-13.00	-63.79	PK	Ver
4*	490.6288MHz	-72.67	-13.00	-59.67	PK	Ver
5*	729.1275MHz	-65.07	-13.00	-52.07	PK	Ver
6*	992.3613MHz	-60.64	-13.00	-47.64	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 25 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.5463MHz	-79.24	-13.00	-66.24	PK	Hor
2*	47.9450MHz	-77.76	-13.00	-64.76	PK	Hor
3*	135.0025MHz	-78.29	-13.00	-65.29	PK	Hor
4*	153.0688MHz	-77.23	-13.00	-64.23	PK	Hor
5*	404.6625MHz	-75.07	-13.00	-62.07	PK	Hor
6*	936.2225MHz	-61.01	-13.00	-48.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.3388MHz	-77.89	-13.00	-64.89	PK	Ver
2*	70.7400MHz	-79.87	-13.00	-66.87	PK	Ver
3*	155.0088MHz	-75.84	-13.00	-62.84	PK	Ver
4*	265.7100MHz	-76.80	-13.00	-63.80	PK	Ver
5*	563.9850MHz	-69.38	-13.00	-56.38	PK	Ver
6*	978.6600MHz	-61.36	-13.00	-48.36	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.2425MHz	-79.93	-13.00	-66.93	PK	Hor
2*	60.0700MHz	-77.49	-13.00	-64.49	PK	Hor
3*	160.9500MHz	-77.30	-13.00	-64.30	PK	Hor
4*	294.6888MHz	-76.52	-13.00	-63.52	PK	Hor
5*	508.2100MHz	-71.80	-13.00	-58.80	PK	Hor
6*	990.9063MHz	-60.40	-13.00	-47.40	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.6113MHz	-77.90	-13.00	-64.90	PK	Ver
2*	67.3450MHz	-78.38	-13.00	-65.38	PK	Ver
3*	159.4950MHz	-76.72	-13.00	-63.72	PK	Ver
4*	375.0775MHz	-75.67	-13.00	-62.67	PK	Ver
5*	609.3325MHz	-67.99	-13.00	-54.99	PK	Ver
6*	996.1200MHz	-60.32	-13.00	-47.32	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.7000MHz	-77.75	-13.00	-64.75	PK	Hor
2*	58.7363MHz	-78.69	-13.00	-65.69	PK	Hor
3*	172.7113MHz	-76.34	-13.00	-63.34	PK	Hor
4*	367.9238MHz	-76.02	-13.00	-63.02	PK	Hor
5*	526.3975MHz	-71.78	-13.00	-58.78	PK	Hor
6*	975.1438MHz	-61.01	-13.00	-48.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.6125MHz	-77.00	-13.00	-64.00	PK	Ver
2*	128.2125MHz	-78.28	-13.00	-65.28	PK	Ver
3*	295.2950MHz	-75.91	-13.00	-62.91	PK	Ver
4*	443.0988MHz	-72.72	-13.00	-59.72	PK	Ver
5*	663.1675MHz	-64.92	-13.00	-51.92	PK	Ver
6*	936.4650MHz	-60.81	-13.00	-47.81	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.1850MHz	-77.75	-13.00	-64.75	PK	Hor
2*	117.3000MHz	-79.63	-13.00	-66.63	PK	Hor
3*	150.5225MHz	-76.06	-13.00	-63.06	PK	Hor
4*	351.0700MHz	-76.03	-13.00	-63.03	PK	Hor
5*	704.3925MHz	-65.49	-13.00	-52.49	PK	Hor
6*	963.1400MHz	-60.37	-13.00	-47.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.5475MHz	-78.57	-13.00	-65.57	PK	Ver
2*	63.3438MHz	-78.66	-13.00	-65.66	PK	Ver
3*	154.8875MHz	-76.18	-13.00	-63.18	PK	Ver
4*	444.6750MHz	-74.00	-13.00	-61.00	PK	Ver
5*	738.8275MHz	-63.10	-13.00	-50.10	PK	Ver
6*	995.5138MHz	-59.77	-13.00	-46.77	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.5488MHz	-79.02	-13.00	-66.02	PK	Hor
2*	51.8250MHz	-78.50	-13.00	-65.50	PK	Hor
3*	158.8888MHz	-76.76	-13.00	-63.76	PK	Hor
4*	389.7488MHz	-73.62	-13.00	-60.62	PK	Hor
5*	719.1850MHz	-64.05	-13.00	-51.05	PK	Hor
6*	977.2050MHz	-59.91	-13.00	-46.91	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.7625MHz	-78.41	-13.00	-65.41	PK	Ver
2*	59.4638MHz	-78.73	-13.00	-65.73	PK	Ver
3*	155.6150MHz	-75.93	-13.00	-62.93	PK	Ver
4*	567.2588MHz	-70.08	-13.00	-57.08	PK	Ver
5*	846.7400MHz	-63.79	-13.00	-50.79	PK	Ver
6*	994.4225MHz	-60.78	-13.00	-47.78	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.8538MHz	-78.18	-13.00	-65.18	PK	Hor
2*	161.1925MHz	-76.92	-13.00	-63.92	PK	Hor
3*	320.0300MHz	-76.57	-13.00	-63.57	PK	Hor
4*	531.3688MHz	-71.24	-13.00	-58.24	PK	Hor
5*	952.9550MHz	-60.57	-13.00	-47.57	PK	Hor
6*	997.3325MHz	-59.88	-13.00	-46.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.6400MHz	-77.63	-13.00	-64.63	PK	Ver
2*	68.5575MHz	-78.71	-13.00	-65.71	PK	Ver
3*	150.5225MHz	-77.36	-13.00	-64.36	PK	Ver
4*	498.6313MHz	-72.17	-13.00	-59.17	PK	Ver
5*	784.9025MHz	-63.83	-13.00	-50.83	PK	Ver
6*	992.6038MHz	-60.18	-13.00	-47.18	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825MHz	-76.83	-13.00	-63.83	PK	Hor
2*	50.7338MHz	-77.23	-13.00	-64.23	PK	Hor
3*	151.4925MHz	-76.82	-13.00	-63.82	PK	Hor
4*	488.9313MHz	-72.19	-13.00	-59.19	PK	Hor
5*	846.1338MHz	-62.78	-13.00	-49.78	PK	Hor
6*	965.4438MHz	-60.59	-13.00	-47.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.9138MHz	-78.22	-13.00	-65.22	PK	Ver
2*	66.0113MHz	-79.29	-13.00	-66.29	PK	Ver
3*	150.4013MHz	-75.82	-13.00	-62.82	PK	Ver
4*	385.9900MHz	-75.13	-13.00	-62.13	PK	Ver
5*	644.1313MHz	-66.84	-13.00	-53.84	PK	Ver
6*	933.0700MHz	-60.91	-13.00	-47.91	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.4563MHz	-79.24	-13.00	-66.24	PK	Hor
2*	56.0688MHz	-77.98	-13.00	-64.98	PK	Hor
3*	133.4263MHz	-77.00	-13.00	-64.00	PK	Hor
4*	376.2900MHz	-74.84	-13.00	-61.84	PK	Hor
5*	660.2575MHz	-65.65	-13.00	-52.65	PK	Hor
6*	974.5375MHz	-59.85	-13.00	-46.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.3350MHz	-78.47	-13.00	-65.47	PK	Ver
2*	148.9463MHz	-76.77	-13.00	-63.77	PK	Ver
3*	326.6988MHz	-75.68	-13.00	-62.68	PK	Ver
4*	642.3125MHz	-66.65	-13.00	-53.65	PK	Ver
5*	687.5388MHz	-62.33	-13.00	-49.33	PK	Ver
6*	991.9975MHz	-59.73	-13.00	-46.73	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.0650MHz	-78.23	-13.00	-65.23	PK	Hor
2*	57.8875MHz	-78.34	-13.00	-65.34	PK	Hor
3*	161.9200MHz	-76.58	-13.00	-63.58	PK	Hor
4*	497.5400MHz	-71.84	-13.00	-58.84	PK	Hor
5*	750.2250MHz	-64.92	-13.00	-51.92	PK	Hor
6*	992.8463MHz	-60.30	-13.00	-47.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.5488MHz	-76.45	-13.00	-63.45	PK	Ver
2*	149.6738MHz	-77.32	-13.00	-64.32	PK	Ver
3*	260.7388MHz	-77.93	-13.00	-64.93	PK	Ver
4*	408.4213MHz	-74.27	-13.00	-61.27	PK	Ver
5*	857.1675MHz	-62.67	-13.00	-49.67	PK	Ver
6*	972.4763MHz	-60.02	-13.00	-47.02	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.2463MHz	-76.86	-13.00	-63.86	PK	Hor
2*	63.7075MHz	-77.36	-13.00	-64.36	PK	Hor
3*	135.3663MHz	-77.84	-13.00	-64.84	PK	Hor
4*	299.5388MHz	-76.59	-13.00	-63.59	PK	Hor
5*	535.0063MHz	-70.48	-13.00	-57.48	PK	Hor
6*	991.6338MHz	-60.54	-13.00	-47.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.8550MHz	-77.96	-13.00	-64.96	PK	Ver
2*	65.1625MHz	-78.01	-13.00	-65.01	PK	Ver
3*	163.8600MHz	-75.72	-13.00	-62.72	PK	Ver
4*	456.0725MHz	-73.27	-13.00	-60.27	PK	Ver
5*	712.7588MHz	-65.01	-13.00	-52.01	PK	Ver
6*	980.7213MHz	-60.61	-13.00	-47.61	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-78.80	-13.00	-65.80	PK	Hor
2*	52.3100MHz	-77.57	-13.00	-64.57	PK	Hor
3*	159.9800MHz	-76.29	-13.00	-63.29	PK	Hor
4*	170.4075MHz	-76.65	-13.00	-63.65	PK	Hor
5*	692.3888MHz	-65.64	-13.00	-52.64	PK	Hor
6*	983.7525MHz	-59.27	-13.00	-46.27	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.5225MHz	-78.36	-13.00	-65.36	PK	Ver
2*	108.0850MHz	-80.68	-13.00	-67.68	PK	Ver
3*	171.9838MHz	-76.18	-13.00	-63.18	PK	Ver
4*	368.7725MHz	-75.94	-13.00	-62.94	PK	Ver
5*	628.2475MHz	-66.48	-13.00	-53.48	PK	Ver
6*	981.3275MHz	-60.79	-13.00	-47.79	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.9725MHz	-78.90	-13.00	-65.90	PK	Hor
2*	52.0675MHz	-78.84	-13.00	-65.84	PK	Hor
3*	155.8575MHz	-76.97	-13.00	-63.97	PK	Hor
4*	303.0550MHz	-77.19	-13.00	-64.19	PK	Hor
5*	682.5675MHz	-65.43	-13.00	-52.43	PK	Hor
6*	972.1125MHz	-61.37	-13.00	-48.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.0313MHz	-78.38	-13.00	-65.38	PK	Ver
2*	40.9125MHz	-77.69	-13.00	-64.69	PK	Ver
3*	55.0988MHz	-78.51	-13.00	-65.51	PK	Ver
4*	154.1600MHz	-75.37	-13.00	-62.37	PK	Ver
5*	412.7863MHz	-74.30	-13.00	-61.30	PK	Ver
6*	981.5700MHz	-59.37	-13.00	-46.37	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-30
Test Mode: LTE Band 71 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.2188MHz	-77.05	-13.00	-64.05	PK	Hor
2*	127.0000MHz	-78.81	-13.00	-65.81	PK	Hor
3*	155.6150MHz	-76.63	-13.00	-63.63	PK	Hor
4*	461.5288MHz	-73.75	-13.00	-60.75	PK	Hor
5*	738.5850MHz	-64.09	-13.00	-51.09	PK	Hor
6*	961.3213MHz	-59.71	-13.00	-46.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.7000MHz	-78.01	-13.00	-65.01	PK	Ver
2*	49.4000MHz	-78.09	-13.00	-65.09	PK	Ver
3*	114.3900MHz	-79.13	-13.00	-66.13	PK	Ver
4*	170.8925MHz	-76.22	-13.00	-63.22	PK	Ver
5*	614.0613MHz	-66.09	-13.00	-53.09	PK	Ver
6*	977.0838MHz	-61.23	-13.00	-48.23	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3655GHz	-54.28	-13.00	-41.28	PK	Hor
2*	1.9350GHz	-54.28	-13.00	-41.28	PK	Hor
3*	2.4726GHz	-49.92	-13.00	-36.92	PK	Hor
4*	7.4664GHz	-43.27	-13.00	-30.27	PK	Hor
5*	11.3487GHz	-42.67	-13.00	-29.67	PK	Hor
6*	17.8321GHz	-36.75	-13.00	-23.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7352GHz	-55.18	-13.00	-42.18	PK	Ver
2*	2.4769GHz	-50.18	-13.00	-37.18	PK	Ver
3*	4.3022GHz	-48.93	-13.00	-35.93	PK	Ver
4*	7.5747GHz	-43.46	-13.00	-30.46	PK	Ver
5*	14.3684GHz	-39.06	-13.00	-26.06	PK	Ver
6*	17.9490GHz	-38.14	-13.00	-25.14	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4271GHz	-55.63	-13.00	-42.63	PK	Hor
2*	2.4790GHz	-50.79	-13.00	-37.79	PK	Hor
3*	4.3532GHz	-49.01	-13.00	-36.01	PK	Hor
4*	7.1497GHz	-45.75	-13.00	-32.75	PK	Hor
5*	14.3641GHz	-40.10	-13.00	-27.10	PK	Hor
6*	17.7174GHz	-38.42	-13.00	-25.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8819GHz	-54.85	-13.00	-41.85	PK	Ver
2*	2.7127GHz	-49.93	-13.00	-36.93	PK	Ver
3*	4.6741GHz	-46.57	-13.00	-33.57	PK	Ver
4*	7.5705GHz	-44.18	-13.00	-31.18	PK	Ver
5*	11.3657GHz	-42.53	-13.00	-29.53	PK	Ver
6*	16.4041GHz	-38.01	-13.00	-25.01	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3230GHz	-54.45	-13.00	-41.45	PK	Hor
2*	2.7956GHz	-49.99	-13.00	-36.99	PK	Hor
3*	4.7846GHz	-47.47	-13.00	-34.47	PK	Hor
4*	7.5577GHz	-44.15	-13.00	-31.15	PK	Hor
5*	11.3700GHz	-41.76	-13.00	-28.76	PK	Hor
6*	17.9617GHz	-36.56	-13.00	-23.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1190GHz	-56.68	-13.00	-43.68	PK	Ver
2*	1.9371GHz	-53.66	-13.00	-40.66	PK	Ver
3*	3.0187GHz	-49.91	-13.00	-36.91	PK	Ver
4*	6.1616GHz	-46.52	-13.00	-33.52	PK	Ver
5*	11.4762GHz	-42.61	-13.00	-29.61	PK	Ver
6*	17.9405GHz	-37.85	-13.00	-24.85	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4720GHz	-55.96	-13.00	-42.96	PK	Hor
2*	2.2760GHz	-52.49	-13.00	-39.49	PK	Hor
3*	2.9260GHz	-49.77	-13.00	-36.77	PK	Hor
4*	5.7580GHz	-47.30	-13.00	-34.30	PK	Hor
5*	7.5720GHz	-43.05	-13.00	-30.05	PK	Hor
6*	16.3940GHz	-38.38	-13.00	-25.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9680GHz	-54.05	-13.00	-41.05	PK	Ver
2*	2.9240GHz	-49.29	-13.00	-36.29	PK	Ver
3*	4.8280GHz	-46.50	-13.00	-33.50	PK	Ver
4*	7.5740GHz	-42.63	-13.00	-29.63	PK	Ver
5*	11.3720GHz	-42.06	-13.00	-29.06	PK	Ver
6*	16.3740GHz	-38.19	-13.00	-25.19	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6960GHz	-55.61	-13.00	-42.61	PK	Hor
2*	3.2300GHz	-49.58	-13.00	-36.58	PK	Hor
3*	4.7940GHz	-46.97	-13.00	-33.97	PK	Hor
4*	7.5840GHz	-43.87	-13.00	-30.87	PK	Hor
5*	14.3760GHz	-40.00	-13.00	-27.00	PK	Hor
6*	16.3820GHz	-38.75	-13.00	-25.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3840GHz	-55.72	-13.00	-42.72	PK	Ver
2*	3.0180GHz	-49.15	-13.00	-36.15	PK	Ver
3*	4.7860GHz	-47.67	-13.00	-34.67	PK	Ver
4*	7.5720GHz	-43.08	-13.00	-30.08	PK	Ver
5*	11.3420GHz	-42.53	-13.00	-29.53	PK	Ver
6*	16.3840GHz	-38.81	-13.00	-25.81	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6960GHz	-55.66	-13.00	-42.66	PK	Hor
2*	2.9180GHz	-49.59	-13.00	-36.59	PK	Hor
3*	4.4700GHz	-49.02	-13.00	-36.02	PK	Hor
4*	4.7120GHz	-47.64	-13.00	-34.64	PK	Hor
5*	7.5780GHz	-42.03	-13.00	-29.03	PK	Hor
6*	16.3860GHz	-38.50	-13.00	-25.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6840GHz	-53.78	-13.00	-40.78	PK	Ver
2*	2.9100GHz	-50.09	-13.00	-37.09	PK	Ver
3*	4.8320GHz	-47.01	-13.00	-34.01	PK	Ver
4*	6.6800GHz	-45.30	-13.00	-32.30	PK	Ver
5*	10.7900GHz	-42.12	-13.00	-29.12	PK	Ver
6*	16.9440GHz	-38.25	-13.00	-25.25	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5880GHz	-54.97	-13.00	-41.97	PK	Hor
2*	1.8895GHz	-53.75	-13.00	-40.75	PK	Hor
3*	2.4722GHz	-49.56	-13.00	-36.56	PK	Hor
4*	3.2912GHz	-48.61	-13.00	-35.61	PK	Hor
5*	4.8152GHz	-46.46	-13.00	-33.46	PK	Hor
6*	6.5372GHz	-45.86	-13.00	-32.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3652GHz	-55.20	-13.00	-42.20	PK	Ver
2*	1.7612GHz	-55.10	-13.00	-42.10	PK	Ver
3*	2.1865GHz	-51.24	-13.00	-38.24	PK	Ver
4*	3.2207GHz	-49.29	-13.00	-36.29	PK	Ver
5*	4.8010GHz	-46.60	-13.00	-33.60	PK	Ver
6*	6.6737GHz	-44.74	-13.00	-31.74	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3900GHz	-55.49	-13.00	-42.49	PK	Hor
2*	2.4602GHz	-49.98	-13.00	-36.98	PK	Hor
3*	3.0160GHz	-48.75	-13.00	-35.75	PK	Hor
4*	4.8182GHz	-47.39	-13.00	-34.39	PK	Hor
5*	6.2365GHz	-47.00	-13.00	-34.00	PK	Hor
6*	6.6992GHz	-45.99	-13.00	-32.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3442GHz	-54.74	-13.00	-41.74	PK	Ver
2*	2.2285GHz	-51.81	-13.00	-38.81	PK	Ver
3*	2.7835GHz	-49.21	-13.00	-36.21	PK	Ver
4*	3.2957GHz	-49.08	-13.00	-36.08	PK	Ver
5*	5.6852GHz	-47.06	-13.00	-34.06	PK	Ver
6*	6.1322GHz	-46.83	-13.00	-33.83	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9315GHz	-53.59	-13.00	-40.59	PK	Hor
2*	2.4865GHz	-50.24	-13.00	-37.24	PK	Hor
3*	2.8150GHz	-49.76	-13.00	-36.76	PK	Hor
4*	4.3637GHz	-48.06	-13.00	-35.06	PK	Hor
5*	4.7852GHz	-46.81	-13.00	-33.81	PK	Hor
6*	6.2057GHz	-46.22	-13.00	-33.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2317GHz	-57.41	-13.00	-44.41	PK	Ver
2*	2.4550GHz	-49.24	-13.00	-36.24	PK	Ver
3*	2.9222GHz	-49.74	-13.00	-36.74	PK	Ver
4*	4.8235GHz	-46.76	-13.00	-33.76	PK	Ver
5*	5.8067GHz	-46.72	-13.00	-33.72	PK	Ver
6*	6.7015GHz	-44.45	-13.00	-31.45	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7020GHz	-55.04	-13.00	-42.04	PK	Hor
2*	2.0110GHz	-53.59	-13.00	-40.59	PK	Hor
3*	2.7130GHz	-50.43	-13.00	-37.43	PK	Hor
4*	3.2807GHz	-49.37	-13.00	-36.37	PK	Hor
5*	4.4215GHz	-48.44	-13.00	-35.44	PK	Hor
6*	6.1225GHz	-45.72	-13.00	-32.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1252GHz	-57.23	-13.00	-44.23	PK	Ver
2*	1.3022GHz	-55.13	-13.00	-42.13	PK	Ver
3*	2.2570GHz	-51.52	-13.00	-38.52	PK	Ver
4*	3.2275GHz	-49.92	-13.00	-36.92	PK	Ver
5*	4.8265GHz	-46.98	-13.00	-33.98	PK	Ver
6*	6.1832GHz	-45.52	-13.00	-32.52	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0870GHz	-57.49	-13.00	-44.49	PK	Hor
2*	1.7500GHz	-54.49	-13.00	-41.49	PK	Hor
3*	2.2060GHz	-51.06	-13.00	-38.06	PK	Hor
4*	3.0422GHz	-49.82	-13.00	-36.82	PK	Hor
5*	4.7882GHz	-46.67	-13.00	-33.67	PK	Hor
6*	6.6850GHz	-45.59	-13.00	-32.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3630GHz	-54.54	-13.00	-41.54	PK	Ver
2*	1.9577GHz	-53.69	-13.00	-40.69	PK	Ver
3*	2.5720GHz	-50.33	-13.00	-37.33	PK	Ver
4*	3.0415GHz	-48.56	-13.00	-35.56	PK	Ver
5*	4.6600GHz	-48.15	-13.00	-35.15	PK	Ver
6*	6.5815GHz	-46.34	-13.00	-33.34	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2415GHz	-56.62	-13.00	-43.62	PK	Hor
2*	1.7440GHz	-54.60	-13.00	-41.60	PK	Hor
3*	2.4902GHz	-50.62	-13.00	-37.62	PK	Hor
4*	2.7947GHz	-49.72	-13.00	-36.72	PK	Hor
5*	4.8107GHz	-46.69	-13.00	-33.69	PK	Hor
6*	6.7082GHz	-45.56	-13.00	-32.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4605GHz	-55.46	-13.00	-42.46	PK	Ver
2*	2.1490GHz	-51.44	-13.00	-38.44	PK	Ver
3*	2.7812GHz	-49.48	-13.00	-36.48	PK	Ver
4*	3.2230GHz	-49.67	-13.00	-36.67	PK	Ver
5*	4.6982GHz	-46.59	-13.00	-33.59	PK	Ver
6*	6.7022GHz	-46.58	-13.00	-33.58	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 25 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9541GHz	-54.35	-13.00	-41.35	PK	Hor
2*	3.1654GHz	-49.58	-13.00	-36.58	PK	Hor
3*	4.7931GHz	-47.24	-13.00	-34.24	PK	Hor
4*	6.6759GHz	-45.88	-13.00	-32.88	PK	Hor
5*	8.9050GHz	-43.02	-13.00	-30.02	PK	Hor
6*	17.9256GHz	-37.99	-13.00	-24.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2401GHz	-56.50	-13.00	-43.50	PK	Ver
2*	2.1326GHz	-53.90	-13.00	-40.90	PK	Ver
3*	2.7892GHz	-50.36	-13.00	-37.36	PK	Ver
4*	4.6741GHz	-48.51	-13.00	-35.51	PK	Ver
5*	7.5705GHz	-42.57	-13.00	-29.57	PK	Ver
6*	17.9511GHz	-36.35	-13.00	-23.35	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.1624GHz	-52.44	-13.00	-39.44	PK	Hor
2*	2.9104GHz	-49.56	-13.00	-36.56	PK	Hor
3*	4.8207GHz	-46.73	-13.00	-33.73	PK	Hor
4*	7.5747GHz	-44.22	-13.00	-31.22	PK	Hor
5*	8.9921GHz	-43.22	-13.00	-30.22	PK	Hor
6*	17.6154GHz	-38.50	-13.00	-25.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0510GHz	-57.51	-13.00	-44.51	PK	Ver
2*	2.2814GHz	-51.93	-13.00	-38.93	PK	Ver
3*	3.1675GHz	-49.78	-13.00	-36.78	PK	Ver
4*	4.7952GHz	-46.75	-13.00	-33.75	PK	Ver
5*	7.5662GHz	-44.20	-13.00	-31.20	PK	Ver
6*	17.8385GHz	-37.30	-13.00	-24.30	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 25 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.4875GHz	-50.08	-13.00	-37.08	PK	Hor
2*	3.2376GHz	-49.50	-13.00	-36.50	PK	Hor
3*	4.8186GHz	-47.53	-13.00	-34.53	PK	Hor
4*	7.5641GHz	-43.47	-13.00	-30.47	PK	Hor
5*	14.3769GHz	-40.29	-13.00	-27.29	PK	Hor
6*	17.9426GHz	-37.35	-13.00	-24.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7076GHz	-55.01	-13.00	-42.01	PK	Ver
2*	2.4917GHz	-50.53	-13.00	-37.53	PK	Ver
3*	6.1064GHz	-47.42	-13.00	-34.42	PK	Ver
4*	8.8009GHz	-44.00	-13.00	-31.00	PK	Ver
5*	13.6926GHz	-42.92	-13.00	-29.92	PK	Ver
6*	17.8597GHz	-38.39	-13.00	-25.39	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4440GHz	-55.48	-13.00	-42.48	PK	Hor
2*	2.4650GHz	-50.87	-13.00	-37.87	PK	Hor
3*	3.0390GHz	-49.11	-13.00	-36.11	PK	Hor
4*	4.8140GHz	-47.00	-13.00	-34.00	PK	Hor
5*	7.5880GHz	-44.03	-13.00	-31.03	PK	Hor
6*	8.9120GHz	-43.39	-13.00	-30.39	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3780GHz	-55.90	-13.00	-42.90	PK	Ver
2*	1.7710GHz	-54.92	-13.00	-41.92	PK	Ver
3*	2.4780GHz	-51.00	-13.00	-38.00	PK	Ver
4*	2.9280GHz	-50.37	-13.00	-37.37	PK	Ver
5*	4.8160GHz	-46.88	-13.00	-33.88	PK	Ver
6*	8.4570GHz	-43.61	-13.00	-30.61	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3160GHz	-56.01	-13.00	-43.01	PK	Hor
2*	1.8710GHz	-54.03	-13.00	-41.03	PK	Hor
3*	2.4960GHz	-50.22	-13.00	-37.22	PK	Hor
4*	3.4650GHz	-49.43	-13.00	-36.43	PK	Hor
5*	4.7080GHz	-45.38	-13.00	-32.38	PK	Hor
6*	7.5470GHz	-41.65	-13.00	-28.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3860GHz	-55.16	-13.00	-42.16	PK	Ver
2*	1.7500GHz	-54.97	-13.00	-41.97	PK	Ver
3*	2.4940GHz	-50.49	-13.00	-37.49	PK	Ver
4*	4.2400GHz	-47.46	-13.00	-34.46	PK	Ver
5*	5.7950GHz	-45.78	-13.00	-32.78	PK	Ver
6*	7.6680GHz	-43.68	-13.00	-30.68	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0070GHz	-53.56	-13.00	-40.56	PK	Hor
2*	2.7200GHz	-50.15	-13.00	-37.15	PK	Hor
3*	3.0150GHz	-49.79	-13.00	-36.79	PK	Hor
4*	4.7040GHz	-46.33	-13.00	-33.33	PK	Hor
5*	7.1800GHz	-45.58	-13.00	-32.58	PK	Hor
6*	8.9210GHz	-43.13	-13.00	-30.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3700GHz	-55.56	-13.00	-42.56	PK	Ver
2*	2.2420GHz	-52.06	-13.00	-39.06	PK	Ver
3*	2.9230GHz	-49.21	-13.00	-36.21	PK	Ver
4*	4.6770GHz	-46.73	-13.00	-33.73	PK	Ver
5*	6.1770GHz	-46.10	-13.00	-33.10	PK	Ver
6*	7.5690GHz	-43.62	-13.00	-30.62	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5079GHz	-55.42	-13.00	-42.42	PK	Hor
2*	3.2780GHz	-49.38	-13.00	-36.38	PK	Hor
3*	5.3074GHz	-47.19	-13.00	-34.19	PK	Hor
4*	6.6674GHz	-44.68	-13.00	-31.68	PK	Hor
5*	9.3640GHz	-42.78	-13.00	-29.78	PK	Hor
6*	17.9681GHz	-36.50	-13.00	-23.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7544GHz	-54.28	-13.00	-41.28	PK	Ver
2*	2.6171GHz	-49.99	-13.00	-36.99	PK	Ver
3*	3.4777GHz	-49.65	-13.00	-36.65	PK	Ver
4*	5.6622GHz	-47.26	-13.00	-34.26	PK	Ver
5*	7.5960GHz	-42.26	-13.00	-29.26	PK	Ver
6*	17.8321GHz	-36.77	-13.00	-23.77	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0051GHz	-52.97	-13.00	-39.97	PK	Hor
2*	2.8509GHz	-49.03	-13.00	-36.03	PK	Hor
3*	4.8399GHz	-47.40	-13.00	-34.40	PK	Hor
4*	6.1467GHz	-45.32	-13.00	-32.32	PK	Hor
5*	7.6024GHz	-43.04	-13.00	-30.04	PK	Hor
6*	17.9235GHz	-37.49	-13.00	-24.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7182GHz	-54.24	-13.00	-41.24	PK	Ver
2*	3.2270GHz	-48.21	-13.00	-35.21	PK	Ver
3*	5.7749GHz	-46.87	-13.00	-33.87	PK	Ver
4*	7.6002GHz	-43.30	-13.00	-30.30	PK	Ver
5*	8.9857GHz	-43.22	-13.00	-30.22	PK	Ver
6*	17.9660GHz	-37.05	-13.00	-24.05	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2805GHz	-55.77	-13.00	-42.77	PK	Hor
2*	2.8764GHz	-50.24	-13.00	-37.24	PK	Hor
3*	4.2916GHz	-48.72	-13.00	-35.72	PK	Hor
4*	5.3074GHz	-46.68	-13.00	-33.68	PK	Hor
5*	7.6002GHz	-42.54	-13.00	-29.54	PK	Hor
6*	17.9575GHz	-36.80	-13.00	-23.80	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4101GHz	-55.27	-13.00	-42.27	PK	Ver
2*	2.0922GHz	-52.69	-13.00	-39.69	PK	Ver
3*	2.8615GHz	-49.26	-13.00	-36.26	PK	Ver
4*	4.7719GHz	-46.54	-13.00	-33.54	PK	Ver
5*	7.6470GHz	-42.88	-13.00	-29.88	PK	Ver
6*	17.9107GHz	-36.91	-13.00	-23.91	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3660GHz	-55.52	-13.00	-42.52	PK	Hor
2*	4.3700GHz	-48.92	-13.00	-35.92	PK	Hor
3*	6.6620GHz	-45.54	-13.00	-32.54	PK	Hor
4*	9.3720GHz	-43.26	-13.00	-30.26	PK	Hor
5*	14.3600GHz	-39.38	-13.00	-26.38	PK	Hor
6*	16.9420GHz	-38.16	-13.00	-25.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7960GHz	-54.48	-13.00	-41.48	PK	Ver
2*	2.7980GHz	-50.11	-13.00	-37.11	PK	Ver
3*	4.3080GHz	-48.34	-13.00	-35.34	PK	Ver
4*	7.5500GHz	-45.19	-13.00	-32.19	PK	Ver
5*	9.4600GHz	-43.37	-13.00	-30.37	PK	Ver
6*	14.7100GHz	-38.75	-13.00	-25.75	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3340GHz	-55.95	-13.00	-42.95	PK	Hor
2*	3.0220GHz	-49.48	-13.00	-36.48	PK	Hor
3*	4.8940GHz	-47.67	-13.00	-34.67	PK	Hor
4*	7.1500GHz	-44.53	-13.00	-31.53	PK	Hor
5*	9.4620GHz	-43.29	-13.00	-30.29	PK	Hor
6*	16.4020GHz	-38.14	-13.00	-25.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5160GHz	-54.93	-13.00	-41.93	PK	Ver
2*	2.9320GHz	-49.78	-13.00	-36.78	PK	Ver
3*	4.8400GHz	-47.23	-13.00	-34.23	PK	Ver
4*	7.5820GHz	-43.78	-13.00	-30.78	PK	Ver
5*	11.4660GHz	-42.44	-13.00	-29.44	PK	Ver
6*	16.9400GHz	-38.74	-13.00	-25.74	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7480GHz	-54.77	-13.00	-41.77	PK	Hor
2*	2.0200GHz	-53.95	-13.00	-40.95	PK	Hor
3*	3.1300GHz	-49.67	-13.00	-36.67	PK	Hor
4*	4.8280GHz	-46.91	-13.00	-33.91	PK	Hor
5*	8.5840GHz	-43.65	-13.00	-30.65	PK	Hor
6*	16.4080GHz	-39.00	-13.00	-26.00	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8260GHz	-54.65	-13.00	-41.65	PK	Ver
2*	2.8420GHz	-49.53	-13.00	-36.53	PK	Ver
3*	4.8220GHz	-47.08	-13.00	-34.08	PK	Ver
4*	6.1440GHz	-46.71	-13.00	-33.71	PK	Ver
5*	10.9000GHz	-42.69	-13.00	-29.69	PK	Ver
6*	16.3740GHz	-38.33	-13.00	-25.33	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3894GHz	-55.70	-13.00	-42.70	PK	Hor
2*	1.9369GHz	-53.91	-13.00	-40.91	PK	Hor
3*	2.5231GHz	-50.67	-13.00	-37.67	PK	Hor
4*	2.8506GHz	-50.15	-13.00	-37.15	PK	Hor
5*	3.2425GHz	-48.46	-13.00	-35.46	PK	Hor
6*	4.8031GHz	-46.75	-13.00	-33.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2650GHz	-56.07	-13.00	-43.07	PK	Ver
2*	1.3750GHz	-55.12	-13.00	-42.12	PK	Ver
3*	1.8394GHz	-54.13	-13.00	-41.13	PK	Ver
4*	2.4600GHz	-51.75	-13.00	-38.75	PK	Ver
5*	2.9200GHz	-49.41	-13.00	-36.41	PK	Ver
6*	4.6619GHz	-46.67	-13.00	-33.67	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2462GHz	-56.08	-13.00	-43.08	PK	Hor
2*	1.3612GHz	-55.12	-13.00	-42.12	PK	Hor
3*	1.8481GHz	-54.30	-13.00	-41.30	PK	Hor
4*	2.8212GHz	-49.56	-13.00	-36.56	PK	Hor
5*	4.3062GHz	-48.19	-13.00	-35.19	PK	Hor
6*	4.6944GHz	-46.97	-13.00	-33.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3475GHz	-55.36	-13.00	-42.36	PK	Ver
2*	1.8206GHz	-53.31	-13.00	-40.31	PK	Ver
3*	2.5712GHz	-50.14	-13.00	-37.14	PK	Ver
4*	3.2294GHz	-49.34	-13.00	-36.34	PK	Ver
5*	4.4831GHz	-48.17	-13.00	-35.17	PK	Ver
6*	4.8287GHz	-46.48	-13.00	-33.48	PK	Ver

Project: LGT23H049	Test Engineer: Xiangdong Ma
EUT: Tablet	Temperature: 28°C
M/N: VORTEX BTAB10	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-08-28
Test Mode: LTE Band 71 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3019GHz	-55.92	-13.00	-42.92	PK	Hor
2*	1.4369GHz	-54.98	-13.00	-41.98	PK	Hor
3*	1.7531GHz	-53.49	-13.00	-40.49	PK	Hor
4*	2.5800GHz	-49.86	-13.00	-36.86	PK	Hor
5*	2.9275GHz	-49.16	-13.00	-36.16	PK	Hor
6*	4.8400GHz	-46.22	-13.00	-33.22	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4919GHz	-55.26	-13.00	-42.26	PK	Ver
2*	1.7650GHz	-53.88	-13.00	-40.88	PK	Ver
3*	2.1731GHz	-52.50	-13.00	-39.50	PK	Ver
4*	2.5044GHz	-49.61	-13.00	-36.61	PK	Ver
5*	3.2200GHz	-49.34	-13.00	-36.34	PK	Ver
6*	4.7737GHz	-46.90	-13.00	-33.90	PK	Ver

※※※※※END OF THE REPORT※※※※※