



1. Effective (Isotropic) Radiated Power Output Data

1.1 B66_1.4MHz_EIRP

1.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	24.00	-0.33	23.67	<=30	Pass		
			2	24.14	-0.33	23.81	<=30	Pass		
			5	24.19	-0.33	23.86	<=30	Pass		
		3	0	24.05	-0.33	23.72	<=30	Pass		
			2	24.08	-0.33	23.75	<=30	Pass		
			3	24.10	-0.33	23.77	<=30	Pass		
		6	0	23.11	-0.33	22.78	<=30	Pass		
		1745	1	0	24.07	-0.33	23.74	<=30	Pass	
				2	24.10	-0.33	23.77	<=30	Pass	
	5			24.08	-0.33	23.75	<=30	Pass		
	3		0	23.99	-0.33	23.66	<=30	Pass		
			2	24.03	-0.33	23.70	<=30	Pass		
			3	23.98	-0.33	23.65	<=30	Pass		
	6		0	22.97	-0.33	22.64	<=30	Pass		
	1779.3		1	0	23.80	-0.33	23.47	<=30	Pass	
				2	23.81	-0.33	23.48	<=30	Pass	
		5		23.84	-0.33	23.51	<=30	Pass		
		3	0	23.70	-0.33	23.37	<=30	Pass		
			2	23.65	-0.33	23.32	<=30	Pass		
			3	23.74	-0.33	23.41	<=30	Pass		
		6	0	22.69	-0.33	22.36	<=30	Pass		
		16QAM	1710.7	1	0	23.71	-0.33	23.38	<=30	Pass
					2	23.72	-0.33	23.39	<=30	Pass
	5				23.75	-0.33	23.42	<=30	Pass	
3	0			23.40	-0.33	23.07	<=30	Pass		
	2			23.41	-0.33	23.08	<=30	Pass		
	3			23.45	-0.33	23.12	<=30	Pass		
6	0			22.27	-0.33	21.94	<=30	Pass		
1745	1			0	23.82	-0.33	23.49	<=30	Pass	
				2	23.81	-0.33	23.48	<=30	Pass	
			5	23.81	-0.33	23.48	<=30	Pass		
	3		0	22.65	-0.33	22.32	<=30	Pass		
			2	22.68	-0.33	22.35	<=30	Pass		
			3	22.65	-0.33	22.32	<=30	Pass		
	6		0	22.18	-0.33	21.85	<=30	Pass		
	1779.3		1	0	22.67	-0.33	22.34	<=30	Pass	
				2	22.19	-0.33	21.86	<=30	Pass	
5				22.20	-0.33	21.87	<=30	Pass		
3			0	21.80	-0.33	21.47	<=30	Pass		
			2	21.60	-0.33	21.27	<=30	Pass		
			3	21.56	-0.33	21.23	<=30	Pass		
6			0	21.58	-0.33	21.25	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain



1.2 B66_3MHz_EIRP

1.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	22.63	-0.33	22.30	<=30	Pass		
			7	22.63	-0.33	22.30	<=30	Pass		
			14	22.57	-0.33	22.24	<=30	Pass		
		8	0	21.69	-0.33	21.36	<=30	Pass		
			4	21.66	-0.33	21.33	<=30	Pass		
			7	21.67	-0.33	21.34	<=30	Pass		
		15	0	21.59	-0.33	21.26	<=30	Pass		
		1745	1	0	22.68	-0.33	22.35	<=30	Pass	
				7	22.61	-0.33	22.28	<=30	Pass	
	14			22.71	-0.33	22.38	<=30	Pass		
	8		0	21.42	-0.33	21.09	<=30	Pass		
			4	21.42	-0.33	21.09	<=30	Pass		
			7	21.38	-0.33	21.05	<=30	Pass		
	15		0	21.44	-0.33	21.11	<=30	Pass		
	1778.5		1	0	22.11	-0.33	21.78	<=30	Pass	
				7	22.11	-0.33	21.78	<=30	Pass	
		14		22.19	-0.33	21.86	<=30	Pass		
		8	0	21.12	-0.33	20.79	<=30	Pass		
			4	21.02	-0.33	20.69	<=30	Pass		
			7	20.98	-0.33	20.65	<=30	Pass		
		15	0	20.98	-0.33	20.65	<=30	Pass		
		16QAM	1711.5	1	0	22.07	-0.33	21.74	<=30	Pass
					7	22.01	-0.33	21.68	<=30	Pass
	14				22.07	-0.33	21.74	<=30	Pass	
	8			0	20.90	-0.33	20.57	<=30	Pass	
				4	20.80	-0.33	20.47	<=30	Pass	
				7	20.91	-0.33	20.58	<=30	Pass	
15	0			20.81	-0.33	20.48	<=30	Pass		
1745	1			0	21.88	-0.33	21.55	<=30	Pass	
				7	21.88	-0.33	21.55	<=30	Pass	
			14	21.84	-0.33	21.51	<=30	Pass		
	8		0	20.72	-0.33	20.39	<=30	Pass		
			4	20.73	-0.33	20.40	<=30	Pass		
			7	20.71	-0.33	20.38	<=30	Pass		
	15		0	20.54	-0.33	20.21	<=30	Pass		
	1778.5		1	0	21.61	-0.33	21.28	<=30	Pass	
				7	21.65	-0.33	21.32	<=30	Pass	
14				21.64	-0.33	21.31	<=30	Pass		
8			0	20.15	-0.33	19.82	<=30	Pass		
			4	20.14	-0.33	19.81	<=30	Pass		
			7	20.14	-0.33	19.81	<=30	Pass		
15			0	20.11	-0.33	19.78	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B66_5MHz_EIRP



1.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1712.5	1	0	22.60	-0.33	22.27	<=30	Pass		
			13	22.57	-0.33	22.24	<=30	Pass		
			24	22.63	-0.33	22.30	<=30	Pass		
		12	0	21.68	-0.33	21.35	<=30	Pass		
			6	21.64	-0.33	21.31	<=30	Pass		
			13	21.62	-0.33	21.29	<=30	Pass		
		25	0	21.63	-0.33	21.30	<=30	Pass		
		1745	1	0	22.28	-0.33	21.95	<=30	Pass	
				13	22.30	-0.33	21.97	<=30	Pass	
	24			22.30	-0.33	21.97	<=30	Pass		
	12		0	21.37	-0.33	21.04	<=30	Pass		
			6	21.46	-0.33	21.13	<=30	Pass		
			13	21.44	-0.33	21.11	<=30	Pass		
	25		0	21.46	-0.33	21.13	<=30	Pass		
	1777.5		1	0	21.96	-0.33	21.63	<=30	Pass	
				13	21.87	-0.33	21.54	<=30	Pass	
		24		21.80	-0.33	21.47	<=30	Pass		
		12	0	21.05	-0.33	20.72	<=30	Pass		
			6	21.01	-0.33	20.68	<=30	Pass		
			13	21.11	-0.33	20.78	<=30	Pass		
		25	0	20.99	-0.33	20.66	<=30	Pass		
		16QAM	1712.5	1	0	22.28	-0.33	21.95	<=30	Pass
					13	22.32	-0.33	21.99	<=30	Pass
	24				22.33	-0.33	22.00	<=30	Pass	
12	0			20.67	-0.33	20.34	<=30	Pass		
	6			20.61	-0.33	20.28	<=30	Pass		
	13			20.63	-0.33	20.30	<=30	Pass		
25	0			20.71	-0.33	20.38	<=30	Pass		
1745	1			0	21.43	-0.33	21.10	<=30	Pass	
				13	21.40	-0.33	21.07	<=30	Pass	
			24	21.45	-0.33	21.12	<=30	Pass		
	12		0	20.46	-0.33	20.13	<=30	Pass		
			6	20.50	-0.33	20.17	<=30	Pass		
			13	20.43	-0.33	20.10	<=30	Pass		
	25		0	20.56	-0.33	20.23	<=30	Pass		
	1777.5		1	0	21.78	-0.33	21.45	<=30	Pass	
				13	21.74	-0.33	21.41	<=30	Pass	
24				21.77	-0.33	21.44	<=30	Pass		
12			0	20.30	-0.33	19.97	<=30	Pass		
			6	20.24	-0.33	19.91	<=30	Pass		
			13	20.22	-0.33	19.89	<=30	Pass		
25			0	20.26	-0.33	19.93	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B66_10MHz_EIRP

1.4.1 Test Result



Band: 66 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1715	1	0	22.63	-0.33	22.30	<=30	Pass		
			25	22.62	-0.33	22.29	<=30	Pass		
			49	22.61	-0.33	22.28	<=30	Pass		
		25	0	21.66	-0.33	21.33	<=30	Pass		
			13	21.64	-0.33	21.31	<=30	Pass		
			25	21.72	-0.33	21.39	<=30	Pass		
		50	0	21.74	-0.33	21.41	<=30	Pass		
		1745	1	0	22.37	-0.33	22.04	<=30	Pass	
				25	22.51	-0.33	22.18	<=30	Pass	
	49			22.56	-0.33	22.23	<=30	Pass		
	25		0	21.38	-0.33	21.05	<=30	Pass		
			13	21.45	-0.33	21.12	<=30	Pass		
			25	21.48	-0.33	21.15	<=30	Pass		
	50		0	21.40	-0.33	21.07	<=30	Pass		
	1775		1	0	21.97	-0.33	21.64	<=30	Pass	
				25	21.96	-0.33	21.63	<=30	Pass	
		49		22.04	-0.33	21.71	<=30	Pass		
		25	0	21.10	-0.33	20.77	<=30	Pass		
			13	21.10	-0.33	20.77	<=30	Pass		
			25	21.11	-0.33	20.78	<=30	Pass		
		50	0	21.12	-0.33	20.79	<=30	Pass		
		16QAM	1715	1	0	22.00	-0.33	21.67	<=30	Pass
					25	22.06	-0.33	21.73	<=30	Pass
	49				22.07	-0.33	21.74	<=30	Pass	
25	0			20.72	-0.33	20.39	<=30	Pass		
	13			20.70	-0.33	20.37	<=30	Pass		
	25			20.71	-0.33	20.38	<=30	Pass		
50	0			20.83	-0.33	20.50	<=30	Pass		
1745	1			0	21.37	-0.33	21.04	<=30	Pass	
				25	21.41	-0.33	21.08	<=30	Pass	
			49	21.41	-0.33	21.08	<=30	Pass		
	25		0	20.57	-0.33	20.24	<=30	Pass		
			13	20.59	-0.33	20.26	<=30	Pass		
			25	20.56	-0.33	20.23	<=30	Pass		
	50		0	20.52	-0.33	20.19	<=30	Pass		
	1775		1	0	22.22	-0.33	21.89	<=30	Pass	
				25	22.26	-0.33	21.93	<=30	Pass	
49				22.25	-0.33	21.92	<=30	Pass		
25			0	20.16	-0.33	19.83	<=30	Pass		
			13	20.20	-0.33	19.87	<=30	Pass		
			25	20.30	-0.33	19.97	<=30	Pass		
50			0	20.18	-0.33	19.85	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B66_15MHz_EIRP

1.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit			
QPSK	1717.5	1	0	22.56	-0.33	22.23	<=30	Pass		
			38	22.55	-0.33	22.22	<=30	Pass		
			74	22.62	-0.33	22.29	<=30	Pass		
		36	0	21.75	-0.33	21.42	<=30	Pass		
			18	21.71	-0.33	21.38	<=30	Pass		
			39	21.63	-0.33	21.30	<=30	Pass		
		75	0	21.57	-0.33	21.24	<=30	Pass		
		1745	1	0	22.51	-0.33	22.18	<=30	Pass	
				38	22.39	-0.33	22.06	<=30	Pass	
	74			22.40	-0.33	22.07	<=30	Pass		
	36		0	21.44	-0.33	21.11	<=30	Pass		
			18	21.50	-0.33	21.17	<=30	Pass		
			39	21.51	-0.33	21.18	<=30	Pass		
	75		0	21.46	-0.33	21.13	<=30	Pass		
	1772.5		1	0	22.15	-0.33	21.82	<=30	Pass	
				38	21.96	-0.33	21.63	<=30	Pass	
		74		22.03	-0.33	21.70	<=30	Pass		
		36	0	21.16	-0.33	20.83	<=30	Pass		
			18	21.15	-0.33	20.82	<=30	Pass		
			39	21.12	-0.33	20.79	<=30	Pass		
		75	0	21.07	-0.33	20.74	<=30	Pass		
		16QAM	1717.5	1	0	22.02	-0.33	21.69	<=30	Pass
					38	21.97	-0.33	21.64	<=30	Pass
	74				22.05	-0.33	21.72	<=30	Pass	
36	0			20.79	-0.33	20.46	<=30	Pass		
	18			20.81	-0.33	20.48	<=30	Pass		
	39			20.71	-0.33	20.38	<=30	Pass		
75	0			20.81	-0.33	20.48	<=30	Pass		
1745	1			0	21.97	-0.33	21.64	<=30	Pass	
				38	21.91	-0.33	21.58	<=30	Pass	
			74	21.86	-0.33	21.53	<=30	Pass		
	36		0	20.54	-0.33	20.21	<=30	Pass		
			18	20.56	-0.33	20.23	<=30	Pass		
			39	20.57	-0.33	20.24	<=30	Pass		
	75		0	20.58	-0.33	20.25	<=30	Pass		
	1772.5		1	0	22.37	-0.33	22.04	<=30	Pass	
				38	22.16	-0.33	21.83	<=30	Pass	
74				22.30	-0.33	21.97	<=30	Pass		
36			0	20.13	-0.33	19.80	<=30	Pass		
			18	20.12	-0.33	19.79	<=30	Pass		
			39	20.21	-0.33	19.88	<=30	Pass		
75			0	20.29	-0.33	19.96	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.6 B66_20MHz_EIRP

1.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.70	-0.33	22.37	<=30	Pass

16QAM	1745	50	50	22.65	-0.33	22.32	<=30	Pass	
			99	22.67	-0.33	22.34	<=30	Pass	
			0	21.58	-0.33	21.25	<=30	Pass	
		100	50	25	21.65	-0.33	21.32	<=30	Pass
				50	21.60	-0.33	21.27	<=30	Pass
				0	21.64	-0.33	21.31	<=30	Pass
		1770	1	0	22.48	-0.33	22.15	<=30	Pass
				50	22.45	-0.33	22.12	<=30	Pass
				99	22.60	-0.33	22.27	<=30	Pass
	50		0	21.50	-0.33	21.17	<=30	Pass	
			25	21.50	-0.33	21.17	<=30	Pass	
			50	21.37	-0.33	21.04	<=30	Pass	
	100		0	21.51	-0.33	21.18	<=30	Pass	
			1	0	22.41	-0.33	22.08	<=30	Pass
				50	22.21	-0.33	21.88	<=30	Pass
	99	22.20		-0.33	21.87	<=30	Pass		
	1720	50	0	21.23	-0.33	20.90	<=30	Pass	
			25	21.05	-0.33	20.72	<=30	Pass	
			50	21.06	-0.33	20.73	<=30	Pass	
		100	0	21.10	-0.33	20.77	<=30	Pass	
			1	0	22.04	-0.33	21.71	<=30	Pass
				50	22.09	-0.33	21.76	<=30	Pass
		99		21.93	-0.33	21.60	<=30	Pass	
		1745	50	0	20.85	-0.33	20.52	<=30	Pass
				25	20.79	-0.33	20.46	<=30	Pass
	50			20.79	-0.33	20.46	<=30	Pass	
	100		0	20.75	-0.33	20.42	<=30	Pass	
1			0	21.96	-0.33	21.63	<=30	Pass	
			50	21.87	-0.33	21.54	<=30	Pass	
	99		21.93	-0.33	21.60	<=30	Pass		
1770	50		0	20.58	-0.33	20.25	<=30	Pass	
			25	20.62	-0.33	20.29	<=30	Pass	
		50	20.49	-0.33	20.16	<=30	Pass		
	100	0	20.60	-0.33	20.27	<=30	Pass		
		1	0	21.74	-0.33	21.41	<=30	Pass	
			50	21.55	-0.33	21.22	<=30	Pass	
	99		21.57	-0.33	21.24	<=30	Pass		
	50	0	20.34	-0.33	20.01	<=30	Pass		
		25	20.18	-0.33	19.85	<=30	Pass		
50		20.28	-0.33	19.95	<=30	Pass			
100	0	20.18	-0.33	19.85	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 B66_1.4MHz

2.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	3.27	-3.147	-0.0018	-2.5 to 2.5	Pass



Test Report Number: BTF240419R00204

					3.85	2.961	0.0017	-2.5 to 2.5	Pass	
					4.43	8.354	0.0049	-2.5 to 2.5	Pass	
				-30	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass	
				-20	3.85	29.583	0.0173	-2.5 to 2.5	Pass	
				-10	3.85	18.554	0.0108	-2.5 to 2.5	Pass	
				0	3.85	25.506	0.0149	-2.5 to 2.5	Pass	
				10	3.85	17.195	0.0101	-2.5 to 2.5	Pass	
				30	3.85	19.083	0.0112	-2.5 to 2.5	Pass	
				40	3.85	24.548	0.0143	-2.5 to 2.5	Pass	
				50	3.85	9.041	0.0053	-2.5 to 2.5	Pass	
	1745	6	0	20	3.27	-32.330	-0.0185	-2.5 to 2.5	Pass	
					3.85	32.058	0.0184	-2.5 to 2.5	Pass	
					4.43	19.741	0.0113	-2.5 to 2.5	Pass	
				-30	3.85	21.930	0.0126	-2.5 to 2.5	Pass	
				-20	3.85	3.018	0.0017	-2.5 to 2.5	Pass	
				-10	3.85	23.217	0.0133	-2.5 to 2.5	Pass	
				0	3.85	25.134	0.0144	-2.5 to 2.5	Pass	
				10	3.85	21.486	0.0123	-2.5 to 2.5	Pass	
				30	3.85	9.270	0.0053	-2.5 to 2.5	Pass	
				40	3.85	22.659	0.0130	-2.5 to 2.5	Pass	
	50	3.85	10.514	0.0060	-2.5 to 2.5	Pass				
	1779.3	6	0	20	3.27	-36.092	-0.0203	-2.5 to 2.5	Pass	
					3.85	4.377	0.0025	-2.5 to 2.5	Pass	
					4.43	36.135	0.0203	-2.5 to 2.5	Pass	
				-30	3.85	34.361	0.0193	-2.5 to 2.5	Pass	
				-20	3.85	16.108	0.0091	-2.5 to 2.5	Pass	
				-10	3.85	18.382	0.0103	-2.5 to 2.5	Pass	
				0	3.85	30.298	0.0170	-2.5 to 2.5	Pass	
				10	3.85	33.646	0.0189	-2.5 to 2.5	Pass	
				30	3.85	31.271	0.0176	-2.5 to 2.5	Pass	
				40	3.85	25.277	0.0142	-2.5 to 2.5	Pass	
	50	3.85	30.770	0.0173	-2.5 to 2.5	Pass				
	16QAM	1710.7	6	0	20	3.27	28.925	0.0169	-2.5 to 2.5	Pass
						3.85	22.302	0.0130	-2.5 to 2.5	Pass
						4.43	11.787	0.0069	-2.5 to 2.5	Pass
-30					3.85	31.443	0.0184	-2.5 to 2.5	Pass	
-20					3.85	21.744	0.0127	-2.5 to 2.5	Pass	
-10					3.85	18.325	0.0107	-2.5 to 2.5	Pass	
0					3.85	10.858	0.0063	-2.5 to 2.5	Pass	
10					3.85	15.736	0.0092	-2.5 to 2.5	Pass	
30					3.85	25.291	0.0148	-2.5 to 2.5	Pass	
40					3.85	18.253	0.0107	-2.5 to 2.5	Pass	
50		3.85	1.516	0.0009	-2.5 to 2.5	Pass				
1745		6	0	20	3.27	24.662	0.0141	-2.5 to 2.5	Pass	
					3.85	-2.174	-0.0012	-2.5 to 2.5	Pass	
					4.43	-12.903	-0.0074	-2.5 to 2.5	Pass	
				-30	3.85	2.747	0.0016	-2.5 to 2.5	Pass	
				-20	3.85	24.190	0.0139	-2.5 to 2.5	Pass	
				-10	3.85	6.008	0.0034	-2.5 to 2.5	Pass	
				0	3.85	0.544	0.0003	-2.5 to 2.5	Pass	
				10	3.85	7.753	0.0044	-2.5 to 2.5	Pass	
				30	3.85	36.020	0.0206	-2.5 to 2.5	Pass	
				40	3.85	35.191	0.0202	-2.5 to 2.5	Pass	
50		3.85	-27.137	-0.0156	-2.5 to 2.5	Pass				
1779.3		6	0	20	3.27	37.365	0.0210	-2.5 to 2.5	Pass	



					3.85	35.305	0.0198	-2.5 to 2.5	Pass
					4.43	29.068	0.0163	-2.5 to 2.5	Pass
				-30	3.85	37.394	0.0210	-2.5 to 2.5	Pass
				-20	3.85	-25.406	-0.0143	-2.5 to 2.5	Pass
				-10	3.85	-27.123	-0.0152	-2.5 to 2.5	Pass
				0	3.85	23.360	0.0131	-2.5 to 2.5	Pass
				10	3.85	27.409	0.0154	-2.5 to 2.5	Pass
				30	3.85	39.983	0.0225	-2.5 to 2.5	Pass
				40	3.85	32.887	0.0185	-2.5 to 2.5	Pass
				50	3.85	16.279	0.0091	-2.5 to 2.5	Pass

2.2 B66_3MHz

2.2.1 Test Result

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	4.420	0.0026	-2.5 to 2.5	Pass
					3.85	24.133	0.0141	-2.5 to 2.5	Pass
					4.43	21.944	0.0128	-2.5 to 2.5	Pass
				-30	3.85	33.216	0.0194	-2.5 to 2.5	Pass
				-20	3.85	-14.033	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-8.569	-0.0050	-2.5 to 2.5	Pass
				0	3.85	30.313	0.0177	-2.5 to 2.5	Pass
				10	3.85	25.806	0.0151	-2.5 to 2.5	Pass
				30	3.85	32.315	0.0189	-2.5 to 2.5	Pass
				40	3.85	22.602	0.0132	-2.5 to 2.5	Pass
	50	3.85	4.864	0.0028	-2.5 to 2.5	Pass			
	1745	15	0	20	3.27	-43.216	-0.0248	-2.5 to 2.5	Pass
					3.85	13.318	0.0076	-2.5 to 2.5	Pass
					4.43	29.397	0.0168	-2.5 to 2.5	Pass
				-30	3.85	-2.518	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-6.194	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	37.179	0.0213	-2.5 to 2.5	Pass
				0	3.85	14.105	0.0081	-2.5 to 2.5	Pass
				10	3.85	-21.071	-0.0121	-2.5 to 2.5	Pass
				30	3.85	-22.302	-0.0128	-2.5 to 2.5	Pass
				40	3.85	27.308	0.0156	-2.5 to 2.5	Pass
	50	3.85	22.902	0.0131	-2.5 to 2.5	Pass			
	1778.5	15	0	20	3.27	-30.785	-0.0173	-2.5 to 2.5	Pass
					3.85	-24.447	-0.0137	-2.5 to 2.5	Pass
					4.43	-27.738	-0.0156	-2.5 to 2.5	Pass
				-30	3.85	7.625	0.0043	-2.5 to 2.5	Pass
				-20	3.85	-18.668	-0.0105	-2.5 to 2.5	Pass
				-10	3.85	-30.684	-0.0173	-2.5 to 2.5	Pass
				0	3.85	-8.640	-0.0049	-2.5 to 2.5	Pass
				10	3.85	-32.587	-0.0183	-2.5 to 2.5	Pass
30				3.85	-37.909	-0.0213	-2.5 to 2.5	Pass	
40				3.85	-9.828	-0.0055	-2.5 to 2.5	Pass	
50	3.85	-20.742	-0.0117	-2.5 to 2.5	Pass				
16QAM	1711.5	15	0	20	3.27	13.375	0.0078	-2.5 to 2.5	Pass
					3.85	25.148	0.0147	-2.5 to 2.5	Pass

					4.43	18.439	0.0108	-2.5 to 2.5	Pass
				-30	3.85	1.760	0.0010	-2.5 to 2.5	Pass
				-20	3.85	19.984	0.0117	-2.5 to 2.5	Pass
				-10	3.85	-13.633	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-27.552	-0.0161	-2.5 to 2.5	Pass
				10	3.85	26.736	0.0156	-2.5 to 2.5	Pass
				30	3.85	10.915	0.0064	-2.5 to 2.5	Pass
				40	3.85	28.124	0.0164	-2.5 to 2.5	Pass
				50	3.85	15.678	0.0092	-2.5 to 2.5	Pass
				1745	15	0	20	3.27	15.864
	3.85	30.284	0.0174					-2.5 to 2.5	Pass
	4.43	18.811	0.0108					-2.5 to 2.5	Pass
	-30	3.85	31.071				0.0178	-2.5 to 2.5	Pass
	-20	3.85	38.810				0.0222	-2.5 to 2.5	Pass
	-10	3.85	13.132				0.0075	-2.5 to 2.5	Pass
	0	3.85	14.205				0.0081	-2.5 to 2.5	Pass
	10	3.85	34.118				0.0196	-2.5 to 2.5	Pass
	30	3.85	-30.913				-0.0177	-2.5 to 2.5	Pass
	40	3.85	-22.931				-0.0131	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	-28.782	-0.0162	-2.5 to 2.5	Pass
					3.85	-12.374	-0.0070	-2.5 to 2.5	Pass
					4.43	-28.868	-0.0162	-2.5 to 2.5	Pass
				-30	3.85	-35.548	-0.0200	-2.5 to 2.5	Pass
				-20	3.85	-45.290	-0.0255	-2.5 to 2.5	Pass
				-10	3.85	-7.625	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-14.563	-0.0082	-2.5 to 2.5	Pass
				10	3.85	-18.682	-0.0105	-2.5 to 2.5	Pass
				30	3.85	-12.016	-0.0068	-2.5 to 2.5	Pass
				40	3.85	-12.817	-0.0072	-2.5 to 2.5	Pass
	50	3.85	-16.608	-0.0093	-2.5 to 2.5	Pass			

2.3 B66_5MHz

2.3.1 Test Result

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-25.692	-0.0150	-2.5 to 2.5	Pass
					3.85	-31.171	-0.0182	-2.5 to 2.5	Pass
					4.43	-22.087	-0.0129	-2.5 to 2.5	Pass
				-30	3.85	-19.670	-0.0115	-2.5 to 2.5	Pass
				-20	3.85	-12.016	-0.0070	-2.5 to 2.5	Pass
				-10	3.85	-24.076	-0.0141	-2.5 to 2.5	Pass
				0	3.85	7.567	0.0044	-2.5 to 2.5	Pass
				10	3.85	-6.666	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-17.953	-0.0105	-2.5 to 2.5	Pass
				40	3.85	-40.312	-0.0235	-2.5 to 2.5	Pass
	50	3.85	-24.333	-0.0142	-2.5 to 2.5	Pass			
	1745	25	0	20	3.27	-6.781	-0.0039	-2.5 to 2.5	Pass
					3.85	27.094	0.0155	-2.5 to 2.5	Pass
					4.43	7.696	0.0044	-2.5 to 2.5	Pass

				-30	3.85	13.189	0.0076	-2.5 to 2.5	Pass
				-20	3.85	15.392	0.0088	-2.5 to 2.5	Pass
				-10	3.85	15.306	0.0088	-2.5 to 2.5	Pass
				0	3.85	39.926	0.0229	-2.5 to 2.5	Pass
				10	3.85	30.785	0.0176	-2.5 to 2.5	Pass
				30	3.85	21.315	0.0122	-2.5 to 2.5	Pass
				40	3.85	7.739	0.0044	-2.5 to 2.5	Pass
				50	3.85	20.514	0.0118	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	-26.279	-0.0148	-2.5 to 2.5	Pass
					3.85	23.661	0.0133	-2.5 to 2.5	Pass
					4.43	24.476	0.0138	-2.5 to 2.5	Pass
				-30	3.85	23.417	0.0132	-2.5 to 2.5	Pass
				-20	3.85	16.222	0.0091	-2.5 to 2.5	Pass
				-10	3.85	16.279	0.0092	-2.5 to 2.5	Pass
				0	3.85	10.729	0.0060	-2.5 to 2.5	Pass
				10	3.85	11.430	0.0064	-2.5 to 2.5	Pass
				30	3.85	9.913	0.0056	-2.5 to 2.5	Pass
				40	3.85	37.150	0.0209	-2.5 to 2.5	Pass
				50	3.85	16.651	0.0094	-2.5 to 2.5	Pass
				16QAM	1712.5	25	0	20	3.27
3.85	-28.739	-0.0168	-2.5 to 2.5						Pass
4.43	-36.650	-0.0214	-2.5 to 2.5						Pass
-30	3.85	-22.702	-0.0133					-2.5 to 2.5	Pass
-20	3.85	-20.556	-0.0120					-2.5 to 2.5	Pass
-10	3.85	-30.785	-0.0180					-2.5 to 2.5	Pass
0	3.85	-24.118	-0.0141					-2.5 to 2.5	Pass
10	3.85	-18.740	-0.0109					-2.5 to 2.5	Pass
30	3.85	-9.785	-0.0057					-2.5 to 2.5	Pass
40	3.85	-36.435	-0.0213					-2.5 to 2.5	Pass
50	3.85	-11.616	-0.0068					-2.5 to 2.5	Pass
1745	25	0	20					3.27	-2.232
					3.85	-32.759	-0.0188	-2.5 to 2.5	Pass
					4.43	-4.449	-0.0025	-2.5 to 2.5	Pass
			-30		3.85	-21.243	-0.0122	-2.5 to 2.5	Pass
			-20		3.85	-25.105	-0.0144	-2.5 to 2.5	Pass
			-10		3.85	-30.956	-0.0177	-2.5 to 2.5	Pass
			0		3.85	-19.398	-0.0111	-2.5 to 2.5	Pass
			10		3.85	-19.341	-0.0111	-2.5 to 2.5	Pass
			30		3.85	6.237	0.0036	-2.5 to 2.5	Pass
			40		3.85	-21.272	-0.0122	-2.5 to 2.5	Pass
			50		3.85	-11.272	-0.0065	-2.5 to 2.5	Pass
			1777.5		25	0	20	3.27	38.781
3.85	-5.994	-0.0034						-2.5 to 2.5	Pass
4.43	-26.736	-0.0150						-2.5 to 2.5	Pass
-30	3.85	-14.277					-0.0080	-2.5 to 2.5	Pass
-20	3.85	-20.671					-0.0116	-2.5 to 2.5	Pass
-10	3.85	-20.728					-0.0117	-2.5 to 2.5	Pass
0	3.85	-19.612					-0.0110	-2.5 to 2.5	Pass
10	3.85	-41.642					-0.0234	-2.5 to 2.5	Pass
30	3.85	-23.217		-0.0131			-2.5 to 2.5	Pass	
40	3.85	-13.361		-0.0075			-2.5 to 2.5	Pass	
50	3.85	-40.727		-0.0229			-2.5 to 2.5	Pass	



2.4.1 Test Result

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	21.987	0.0128	-2.5 to 2.5	Pass
					3.85	14.477	0.0084	-2.5 to 2.5	Pass
					4.43	26.579	0.0155	-2.5 to 2.5	Pass
				-30	3.85	19.426	0.0113	-2.5 to 2.5	Pass
				-20	3.85	23.432	0.0137	-2.5 to 2.5	Pass
				-10	3.85	23.060	0.0134	-2.5 to 2.5	Pass
				0	3.85	22.430	0.0131	-2.5 to 2.5	Pass
				10	3.85	7.854	0.0046	-2.5 to 2.5	Pass
				30	3.85	28.739	0.0168	-2.5 to 2.5	Pass
				40	3.85	26.321	0.0153	-2.5 to 2.5	Pass
	50	3.85	18.082	0.0105	-2.5 to 2.5	Pass			
	1745	50	0	20	3.27	-34.633	-0.0198	-2.5 to 2.5	Pass
					3.85	18.954	0.0109	-2.5 to 2.5	Pass
					4.43	34.661	0.0199	-2.5 to 2.5	Pass
				-30	3.85	11.172	0.0064	-2.5 to 2.5	Pass
				-20	3.85	20.785	0.0119	-2.5 to 2.5	Pass
				-10	3.85	23.675	0.0136	-2.5 to 2.5	Pass
				0	3.85	25.377	0.0145	-2.5 to 2.5	Pass
				10	3.85	10.657	0.0061	-2.5 to 2.5	Pass
				30	3.85	23.446	0.0134	-2.5 to 2.5	Pass
				40	3.85	11.315	0.0065	-2.5 to 2.5	Pass
	50	3.85	24.104	0.0138	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	-30.570	-0.0172	-2.5 to 2.5	Pass
					3.85	-24.691	-0.0139	-2.5 to 2.5	Pass
					4.43	-16.294	-0.0092	-2.5 to 2.5	Pass
				-30	3.85	-29.082	-0.0164	-2.5 to 2.5	Pass
				-20	3.85	-30.556	-0.0172	-2.5 to 2.5	Pass
				-10	3.85	-26.093	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-17.338	-0.0098	-2.5 to 2.5	Pass
				10	3.85	-35.763	-0.0201	-2.5 to 2.5	Pass
30				3.85	-22.759	-0.0128	-2.5 to 2.5	Pass	
40				3.85	-27.881	-0.0157	-2.5 to 2.5	Pass	
50	3.85	-9.985	-0.0056	-2.5 to 2.5	Pass				
16QAM	1715	50	0	20	3.27	24.962	0.0146	-2.5 to 2.5	Pass
					3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
					4.43	3.576	0.0021	-2.5 to 2.5	Pass
				-30	3.85	12.031	0.0070	-2.5 to 2.5	Pass
				-20	3.85	25.835	0.0151	-2.5 to 2.5	Pass
				-10	3.85	35.820	0.0209	-2.5 to 2.5	Pass
				0	3.85	16.122	0.0094	-2.5 to 2.5	Pass
				10	3.85	22.888	0.0133	-2.5 to 2.5	Pass
				30	3.85	38.681	0.0226	-2.5 to 2.5	Pass
				40	3.85	11.745	0.0068	-2.5 to 2.5	Pass
	50	3.85	18.325	0.0107	-2.5 to 2.5	Pass			
	1745	50	0	20	3.27	13.003	0.0075	-2.5 to 2.5	Pass
					3.85	10.157	0.0058	-2.5 to 2.5	Pass
					4.43	18.396	0.0105	-2.5 to 2.5	Pass
				-30	3.85	23.975	0.0137	-2.5 to 2.5	Pass
				-20	3.85	14.877	0.0085	-2.5 to 2.5	Pass
				-10	3.85	-23.375	-0.0134	-2.5 to 2.5	Pass



				0	3.85	-19.612	-0.0112	-2.5 to 2.5	Pass
				10	3.85	-24.433	-0.0140	-2.5 to 2.5	Pass
				30	3.85	-20.542	-0.0118	-2.5 to 2.5	Pass
				40	3.85	-5.865	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-17.781	-0.0102	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	-26.908	-0.0152	-2.5 to 2.5	Pass
					3.85	-8.125	-0.0046	-2.5 to 2.5	Pass
					4.43	-37.966	-0.0214	-2.5 to 2.5	Pass
				-30	3.85	-7.796	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-12.002	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-30.613	-0.0172	-2.5 to 2.5	Pass
				0	3.85	-17.109	-0.0096	-2.5 to 2.5	Pass
				10	3.85	-22.101	-0.0125	-2.5 to 2.5	Pass
				30	3.85	-26.894	-0.0152	-2.5 to 2.5	Pass
				40	3.85	-26.250	-0.0148	-2.5 to 2.5	Pass
				50	3.85	-21.672	-0.0122	-2.5 to 2.5	Pass

2.5 B66_15MHz

2.5.1 Test Result

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-23.575	-0.0137	-2.5 to 2.5	Pass
					3.85	-4.463	-0.0026	-2.5 to 2.5	Pass
					4.43	17.452	0.0102	-2.5 to 2.5	Pass
				-30	3.85	2.403	0.0014	-2.5 to 2.5	Pass
				-20	3.85	-33.216	-0.0193	-2.5 to 2.5	Pass
				-10	3.85	-17.438	-0.0102	-2.5 to 2.5	Pass
				0	3.85	-18.826	-0.0110	-2.5 to 2.5	Pass
				10	3.85	-29.583	-0.0172	-2.5 to 2.5	Pass
				30	3.85	-27.909	-0.0162	-2.5 to 2.5	Pass
				40	3.85	2.346	0.0014	-2.5 to 2.5	Pass
	50	3.85	-20.528	-0.0120	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	9.427	0.0054	-2.5 to 2.5	Pass
					3.85	28.067	0.0161	-2.5 to 2.5	Pass
					4.43	21.172	0.0121	-2.5 to 2.5	Pass
				-30	3.85	13.490	0.0077	-2.5 to 2.5	Pass
				-20	3.85	21.143	0.0121	-2.5 to 2.5	Pass
				-10	3.85	7.625	0.0044	-2.5 to 2.5	Pass
				0	3.85	20.428	0.0117	-2.5 to 2.5	Pass
				10	3.85	16.079	0.0092	-2.5 to 2.5	Pass
				30	3.85	15.278	0.0088	-2.5 to 2.5	Pass
				40	3.85	18.854	0.0108	-2.5 to 2.5	Pass
	50	3.85	13.089	0.0075	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	-22.845	-0.0129	-2.5 to 2.5	Pass
					3.85	24.490	0.0138	-2.5 to 2.5	Pass
					4.43	25.635	0.0145	-2.5 to 2.5	Pass
				-30	3.85	-4.778	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	27.509	0.0155	-2.5 to 2.5	Pass
				-10	3.85	-37.608	-0.0212	-2.5 to 2.5	Pass
				0	3.85	-23.746	-0.0134	-2.5 to 2.5	Pass

				10	3.85	-34.003	-0.0192	-2.5 to 2.5	Pass																				
				30	3.85	-22.230	-0.0125	-2.5 to 2.5	Pass																				
				40	3.85	-14.019	-0.0079	-2.5 to 2.5	Pass																				
				50	3.85	-31.872	-0.0180	-2.5 to 2.5	Pass																				
16QAM	1717.5	75	0	20	3.27	-19.755	-0.0115	-2.5 to 2.5	Pass																				
					3.85	-27.308	-0.0159	-2.5 to 2.5	Pass																				
					4.43	-21.744	-0.0127	-2.5 to 2.5	Pass																				
				-30	3.85	23.761	0.0138	-2.5 to 2.5	Pass																				
					-20	3.85	26.407	0.0154	-2.5 to 2.5	Pass																			
					-10	3.85	24.376	0.0142	-2.5 to 2.5	Pass																			
				1745	75	0	20	3.85	11.487	0.0067	-2.5 to 2.5	Pass																	
								10	3.85	18.110	0.0105	-2.5 to 2.5	Pass																
								30	3.85	25.263	0.0147	-2.5 to 2.5	Pass																
							40	3.85	20.442	0.0119	-2.5 to 2.5	Pass																	
								50	3.85	18.682	0.0109	-2.5 to 2.5	Pass																
								20	3.27	25.964	0.0149	-2.5 to 2.5	Pass																
	3.85	6.108	0.0035				-2.5 to 2.5		Pass																				
	4.43	11.158	0.0064				-2.5 to 2.5		Pass																				
	1772.5	75	0				-30	3.85	-1.087	-0.0006	-2.5 to 2.5	Pass																	
								-20	3.85	33.960	0.0195	-2.5 to 2.5	Pass																
								-10	3.85	16.937	0.0097	-2.5 to 2.5	Pass																
							0	3.85	20.542	0.0118	-2.5 to 2.5	Pass																	
				10	3.85	3.891		0.0022	-2.5 to 2.5	Pass																			
				30	3.85	28.453		0.0163	-2.5 to 2.5	Pass																			
				40	3.85	15.593	0.0089	-2.5 to 2.5	Pass																				
					50	3.85	28.181	0.0161	-2.5 to 2.5	Pass																			
					20	3.27	-18.997	-0.0107	-2.5 to 2.5	Pass																			
				3.85		-12.159	-0.0069	-2.5 to 2.5	Pass																				
				4.43		-20.256	-0.0114	-2.5 to 2.5	Pass																				
				10	3.85	-26.321	-0.0148	-2.5 to 2.5	Pass																				
	-20	3.85	-25.692							-0.0145	-2.5 to 2.5	Pass																	
													-10	3.85	-8.569	-0.0048	-2.5 to 2.5	Pass											
																			0	3.85	-23.246	-0.0131	-2.5 to 2.5	Pass					
																									10	3.85	-18.883	-0.0107	-2.5 to 2.5
30																													
				40	3.85	-28.095	-0.0159	-2.5 to 2.5	Pass																				
	50	3.85	-20.485							-0.0116	-2.5 to 2.5	Pass																	

2.6 B66_20MHz

2.6.1 Test Result

Band: 66 / Bandwidth: 20MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1720	100	0	20	3.27	14.977	0.0087	-2.5 to 2.5	Pass	
					3.85	25.935	0.0151	-2.5 to 2.5	Pass	
					4.43	28.753	0.0167	-2.5 to 2.5	Pass	
				-30	3.85	25.377	0.0148	-2.5 to 2.5	Pass	
					-20	3.85	26.450	0.0154	-2.5 to 2.5	Pass
					-10	3.85	28.796	0.0167	-2.5 to 2.5	Pass
				0	3.85	19.012	0.0111	-2.5 to 2.5	Pass	
					10	3.85	14.019	0.0082	-2.5 to 2.5	Pass



	1745	100	0	30	3.85	20.485	0.0119	-2.5 to 2.5	Pass
				40	3.85	26.722	0.0155	-2.5 to 2.5	Pass
				50	3.85	20.142	0.0117	-2.5 to 2.5	Pass
				20	3.27	-30.613	-0.0175	-2.5 to 2.5	Pass
					3.85	29.411	0.0169	-2.5 to 2.5	Pass
					4.43	20.285	0.0116	-2.5 to 2.5	Pass
				-30	3.85	29.526	0.0169	-2.5 to 2.5	Pass
				-20	3.85	26.765	0.0153	-2.5 to 2.5	Pass
				-10	3.85	17.924	0.0103	-2.5 to 2.5	Pass
				0	3.85	15.292	0.0088	-2.5 to 2.5	Pass
				10	3.85	20.857	0.0120	-2.5 to 2.5	Pass
				30	3.85	24.347	0.0140	-2.5 to 2.5	Pass
	40	3.85	23.375	0.0134	-2.5 to 2.5	Pass			
	50	3.85	-32.816	-0.0188	-2.5 to 2.5	Pass			
	1770	100	0	20	3.27	-20.728	-0.0117	-2.5 to 2.5	Pass
					3.85	-23.475	-0.0133	-2.5 to 2.5	Pass
					4.43	-19.054	-0.0108	-2.5 to 2.5	Pass
				-30	3.85	-33.517	-0.0189	-2.5 to 2.5	Pass
				-20	3.85	-8.955	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-25.992	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-13.046	-0.0074	-2.5 to 2.5	Pass
				10	3.85	0.272	0.0002	-2.5 to 2.5	Pass
				30	3.85	-12.546	-0.0071	-2.5 to 2.5	Pass
				40	3.85	-25.134	-0.0142	-2.5 to 2.5	Pass
50				3.85	-18.425	-0.0104	-2.5 to 2.5	Pass	
16QAM				1720	100	0	20	3.27	17.052
	3.85	33.188	0.0193					-2.5 to 2.5	Pass
	4.43	34.361	0.0200					-2.5 to 2.5	Pass
	-30	3.85	15.950				0.0093	-2.5 to 2.5	Pass
	-20	3.85	27.866				0.0162	-2.5 to 2.5	Pass
	-10	3.85	17.409				0.0101	-2.5 to 2.5	Pass
	0	3.85	9.570				0.0056	-2.5 to 2.5	Pass
	10	3.85	14.834				0.0086	-2.5 to 2.5	Pass
	30	3.85	28.110				0.0163	-2.5 to 2.5	Pass
	40	3.85	32.272				0.0188	-2.5 to 2.5	Pass
	50	3.85	30.713				0.0179	-2.5 to 2.5	Pass
	1745	100	0				20	3.27	-29.969
				3.85	-28.524	-0.0163		-2.5 to 2.5	Pass
				4.43	-22.302	-0.0128		-2.5 to 2.5	Pass
				-30	3.85	-10.200	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-25.978	-0.0149	-2.5 to 2.5	Pass
				-10	3.85	-24.648	-0.0141	-2.5 to 2.5	Pass
				0	3.85	-29.082	-0.0167	-2.5 to 2.5	Pass
				10	3.85	-19.012	-0.0109	-2.5 to 2.5	Pass
				30	3.85	-27.065	-0.0155	-2.5 to 2.5	Pass
				40	3.85	-16.050	-0.0092	-2.5 to 2.5	Pass
				50	3.85	-17.667	-0.0101	-2.5 to 2.5	Pass
				1770	100	0	20	3.27	-31.514
	3.85	-25.477	-0.0144					-2.5 to 2.5	Pass
4.43	-15.421	-0.0087	-2.5 to 2.5					Pass	
-30	3.85	-16.866	-0.0095				-2.5 to 2.5	Pass	
-20	3.85	24.691	0.0139				-2.5 to 2.5	Pass	
-10	3.85	16.880	0.0095				-2.5 to 2.5	Pass	
0	3.85	15.793	0.0089				-2.5 to 2.5	Pass	
10	3.85	31.743	0.0179				-2.5 to 2.5	Pass	



				30	3.85	23.217	0.0131	-2.5 to 2.5	Pass
				40	3.85	21.200	0.0120	-2.5 to 2.5	Pass
				50	3.85	20.800	0.0118	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B66_1.4MHz

3.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B66_3MHz

3.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B66_5MHz

3.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B66_10MHz

3.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




3.5 B66_15MHz

3.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




3.6 B66_20MHz

3.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

3.6.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band66_OBW


4.1.1 Test Result

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.110	/	Pass
		1745	6	0	1.114	/	Pass
		1779.3	6	0	1.117	/	Pass
	16QAM	1710.7	6	0	1.114	/	Pass
		1745	6	0	1.112	/	Pass
		1779.3	6	0	1.128	/	Pass
3	QPSK	1711.5	15	0	2.770	/	Pass
		1745	15	0	2.765	/	Pass
		1778.5	15	0	2.775	/	Pass
	16QAM	1711.5	15	0	2.774	/	Pass
		1745	15	0	2.769	/	Pass
		1778.5	15	0	2.792	/	Pass
5	QPSK	1712.5	25	0	4.539	/	Pass
		1745	25	0	4.565	/	Pass
		1777.5	25	0	4.587	/	Pass
	16QAM	1712.5	25	0	4.542	/	Pass
		1745	25	0	4.560	/	Pass
		1777.5	25	0	4.599	/	Pass
10	QPSK	1715	50	0	9.069	/	Pass
		1745	50	0	9.134	/	Pass
		1775	50	0	9.102	/	Pass
	16QAM	1715	50	0	9.078	/	Pass
		1745	50	0	9.123	/	Pass
		1775	50	0	9.128	/	Pass
15	QPSK	1717.5	75	0	13.595	/	Pass
		1745	75	0	13.737	/	Pass
		1772.5	75	0	13.740	/	Pass
	16QAM	1717.5	75	0	13.593	/	Pass
		1745	75	0	13.733	/	Pass
		1772.5	75	0	13.751	/	Pass
20	QPSK	1720	100	0	18.044	/	Pass
		1745	100	0	18.395	/	Pass
		1770	100	0	18.188	/	Pass
	16QAM	1720	100	0	18.179	/	Pass
		1745	100	0	18.384	/	Pass
		1770	100	0	18.237	/	Pass


4.1.2 Test Graph





Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV







Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTN




Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTN




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTN




Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTN




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTN




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTN




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2 Band66_XDB


4.2.1 Test Result

Band: 66 / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.277	/	Pass
		1745	6	0	1.288	/	Pass
		1779.3	6	0	1.282	/	Pass
	16QAM	1710.7	6	0	1.284	/	Pass
		1745	6	0	1.269	/	Pass
		1779.3	6	0	1.274	/	Pass
3	QPSK	1711.5	15	0	3.112	/	Pass
		1745	15	0	3.116	/	Pass
		1778.5	15	0	3.114	/	Pass
	16QAM	1711.5	15	0	3.123	/	Pass
		1745	15	0	3.121	/	Pass
		1778.5	15	0	3.100	/	Pass
5	QPSK	1712.5	25	0	5.033	/	Pass
		1745	25	0	5.806	/	Pass
		1777.5	25	0	5.052	/	Pass
	16QAM	1712.5	25	0	5.048	/	Pass
		1745	25	0	5.064	/	Pass
		1777.5	25	0	5.029	/	Pass
10	QPSK	1715	50	0	10.054	/	Pass
		1745	50	0	10.119	/	Pass
		1775	50	0	10.080	/	Pass
	16QAM	1715	50	0	10.070	/	Pass
		1745	50	0	10.102	/	Pass
		1775	50	0	11.031	/	Pass
15	QPSK	1717.5	75	0	15.008	/	Pass
		1745	75	0	15.303	/	Pass
		1772.5	75	0	15.164	/	Pass
	16QAM	1717.5	75	0	15.185	/	Pass
		1745	75	0	15.356	/	Pass
		1772.5	75	0	15.350	/	Pass
20	QPSK	1720	100	0	19.933	/	Pass
		1745	100	0	25.360	/	Pass
		1770	100	0	20.070	/	Pass
	16QAM	1720	100	0	23.100	/	Pass
		1745	100	0	27.224	/	Pass
		1770	100	0	20.642	/	Pass


4.2.2 Test Graph





Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV







Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTNV




Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B66_1.4MHz


5.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	4.49	<=13	Pass
	1745	6	0	3.37	<=13	Pass
	1779.3	6	0	4.11	<=13	Pass
16QAM	1710.7	6	0	5.25	<=13	Pass
	1745	6	0	4.07	<=13	Pass
	1779.3	6	0	4.83	<=13	Pass


5.1.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV






5.2 B66_3MHz


5.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	4.85	<=13	Pass
	1745	15	0	3.58	<=13	Pass
	1778.5	15	0	4.24	<=13	Pass
16QAM	1711.5	15	0	4.84	<=13	Pass
	1745	15	0	3.59	<=13	Pass
	1778.5	15	0	4.25	<=13	Pass


5.2.2 Test Graph




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV






5.3 B66_5MHz


5.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.16	<=13	Pass
	1745	25	0	4.23	<=13	Pass
	1777.5	25	0	4.51	<=13	Pass
16QAM	1712.5	25	0	5.80	<=13	Pass
	1745	25	0	4.90	<=13	Pass
	1777.5	25	0	5.22	<=13	Pass


5.3.2 Test Graph




Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTN




Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTN



Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV






5.4 B66_10MHz


5.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.12	<=13	Pass
	1745	50	0	4.42	<=13	Pass
	1775	50	0	4.38	<=13	Pass
16QAM	1715	50	0	5.10	<=13	Pass
	1745	50	0	4.44	<=13	Pass
	1775	50	0	4.42	<=13	Pass


5.4.2 Test Graph




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV



Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTN



Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTN






5.5 B66_15MHz


5.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	4.88	<=13	Pass
	1745	75	0	4.91	<=13	Pass
	1772.5	75	0	4.93	<=13	Pass
16QAM	1717.5	75	0	6.06	<=13	Pass
	1745	75	0	6.10	<=13	Pass
	1772.5	75	0	5.97	<=13	Pass


5.5.2 Test Graph




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV






5.6 B66_20MHz


5.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.66	<=13	Pass
	1745	100	0	5.68	<=13	Pass
	1770	100	0	5.66	<=13	Pass
16QAM	1720	100	0	5.66	<=13	Pass
	1745	100	0	5.69	<=13	Pass
	1770	100	0	5.65	<=13	Pass


5.6.2 Test Graph




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV





6. Spurious Emission

6.1 B66_1.4MHz


6.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1710.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1779.3	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass	
			5	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
0	Refer To Test Graph			Pass			
16QAM	1710.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1779.3	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass	
			5	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
0	Refer To Test Graph			Pass			


6.1.2 Test Graph



Band66 1.4MHz QPSK LCH 1710.7MHz RB 1 0 NTV




Band66 1.4MHz QPSK LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.983	-40.93	-13	Pass
1709	1710	0.013	/	2	1709.928	-30.75	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_5_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTVN




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTVN



Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTVN




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.998	-42.51	-13	Pass
1709	1710	0.013	/	2	1709.985	-32.11	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.003	/	1	1780.011	-32.43	-13	Pass
1780	1781	0.003	/	2	1781.017	-58.60	-13	Pass

Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.013	/	1	1780.147	-29.19	-13	Pass
1780	1781	0.013	/	2	1781.014	-40.70	-13	Pass

6.2 B66_3MHz


6.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.2.2 Test Graph



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.488	23.45	-13	Pass
1709	1710	0.033	/	2	1709.994	-23.39	-13	Pass
1710	1713	0.033	/	/	/	/	/	/


Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-23.53	-13	Pass
1709	1710	0.003	/	2	1710.000	-33.93	-13	Pass
1710	1713	0.003	/	/	/	/	/	/


Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-24.12	-13	Pass
1709	1710	0.033	/	2	1709.988	-23.20	-13	Pass
1710	1713	0.033	/	/	/	/	/	/


Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_14_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV







6.3 B66_5MHz


6.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1712.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	1777.5	1745	1	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
		25	24	Refer To Test Graph		Pass	
			0	Refer To Test Graph		Pass	
16QAM	1712.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	1777.5	1745	1	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
		25	24	Refer To Test Graph		Pass	
			0	Refer To Test Graph		Pass	


6.3.2 Test Graph



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-25.99	-13	Pass
1709	1710	0.051	/	2	1710.000	-31.00	-13	Pass
1710	1715	0.051	/	/	/	/	/	/


Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_24_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV







6.4 B66_10MHz


6.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.4.2 Test Graph



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-26.89	-13	Pass
1709	1710	0.11	/	2	1710.000	-31.65	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTN




Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTN




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-28.68	-13	Pass
1709	1710	0.11	/	2	1710.000	-33.89	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV



Band66 10MHz 16QAM HCH 1775MHz RB 1 49 NTN



Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTN







6.5 B66_15MHz


6.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.5.2 Test Graph



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.470	-24.86	-13	Pass
1709	1710	0.15	/	2	1709.370	-28.51	-13	Pass
1710	1725	0.15	/	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1706.850	-25.58	-13	Pass
1709	1710	0.16	/	2	1709.940	-29.92	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	1	1780.024	-38.80	-13	Pass
1780	1781	0.003	/	1	1780.024	-38.80	-13	Pass
1781	1795	1	CHP	2	1781.001	-17.19	-13	Pass

Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.16	/	1	1780.120	-22.56	-13	Pass
1780	1781	0.16	/	1	1780.120	-22.56	-13	Pass
1781	1795	1	CHP	2	1781.020	-17.34	-13	Pass

6.6 B66_20MHz


6.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.6.2 Test Graph



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-23.26	-13	Pass
1709	1710	0.2	/	2	1709.920	-27.51	-13	Pass
1710	1730	0.2	/	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.160	-26.59	-13	Pass
1709	1710	0.24	/	2	1709.720	-29.67	-13	Pass
1710	1730	0.24	/	/	/	/	/	/


Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_1_99_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV





7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2624	0.0203	ppm	1M12G7D	27L	24.19
66	1.4	1710.7	1779.3	0.2410	0.0225	ppm	1M13W7D	27L	23.82
66	3	1711.5	1778.5	0.1866	0.0248	ppm	2M77G7D	27L	22.71
66	3	1711.5	1778.5	0.1611	0.0255	ppm	2M79W7D	27L	22.07
66	5	1712.5	1777.5	0.1832	0.0235	ppm	4M59G7D	27L	22.63
66	5	1712.5	1777.5	0.1710	0.0234	ppm	4M60W7D	27L	22.33
66	10	1715	1775	0.1832	0.0201	ppm	9M13G7D	27L	22.63
66	10	1715	1775	0.1683	0.0226	ppm	9M13W7D	27L	22.26
66	15	1717.5	1772.5	0.1828	0.0212	ppm	13M7G7D	27L	22.62
66	15	1717.5	1772.5	0.1726	0.0195	ppm	13M8W7D	27L	22.37
66	20	1720	1770	0.1862	0.0189	ppm	18M4G7D	27L	22.70
66	20	1720	1770	0.1618	0.0200	ppm	18M4W7D	27L	22.09

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2432	0.0203	ppm	1M12G7D	27L	23.86
66	1.4	1710.7	1779.3	0.2234	0.0225	ppm	1M13W7D	27L	23.49
66	3	1711.5	1778.5	0.1730	0.0248	ppm	2M77G7D	27L	22.38
66	3	1711.5	1778.5	0.1493	0.0255	ppm	2M79W7D	27L	21.74
66	5	1712.5	1777.5	0.1698	0.0235	ppm	4M59G7D	27L	22.30
66	5	1712.5	1777.5	0.1585	0.0234	ppm	4M60W7D	27L	22.00
66	10	1715	1775	0.1698	0.0201	ppm	9M13G7D	27L	22.30
66	10	1715	1775	0.1560	0.0226	ppm	9M13W7D	27L	21.93
66	15	1717.5	1772.5	0.1694	0.0212	ppm	13M7G7D	27L	22.29
66	15	1717.5	1772.5	0.1600	0.0195	ppm	13M8W7D	27L	22.04
66	20	1720	1770	0.1726	0.0189	ppm	18M4G7D	27L	22.37
66	20	1720	1770	0.1500	0.0200	ppm	18M4W7D	27L	21.76