



## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Band5\_ERP

#### 1.1.1 Test Result

Band: 5									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	22.66	-0.38	20.13	<=38.45	Pass	
			836.6	22.72	-0.38	20.19	<=38.45	Pass	
			846.6	22.77	-0.38	20.24	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	21.79	-0.38	19.26	<=38.45	Pass	
		Subtest 2	826.4	21.83	-0.38	19.30	<=38.45	Pass	
		Subtest 3	826.4	21.85	-0.38	19.32	<=38.45	Pass	
		Subtest 4	826.4	21.76	-0.38	19.23	<=38.45	Pass	
		Subtest 1	836.6	21.82	-0.38	19.29	<=38.45	Pass	
		Subtest 2	836.6	21.85	-0.38	19.32	<=38.45	Pass	
		Subtest 3	836.6	21.86	-0.38	19.33	<=38.45	Pass	
		Subtest 4	836.6	21.77	-0.38	19.24	<=38.45	Pass	
		Subtest 1	846.6	21.28	-0.38	18.75	<=38.45	Pass	
		Subtest 2	846.6	21.31	-0.38	18.78	<=38.45	Pass	
		Subtest 3	846.6	21.31	-0.38	18.78	<=38.45	Pass	
		Subtest 4	846.6	21.21	-0.38	18.68	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	19.39	-0.38	16.86	<=38.45	Pass
			Subtest 2	826.4	19.66	-0.38	17.13	<=38.45	Pass
			Subtest 3	826.4	19.65	-0.38	17.12	<=38.45	Pass
			Subtest 4	826.4	19.36	-0.38	16.83	<=38.45	Pass
	Subtest 5		826.4	19.35	-0.38	16.82	<=38.45	Pass	
	Subtest 1		836.6	19.81	-0.38	17.28	<=38.45	Pass	
	Subtest 2		836.6	19.27	-0.38	16.74	<=38.45	Pass	
	Subtest 3		836.6	19.77	-0.38	17.24	<=38.45	Pass	
	Subtest 4		836.6	19.60	-0.38	17.07	<=38.45	Pass	
	Subtest 5		836.6	19.83	-0.38	17.30	<=38.45	Pass	
	Subtest 1		846.6	18.88	-0.38	16.35	<=38.45	Pass	
	Subtest 2		846.6	19.11	-0.38	16.58	<=38.45	Pass	
	Subtest 3		846.6	19.04	-0.38	16.51	<=38.45	Pass	
	Subtest 4		846.6	19.04	-0.38	16.51	<=38.45	Pass	
	Subtest 5	846.6	19.08	-0.38	16.55	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Band5

#### 2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	1.903	0.0023	-2.5 to 2.5	Pass

			3.85	-0.036	0.0000	-2.5 to 2.5	Pass			
			4.43	-0.265	-0.0003	-2.5 to 2.5	Pass			
		-30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass			
		-20	3.85	-0.422	-0.0005	-2.5 to 2.5	Pass			
		-10	3.85	1.674	0.0020	-2.5 to 2.5	Pass			
		0	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass			
		10	3.85	-0.751	-0.0009	-2.5 to 2.5	Pass			
		30	3.85	0.265	0.0003	-2.5 to 2.5	Pass			
		40	3.85	-0.007	0.0000	-2.5 to 2.5	Pass			
		50	3.85	0.129	0.0002	-2.5 to 2.5	Pass			
		836.6	20		3.27	-1.988	-0.0024	-2.5 to 2.5	Pass	
					3.85	-0.865	-0.0010	-2.5 to 2.5	Pass	
					4.43	1.066	0.0013	-2.5 to 2.5	Pass	
			-30	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass		
	-20		3.85	-1.445	-0.0017	-2.5 to 2.5	Pass			
	-10		3.85	-0.851	-0.0010	-2.5 to 2.5	Pass			
	0		3.85	-1.016	-0.0012	-2.5 to 2.5	Pass			
	10		3.85	-0.215	-0.0003	-2.5 to 2.5	Pass			
	30		3.85	-0.765	-0.0009	-2.5 to 2.5	Pass			
	40		3.85	-0.257	-0.0003	-2.5 to 2.5	Pass			
	50		3.85	-0.143	-0.0002	-2.5 to 2.5	Pass			
	846.6		20		3.27	0.000	0.0000	-2.5 to 2.5	Pass	
					3.85	0.844	0.0010	-2.5 to 2.5	Pass	
					4.43	0.114	0.0001	-2.5 to 2.5	Pass	
		-30	3.85	-0.079	-0.0001	-2.5 to 2.5	Pass			
		-20	3.85	0.129	0.0002	-2.5 to 2.5	Pass			
		-10	3.85	0.229	0.0003	-2.5 to 2.5	Pass			
		0	3.85	0.086	0.0001	-2.5 to 2.5	Pass			
		10	3.85	0.558	0.0007	-2.5 to 2.5	Pass			
		30	3.85	0.536	0.0006	-2.5 to 2.5	Pass			
		40	3.85	0.222	0.0003	-2.5 to 2.5	Pass			
		50	3.85	0.694	0.0008	-2.5 to 2.5	Pass			
		HSDPA	826.4	20		3.27	2.489	0.0030	-2.5 to 2.5	Pass
						3.85	2.418	0.0029	-2.5 to 2.5	Pass
						4.43	2.890	0.0035	-2.5 to 2.5	Pass
-30	3.85			2.754	0.0033	-2.5 to 2.5	Pass			
-20	3.85			2.739	0.0033	-2.5 to 2.5	Pass			
-10	3.85			1.988	0.0024	-2.5 to 2.5	Pass			
0	3.85			2.511	0.0030	-2.5 to 2.5	Pass			
10	3.85			2.367	0.0029	-2.5 to 2.5	Pass			
30	3.85			2.797	0.0034	-2.5 to 2.5	Pass			
40	3.85			1.910	0.0023	-2.5 to 2.5	Pass			
50	3.85			2.303	0.0028	-2.5 to 2.5	Pass			
836.6	20				3.27	1.252	0.0015	-2.5 to 2.5	Pass	
					3.85	-1.724	-0.0021	-2.5 to 2.5	Pass	
					4.43	0.100	0.0001	-2.5 to 2.5	Pass	
	-30		3.85	-0.823	-0.0010	-2.5 to 2.5	Pass			
	-20		3.85	0.057	0.0001	-2.5 to 2.5	Pass			
	-10		3.85	-1.023	-0.0012	-2.5 to 2.5	Pass			
	0		3.85	-0.079	-0.0001	-2.5 to 2.5	Pass			
	10		3.85	-1.073	-0.0013	-2.5 to 2.5	Pass			
	30		3.85	0.622	0.0007	-2.5 to 2.5	Pass			
	40		3.85	0.679	0.0008	-2.5 to 2.5	Pass			
	50		3.85	1.059	0.0013	-2.5 to 2.5	Pass			
	846.6		20		3.27	0.465	0.0005	-2.5 to 2.5	Pass	

			3.85	1.123	0.0013	-2.5 to 2.5	Pass		
			4.43	1.924	0.0023	-2.5 to 2.5	Pass		
		-30	3.85	0.622	0.0007	-2.5 to 2.5	Pass		
		-20	3.85	0.594	0.0007	-2.5 to 2.5	Pass		
		-10	3.85	0.343	0.0004	-2.5 to 2.5	Pass		
		0	3.85	0.057	0.0001	-2.5 to 2.5	Pass		
		10	3.85	0.615	0.0007	-2.5 to 2.5	Pass		
		30	3.85	0.536	0.0006	-2.5 to 2.5	Pass		
		40	3.85	0.658	0.0008	-2.5 to 2.5	Pass		
		50	3.85	-0.079	-0.0001	-2.5 to 2.5	Pass		
		HSUPA	826.4	20	3.27	-2.797	-0.0034	-2.5 to 2.5	Pass
					3.85	-3.569	-0.0043	-2.5 to 2.5	Pass
					4.43	-3.834	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-3.626	-0.0044	-2.5 to 2.5	Pass
-20	3.85			-2.983	-0.0036	-2.5 to 2.5	Pass		
-10	3.85			-3.333	-0.0040	-2.5 to 2.5	Pass		
0	3.85			-3.161	-0.0038	-2.5 to 2.5	Pass		
10	3.85			-2.832	-0.0034	-2.5 to 2.5	Pass		
30	3.85			-3.912	-0.0047	-2.5 to 2.5	Pass		
40	3.85			-3.226	-0.0039	-2.5 to 2.5	Pass		
50	3.85			-3.011	-0.0036	-2.5 to 2.5	Pass		
836.6	20			3.27	-3.548	-0.0042	-2.5 to 2.5	Pass	
				3.85	-2.182	-0.0026	-2.5 to 2.5	Pass	
				4.43	-2.775	-0.0033	-2.5 to 2.5	Pass	
	-30	3.85	-2.918	-0.0035	-2.5 to 2.5	Pass			
	-20	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass			
	-10	3.85	-2.625	-0.0031	-2.5 to 2.5	Pass			
	0	3.85	-4.013	-0.0048	-2.5 to 2.5	Pass			
	10	3.85	-1.910	-0.0023	-2.5 to 2.5	Pass			
	30	3.85	-1.917	-0.0023	-2.5 to 2.5	Pass			
	40	3.85	-2.439	-0.0029	-2.5 to 2.5	Pass			
	50	3.85	-2.425	-0.0029	-2.5 to 2.5	Pass			
	846.6	20	3.27	-4.678	-0.0055	-2.5 to 2.5	Pass		
			3.85	-3.040	-0.0036	-2.5 to 2.5	Pass		
			4.43	-3.355	-0.0040	-2.5 to 2.5	Pass		
-30		3.85	-2.568	-0.0030	-2.5 to 2.5	Pass			
-20		3.85	-1.101	-0.0013	-2.5 to 2.5	Pass			
-10		3.85	-2.031	-0.0024	-2.5 to 2.5	Pass			
0		3.85	-1.574	-0.0019	-2.5 to 2.5	Pass			
10		3.85	-1.209	-0.0014	-2.5 to 2.5	Pass			
30		3.85	-4.520	-0.0053	-2.5 to 2.5	Pass			
40		3.85	-4.528	-0.0053	-2.5 to 2.5	Pass			
50		3.85	-2.975	-0.0035	-2.5 to 2.5	Pass			

### 3. Modulation Characteristics

#### 3.1 Band5

##### 3.1.1 Test Result


Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	




Test Report Number: BTF240419R00204

NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph	Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph	Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph	Pass

### 3.1.2 Test Graph








#### 4. 99% & 26dB Bandwidth

##### 4.1 Band5\_OBW

##### 4.1.1 Test Result


Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.169	/	Pass
			836.6	4.165	/	Pass
			846.6	4.148	/	Pass
	HSDPA	Subtest 1	826.4	4.153	/	Pass
			836.6	4.164	/	Pass
			846.6	4.176	/	Pass
	HSUPA	Subtest 1	826.4	4.154	/	Pass
			836.6	4.155	/	Pass
			846.6	4.157	/	Pass

### 4.1.2 Test Graph







Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




## 4.2 Band5\_XDB


### 4.2.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.716	/	Pass
			836.6	4.721	/	Pass
			846.6	4.707	/	Pass
	HSDPA	Subtest 1	826.4	4.707	/	Pass
			836.6	4.684	/	Pass
			846.6	4.712	/	Pass
	HSUPA	Subtest 1	826.4	4.711	/	Pass
			836.6	4.708	/	Pass
			846.6	4.709	/	Pass


### 4.2.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV







Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




## 5. Peak-Average Ratio

### 5.1 Band5


#### 5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.97	<=13	Pass
			836.6	3.00	<=13	Pass
			846.6	3.04	<=13	Pass
	HSDPA	Subtest 1	826.4	5.70	<=13	Pass
			836.6	5.58	<=13	Pass
			846.6	5.66	<=13	Pass
	HSUPA	Subtest 1	826.4	5.55	<=13	Pass
			836.6	5.55	<=13	Pass
			846.6	5.75	<=13	Pass


### 5.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV








## 6. Spurious Emission

### 6.1 Band5


#### 6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass


6.1.2 Test Graph




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV







Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV





## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1892	0.0055	ppm	4M18F9W	22H	22.77

### 7.2 Form731\_ERP

#### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1057	0.0055	ppm	4M18F9W	22H	20.24