

1. Effective (Isotropic) Radiated Power Output Data

1.1 PCS1900_EIRP

1.1.1 Test Result

Band: PCS1900									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	GSM	GSM	1850.2	28.55	0.8	29.35	<=33.01	Pass	
			1880	28.29	0.8	29.09	<=33.01	Pass	
			1909.8	28.19	0.8	28.99	<=33.01	Pass	
	GPRS	1 TX Slot	1850.2	28.56	0.8	29.36	<=33.01	Pass	
			2 TX Slots	1850.2	26.39	0.8	27.19	<=33.01	Pass
			3 TX Slots	1850.2	24.67	0.8	25.47	<=33.01	Pass
			4 TX Slots	1850.2	22.53	0.8	23.33	<=33.01	Pass
		2 TX Slots	1880	28.25	0.8	29.05	<=33.01	Pass	
			1880	25.95	0.8	26.75	<=33.01	Pass	
			1880	24.24	0.8	25.04	<=33.01	Pass	
			1880	22.07	0.8	22.87	<=33.01	Pass	
		4 TX Slots	1909.8	28.19	0.8	28.99	<=33.01	Pass	
			1909.8	25.66	0.8	26.46	<=33.01	Pass	
			1909.8	23.98	0.8	24.78	<=33.01	Pass	
			1909.8	21.84	0.8	22.64	<=33.01	Pass	
		EGPRS	1 TX Slot	1850.2	26.58	0.8	27.38	<=33.01	Pass
				1850.2	24.94	0.8	25.74	<=33.01	Pass
				1850.2	22.79	0.8	23.59	<=33.01	Pass
				1850.2	20.46	0.8	21.26	<=33.01	Pass
	2 TX Slots		1880	26.04	0.8	26.84	<=33.01	Pass	
			1880	24.43	0.8	25.23	<=33.01	Pass	
			1880	22.48	0.8	23.28	<=33.01	Pass	
			1880	20.13	0.8	20.93	<=33.01	Pass	
	4 TX Slots		1909.8	24.78	0.8	25.58	<=33.01	Pass	
			1909.8	23.18	0.8	23.98	<=33.01	Pass	
			1909.8	21.05	0.8	21.85	<=33.01	Pass	
			1909.8	18.86	0.8	19.66	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

.1 PCS1900

2.1.1 Test Result

Band: PCS1900							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
GSM	1850.2	20	3.27	3.842	0.0021	-2.5 to 2.5	Pass

			3.85	1.550	0.0008	-2.5 to 2.5	Pass			
			4.43	0.000	0.0000	-2.5 to 2.5	Pass			
		-30	3.85	-7.878	-0.0043	-2.5 to 2.5	Pass			
		-20	3.85	-2.163	-0.0012	-2.5 to 2.5	Pass			
		-10	3.85	-5.618	-0.0030	-2.5 to 2.5	Pass			
		0	3.85	-1.227	-0.0007	-2.5 to 2.5	Pass			
		10	3.85	1.711	0.0009	-2.5 to 2.5	Pass			
		30	3.85	-5.747	-0.0031	-2.5 to 2.5	Pass			
		40	3.85	-3.777	-0.0020	-2.5 to 2.5	Pass			
		50	3.85	-8.039	-0.0043	-2.5 to 2.5	Pass			
		1880	20		3.27	-4.714	-0.0025	-2.5 to 2.5	Pass	
					3.85	-3.067	-0.0016	-2.5 to 2.5	Pass	
					4.43	-2.551	-0.0014	-2.5 to 2.5	Pass	
			-30	3.85	-1.453	-0.0008	-2.5 to 2.5	Pass		
			-20	3.85	-7.716	-0.0041	-2.5 to 2.5	Pass		
	-10		3.85	-3.907	-0.0021	-2.5 to 2.5	Pass			
	0		3.85	-7.232	-0.0038	-2.5 to 2.5	Pass			
	10		3.85	-3.003	-0.0016	-2.5 to 2.5	Pass			
	30		3.85	-3.390	-0.0018	-2.5 to 2.5	Pass			
	40		3.85	-3.551	-0.0019	-2.5 to 2.5	Pass			
	50		3.85	-3.164	-0.0017	-2.5 to 2.5	Pass			
	1909.8		20		3.27	-5.682	-0.0030	-2.5 to 2.5	Pass	
					3.85	-3.519	-0.0018	-2.5 to 2.5	Pass	
					4.43	-4.520	-0.0024	-2.5 to 2.5	Pass	
			-30	3.85	-7.071	-0.0037	-2.5 to 2.5	Pass		
		-20	3.85	-11.009	-0.0058	-2.5 to 2.5	Pass			
		-10	3.85	-4.649	-0.0024	-2.5 to 2.5	Pass			
		0	3.85	-5.101	-0.0027	-2.5 to 2.5	Pass			
		10	3.85	-5.295	-0.0028	-2.5 to 2.5	Pass			
		30	3.85	-3.099	-0.0016	-2.5 to 2.5	Pass			
		40	3.85	-3.067	-0.0016	-2.5 to 2.5	Pass			
		50	3.85	-3.067	-0.0016	-2.5 to 2.5	Pass			
		GPRS	1850.2	20		3.27	-3.196	-0.0017	-2.5 to 2.5	Pass
						3.85	-5.198	-0.0028	-2.5 to 2.5	Pass
						4.43	-2.454	-0.0013	-2.5 to 2.5	Pass
-30				3.85	-7.006	-0.0038	-2.5 to 2.5	Pass		
-20	3.85			-6.909	-0.0037	-2.5 to 2.5	Pass			
-10	3.85			-5.973	-0.0032	-2.5 to 2.5	Pass			
0	3.85			-2.034	-0.0011	-2.5 to 2.5	Pass			
10	3.85			-4.133	-0.0022	-2.5 to 2.5	Pass			
30	3.85			-6.651	-0.0036	-2.5 to 2.5	Pass			
40	3.85			-6.586	-0.0036	-2.5 to 2.5	Pass			
50	3.85			-5.101	-0.0028	-2.5 to 2.5	Pass			
1880	20				3.27	-4.423	-0.0024	-2.5 to 2.5	Pass	
					3.85	-4.843	-0.0026	-2.5 to 2.5	Pass	
					4.43	-9.040	-0.0048	-2.5 to 2.5	Pass	
	-30			3.85	-9.621	-0.0051	-2.5 to 2.5	Pass		
	-20		3.85	-4.036	-0.0021	-2.5 to 2.5	Pass			
	-10		3.85	-4.907	-0.0026	-2.5 to 2.5	Pass			
	0		3.85	-6.619	-0.0035	-2.5 to 2.5	Pass			
	10		3.85	-8.588	-0.0046	-2.5 to 2.5	Pass			
	30		3.85	-5.037	-0.0027	-2.5 to 2.5	Pass			
	40		3.85	-5.941	-0.0032	-2.5 to 2.5	Pass			
50	3.85		-6.651	-0.0035	-2.5 to 2.5	Pass				

	1909.8	20	3.27	-9.040	-0.0047	-2.5 to 2.5	Pass
			3.85	-8.071	-0.0042	-2.5 to 2.5	Pass
			4.43	-4.617	-0.0024	-2.5 to 2.5	Pass
		-30	3.85	-3.681	-0.0019	-2.5 to 2.5	Pass
		-20	3.85	-10.170	-0.0053	-2.5 to 2.5	Pass
		-10	3.85	-9.266	-0.0049	-2.5 to 2.5	Pass
		0	3.85	-6.360	-0.0033	-2.5 to 2.5	Pass
		10	3.85	-7.167	-0.0038	-2.5 to 2.5	Pass
		30	3.85	-8.297	-0.0043	-2.5 to 2.5	Pass
		40	3.85	-7.071	-0.0037	-2.5 to 2.5	Pass
50	3.85	-2.906	-0.0015	-2.5 to 2.5	Pass		
EGPRS	1850.2	20	3.27	-8.846	-0.0048	-2.5 to 2.5	Pass
			3.85	-14.044	-0.0076	-2.5 to 2.5	Pass
			4.43	-13.657	-0.0074	-2.5 to 2.5	Pass
		-30	3.85	-12.172	-0.0066	-2.5 to 2.5	Pass
		-20	3.85	-10.977	-0.0059	-2.5 to 2.5	Pass
		-10	3.85	-9.169	-0.0050	-2.5 to 2.5	Pass
		0	3.85	-16.982	-0.0092	-2.5 to 2.5	Pass
		10	3.85	-10.009	-0.0054	-2.5 to 2.5	Pass
		30	3.85	-11.784	-0.0064	-2.5 to 2.5	Pass
		40	3.85	-11.300	-0.0061	-2.5 to 2.5	Pass
	50	3.85	-14.303	-0.0077	-2.5 to 2.5	Pass	
	1880	20	3.27	-5.133	-0.0027	-2.5 to 2.5	Pass
			3.85	-8.685	-0.0046	-2.5 to 2.5	Pass
			4.43	-9.621	-0.0051	-2.5 to 2.5	Pass
		-30	3.85	-8.620	-0.0046	-2.5 to 2.5	Pass
		-20	3.85	-10.041	-0.0053	-2.5 to 2.5	Pass
		-10	3.85	-9.427	-0.0050	-2.5 to 2.5	Pass
		0	3.85	-10.945	-0.0058	-2.5 to 2.5	Pass
		10	3.85	-5.973	-0.0032	-2.5 to 2.5	Pass
		30	3.85	-10.428	-0.0055	-2.5 to 2.5	Pass
		40	3.85	-10.654	-0.0057	-2.5 to 2.5	Pass
	50	3.85	-8.362	-0.0044	-2.5 to 2.5	Pass	
	1909.8	20	3.27	-10.654	-0.0056	-2.5 to 2.5	Pass
			3.85	-11.978	-0.0063	-2.5 to 2.5	Pass
			4.43	-10.267	-0.0054	-2.5 to 2.5	Pass
		-30	3.85	-9.944	-0.0052	-2.5 to 2.5	Pass
		-20	3.85	-13.366	-0.0070	-2.5 to 2.5	Pass
		-10	3.85	-13.205	-0.0069	-2.5 to 2.5	Pass
		0	3.85	-5.521	-0.0029	-2.5 to 2.5	Pass
		10	3.85	-14.916	-0.0078	-2.5 to 2.5	Pass
30		3.85	-18.242	-0.0096	-2.5 to 2.5	Pass	
40		3.85	-10.396	-0.0054	-2.5 to 2.5	Pass	
50	3.85	-11.526	-0.0060	-2.5 to 2.5	Pass		

3. Modulation Characteristics

3.1 PCS1900

3.1.1 Test Result

Band: PCS1900

ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1880	Refer To Test Graph		Pass
	GPRS	1 TX Slot	1880	Refer To Test Graph		Pass
	EGPRS	1 TX Slot	1880	Refer To Test Graph		Pass


3. Modulation Characteristics



3.1 PCS1900

3.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1880	Refer To Test Graph		Pass
	GPRS	1 TX Slot	1880	Refer To Test Graph		Pass
	EGPRS	1 TX Slot	1880	Refer To Test Graph		Pass

3.1.2 Test Graph






4. 99% & 26dB Bandwidth



4.1 PCS1900_OBW



4.1.1 Test Result



Band: PCS1900					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	GSM	GSM	1850.2	0.244	Pass
			1880	0.245	Pass
			1909.8	0.249	Pass
	GPRS	1 TX Slot	1850.2	0.240	Pass
			1880	0.243	Pass
			1909.8	0.253	Pass
	EGPRS	1 TX Slot	1850.2	0.249	Pass
			1880	0.245	Pass
			1909.8	0.247	Pass


4.1.2 Test Graph












PCS1900_EGPRS_HCH_1909.8MHz_1 TX Slot_NTNV






4.2 PCS1900_XDB



4.2.1 Test Result



Band: PCS1900					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	GSM	GSM	1850.2	0.318	Pass
			1880	0.317	Pass
			1909.8	0.308	Pass
	GPRS	1 TX Slot	1850.2	0.313	Pass
			1880	0.330	Pass
			1909.8	0.313	Pass
	EGPRS	1 TX Slot	1850.2	0.314	Pass
			1880	0.320	Pass
			1909.8	0.317	Pass



4.2.2 Test Graph












5. Peak-Average Ratio



5.1 PCS1900



5.1.1 Test Result



Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.69	<=13	Pass
			1880	9.68	<=13	Pass
			1909.8	9.31	<=13	Pass
	GPRS	4 TX Slots	1850.2	9.76	<=13	Pass
			1880	3.63	<=13	Pass
			1909.8	3.75	<=13	Pass
	EGPRS	4 TX Slots	1850.2	11.86	<=13	Pass
			1880	7.27	<=13	Pass
			1909.8	7.42	<=13	Pass


5.1.2 Test Graph












PCS1900_EGPRS_HCH_1909.8MHz_4 TX Slots_NTNV




6. Spurious Emission



6.1 PCS1900



6.1.1 Test Result



Band: PCS1900						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1909.8	Refer To Test Graph		Pass
	GPRS	1 TX Slot	1850.2	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1909.8	Refer To Test Graph		Pass



6.1.2 Test Graph


























7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
PCS1900	0.2	1850.2	1909.8	0.7178	0.0058	ppm	253KGXW	24E	28.56
PCS1900	0.2	1850.2	1909.8	0.4550	0.0096	ppm	249KG7W	24E	26.58

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
PCS1900	0.2	1850.2	1909.8	0.7980	0.0058	ppm	253KGXW	24E	29.36
PCS1900	0.2	1850.2	1909.8	0.5058	0.0096	ppm	249KG7W	24E	27.38

