

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26b_1.4MHz_ERP

1.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	24.01	2.66	24.52	<=38.45	Pass		
			2	23.55	2.66	24.06	<=38.45	Pass		
			5	24.01	2.66	24.52	<=38.45	Pass		
		3	0	23.61	2.66	24.12	<=38.45	Pass		
			2	23.53	2.66	24.04	<=38.45	Pass		
			3	23.48	2.66	23.99	<=38.45	Pass		
		6	0	22.57	2.66	23.08	<=38.45	Pass		
		836.5	1	0	23.43	2.66	23.94	<=38.45	Pass	
				2	23.51	2.66	24.02	<=38.45	Pass	
	5			23.48	2.66	23.99	<=38.45	Pass		
	3		0	23.46	2.66	23.97	<=38.45	Pass		
			2	23.50	2.66	24.01	<=38.45	Pass		
			3	23.46	2.66	23.97	<=38.45	Pass		
	6	0	23.04	2.66	23.55	<=38.45	Pass			
	848.3	1	0	23.48	2.66	23.99	<=38.45	Pass		
			2	23.66	2.66	24.17	<=38.45	Pass		
			5	23.51	2.66	24.02	<=38.45	Pass		
		3	0	23.57	2.66	24.08	<=38.45	Pass		
			2	23.58	2.66	24.09	<=38.45	Pass		
			3	24.04	2.66	24.55	<=38.45	Pass		
		6	0	22.63	2.66	23.14	<=38.45	Pass		
		16QAM	824.7	1	0	23.07	2.66	23.58	<=38.45	Pass
					2	22.51	2.66	23.02	<=38.45	Pass
	5				22.36	2.66	22.87	<=38.45	Pass	
3	0			22.41	2.66	22.92	<=38.45	Pass		
	2			22.49	2.66	23.00	<=38.45	Pass		
	3			22.62	2.66	23.13	<=38.45	Pass		
6	0			21.96	2.66	22.47	<=38.45	Pass		
836.5	1			0	22.40	2.66	22.91	<=38.45	Pass	
				2	22.47	2.66	22.98	<=38.45	Pass	
			5	22.57	2.66	23.08	<=38.45	Pass		
	3		0	22.78	2.66	23.29	<=38.45	Pass		
			2	22.52	2.66	23.03	<=38.45	Pass		
			3	22.99	2.66	23.50	<=38.45	Pass		
6	0		21.48	2.66	21.99	<=38.45	Pass			
848.3	1		0	22.61	2.66	23.12	<=38.45	Pass		
			2	22.59	2.66	23.10	<=38.45	Pass		
			5	22.47	2.66	22.98	<=38.45	Pass		
	3		0	22.60	2.66	23.11	<=38.45	Pass		
			2	22.75	2.66	23.26	<=38.45	Pass		
			3	22.53	2.66	23.04	<=38.45	Pass		
	6		0	21.51	2.66	22.02	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B26b_3MHz_ERP

1.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.64	2.66	24.15	<=38.45	Pass
			7	23.80	2.66	24.31	<=38.45	Pass
			14	23.62	2.66	24.13	<=38.45	Pass
		8	0	22.61	2.66	23.12	<=38.45	Pass
			4	22.64	2.66	23.15	<=38.45	Pass
			7	22.59	2.66	23.10	<=38.45	Pass
	15	0	22.55	2.66	23.06	<=38.45	Pass	
	836.5	1	0	23.60	2.66	24.11	<=38.45	Pass
			7	23.69	2.66	24.20	<=38.45	Pass
			14	23.61	2.66	24.12	<=38.45	Pass
		8	0	22.57	2.66	23.08	<=38.45	Pass
			4	22.60	2.66	23.11	<=38.45	Pass
			7	22.56	2.66	23.07	<=38.45	Pass
	15	0	22.54	2.66	23.05	<=38.45	Pass	
	847.5	1	0	23.67	2.66	24.18	<=38.45	Pass
			7	23.77	2.66	24.28	<=38.45	Pass
			14	23.66	2.66	24.17	<=38.45	Pass
		8	0	22.66	2.66	23.17	<=38.45	Pass
4			22.66	2.66	23.17	<=38.45	Pass	
7			22.66	2.66	23.17	<=38.45	Pass	
15	0	22.62	2.66	23.13	<=38.45	Pass		
16QAM	825.5	1	0	22.59	2.66	23.10	<=38.45	Pass
			7	23.08	2.66	23.59	<=38.45	Pass
			14	22.65	2.66	23.16	<=38.45	Pass
		8	0	21.57	2.66	22.08	<=38.45	Pass
			4	21.69	2.66	22.20	<=38.45	Pass
			7	21.47	2.66	21.98	<=38.45	Pass
	15	0	21.50	2.66	22.01	<=38.45	Pass	
	836.5	1	0	22.68	2.66	23.19	<=38.45	Pass
			7	22.71	2.66	23.22	<=38.45	Pass
			14	23.01	2.66	23.52	<=38.45	Pass
		8	0	21.49	2.66	22.00	<=38.45	Pass
			4	21.61	2.66	22.12	<=38.45	Pass
			7	21.64	2.66	22.15	<=38.45	Pass
	15	0	21.45	2.66	21.96	<=38.45	Pass	
	847.5	1	0	22.63	2.66	23.14	<=38.45	Pass
			7	23.19	2.66	23.70	<=38.45	Pass
			14	22.78	2.66	23.29	<=38.45	Pass
		8	0	21.67	2.66	22.18	<=38.45	Pass
4			21.76	2.66	22.27	<=38.45	Pass	
7			21.59	2.66	22.10	<=38.45	Pass	
15	0	21.61	2.66	22.12	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B26b_5MHz_ERP

1.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	826.5	1	0	23.43	2.66	23.94	<=38.45	Pass	
			13	23.53	2.66	24.04	<=38.45	Pass	
			24	23.44	2.66	23.95	<=38.45	Pass	
		12	0	22.41	2.66	22.92	<=38.45	Pass	
			6	22.47	2.66	22.98	<=38.45	Pass	
			13	22.36	2.66	22.87	<=38.45	Pass	
		25	0	22.39	2.66	22.90	<=38.45	Pass	
		836.5	1	0	23.35	2.66	23.86	<=38.45	Pass
				13	23.52	2.66	24.03	<=38.45	Pass
	24			23.41	2.66	23.92	<=38.45	Pass	
	12		0	22.42	2.66	22.93	<=38.45	Pass	
			6	22.47	2.66	22.98	<=38.45	Pass	
			13	22.44	2.66	22.95	<=38.45	Pass	
	25	0	22.45	2.66	22.96	<=38.45	Pass		
	846.5	1	0	23.42	2.66	23.93	<=38.45	Pass	
			13	23.54	2.66	24.05	<=38.45	Pass	
			24	23.47	2.66	23.98	<=38.45	Pass	
		12	0	22.61	2.66	23.12	<=38.45	Pass	
6			22.53	2.66	23.04	<=38.45	Pass		
13			22.47	2.66	22.98	<=38.45	Pass		
25		0	22.57	2.66	23.08	<=38.45	Pass		
16QAM		826.5	1	0	22.45	2.66	22.96	<=38.45	Pass
				13	22.28	2.66	22.79	<=38.45	Pass
	24			22.54	2.66	23.05	<=38.45	Pass	
	12		0	21.37	2.66	21.88	<=38.45	Pass	
			6	21.41	2.66	21.92	<=38.45	Pass	
			13	21.34	2.66	21.85	<=38.45	Pass	
	25		0	21.33	2.66	21.84	<=38.45	Pass	
	836.5		1	0	22.54	2.66	23.05	<=38.45	Pass
				13	22.55	2.66	23.06	<=38.45	Pass
		24		22.21	2.66	22.72	<=38.45	Pass	
		12	0	21.41	2.66	21.92	<=38.45	Pass	
			6	21.42	2.66	21.93	<=38.45	Pass	
			13	21.40	2.66	21.91	<=38.45	Pass	
	25	0	21.39	2.66	21.90	<=38.45	Pass		
	846.5	1	0	22.16	2.66	22.67	<=38.45	Pass	
			13	22.73	2.66	23.24	<=38.45	Pass	
			24	22.55	2.66	23.06	<=38.45	Pass	
		12	0	21.58	2.66	22.09	<=38.45	Pass	
6			21.53	2.66	22.04	<=38.45	Pass		
13			21.41	2.66	21.92	<=38.45	Pass		
25		0	21.54	2.66	22.05	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B26b_10MHz_ERP

1.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.48	2.66	23.99	<=38.45	Pass
			25	23.73	2.66	24.24	<=38.45	Pass
			49	23.43	2.66	23.94	<=38.45	Pass
		25	0	22.57	2.66	23.08	<=38.45	Pass
			13	22.51	2.66	23.02	<=38.45	Pass
			25	22.37	2.66	22.88	<=38.45	Pass
	50	0	22.43	2.66	22.94	<=38.45	Pass	
	836.5	1	0	23.47	2.66	23.98	<=38.45	Pass
			25	23.60	2.66	24.11	<=38.45	Pass
			49	23.46	2.66	23.97	<=38.45	Pass
		25	0	22.58	2.66	23.09	<=38.45	Pass
			13	22.53	2.66	23.04	<=38.45	Pass
			25	22.58	2.66	23.09	<=38.45	Pass
	50	0	22.56	2.66	23.07	<=38.45	Pass	
	844	1	0	23.43	2.66	23.94	<=38.45	Pass
			25	23.72	2.66	24.23	<=38.45	Pass
			49	23.56	2.66	24.07	<=38.45	Pass
		25	0	22.54	2.66	23.05	<=38.45	Pass
13			22.56	2.66	23.07	<=38.45	Pass	
25			22.34	2.66	22.85	<=38.45	Pass	
50	0	22.46	2.66	22.97	<=38.45	Pass		
16QAM	829	1	0	22.52	2.66	23.03	<=38.45	Pass
			25	22.71	2.66	23.22	<=38.45	Pass
			49	22.51	2.66	23.02	<=38.45	Pass
		25	0	21.48	2.66	21.99	<=38.45	Pass
			13	21.42	2.66	21.93	<=38.45	Pass
			25	21.28	2.66	21.79	<=38.45	Pass
	50	0	21.35	2.66	21.86	<=38.45	Pass	
	836.5	1	0	22.78	2.66	23.29	<=38.45	Pass
			25	22.81	2.66	23.32	<=38.45	Pass
			49	22.42	2.66	22.93	<=38.45	Pass
		25	0	21.57	2.66	22.08	<=38.45	Pass
			13	21.50	2.66	22.01	<=38.45	Pass
			25	21.59	2.66	22.10	<=38.45	Pass
	50	0	21.52	2.66	22.03	<=38.45	Pass	
	844	1	0	22.37	2.66	22.88	<=38.45	Pass
			25	22.63	2.66	23.14	<=38.45	Pass
			49	22.49	2.66	23.00	<=38.45	Pass
		25	0	21.54	2.66	22.05	<=38.45	Pass
13			21.55	2.66	22.06	<=38.45	Pass	
25			21.36	2.66	21.87	<=38.45	Pass	
50	0	21.43	2.66	21.94	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26b_1.4MHz

2.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-4.406	-0.0053	-2.5 to 2.5	Pass
					3.85	-7.181	-0.0087	-2.5 to 2.5	Pass
					4.43	-6.509	-0.0079	-2.5 to 2.5	Pass
				-30	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-4.306	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-9.069	-0.0110	-2.5 to 2.5	Pass
				0	3.85	-9.041	-0.0110	-2.5 to 2.5	Pass
				10	3.85	-7.110	-0.0086	-2.5 to 2.5	Pass
				30	3.85	-5.207	-0.0063	-2.5 to 2.5	Pass
				40	3.85	-4.120	-0.0050	-2.5 to 2.5	Pass
	50	3.85	-7.811	-0.0095	-2.5 to 2.5	Pass			
	836.5	6	0	20	3.27	-0.858	-0.0010	-2.5 to 2.5	Pass
					3.85	-6.509	-0.0078	-2.5 to 2.5	Pass
					4.43	-6.309	-0.0075	-2.5 to 2.5	Pass
				-30	3.85	-5.565	-0.0067	-2.5 to 2.5	Pass
				-20	3.85	-8.540	-0.0102	-2.5 to 2.5	Pass
				-10	3.85	-6.552	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-6.137	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-9.656	-0.0115	-2.5 to 2.5	Pass
				30	3.85	7.739	0.0093	-2.5 to 2.5	Pass
				40	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
	50	3.85	-4.878	-0.0058	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	0.858	0.0010	-2.5 to 2.5	Pass
					3.85	-7.195	-0.0085	-2.5 to 2.5	Pass
					4.43	-6.909	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-5.493	-0.0065	-2.5 to 2.5	Pass
				-20	3.85	-7.453	-0.0088	-2.5 to 2.5	Pass
				-10	3.85	-7.997	-0.0094	-2.5 to 2.5	Pass
				0	3.85	-8.926	-0.0105	-2.5 to 2.5	Pass
				10	3.85	-4.263	-0.0050	-2.5 to 2.5	Pass
30				3.85	-4.420	-0.0052	-2.5 to 2.5	Pass	
40				3.85	-3.304	-0.0039	-2.5 to 2.5	Pass	
50	3.85	-9.499	-0.0112	-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	-5.093	-0.0062	-2.5 to 2.5	Pass
					3.85	-2.518	-0.0031	-2.5 to 2.5	Pass
					4.43	-3.691	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-6.552	-0.0079	-2.5 to 2.5	Pass
				-20	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-2.289	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-2.017	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-6.738	-0.0082	-2.5 to 2.5	Pass
				40	3.85	-1.702	-0.0021	-2.5 to 2.5	Pass
	50	3.85	0.043	0.0001	-2.5 to 2.5	Pass			
	836.5	6	0	20	3.27	-0.372	-0.0004	-2.5 to 2.5	Pass
					3.85	-3.204	-0.0038	-2.5 to 2.5	Pass

					4.43	-4.864	-0.0058	-2.5 to 2.5	Pass			
				-30	3.85	-6.766	-0.0081	-2.5 to 2.5	Pass			
				-20	3.85	-6.065	-0.0073	-2.5 to 2.5	Pass			
				-10	3.85	-1.631	-0.0019	-2.5 to 2.5	Pass			
				0	3.85	-7.181	-0.0086	-2.5 to 2.5	Pass			
				10	3.85	-11.544	-0.0138	-2.5 to 2.5	Pass			
				30	3.85	-9.255	-0.0111	-2.5 to 2.5	Pass			
				40	3.85	-11.215	-0.0134	-2.5 to 2.5	Pass			
				50	3.85	-4.649	-0.0056	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	-1.016	-0.0012	-2.5 to 2.5	Pass			
								3.85	-3.633	-0.0043	-2.5 to 2.5	Pass
								4.43	-5.050	-0.0060	-2.5 to 2.5	Pass
							-30	3.85	-7.167	-0.0084	-2.5 to 2.5	Pass
							-20	3.85	-10.200	-0.0120	-2.5 to 2.5	Pass
							-10	3.85	7.968	0.0094	-2.5 to 2.5	Pass
							0	3.85	0.343	0.0004	-2.5 to 2.5	Pass
							10	3.85	-9.227	-0.0109	-2.5 to 2.5	Pass
							30	3.85	-5.636	-0.0066	-2.5 to 2.5	Pass
							40	3.85	-10.514	-0.0124	-2.5 to 2.5	Pass
							50	3.85	-5.379	-0.0063	-2.5 to 2.5	Pass

2.2 B26b_3MHz

2.2.1 Test Result

Band: 26b / Bandwidth: 3MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	825.5	15	0	20	3.27	-8.068	-0.0098	-2.5 to 2.5	Pass				
						3.85	-9.799	-0.0119	-2.5 to 2.5	Pass			
						4.43	-1.659	-0.0020	-2.5 to 2.5	Pass			
							-30	3.85	-5.679	-0.0069	-2.5 to 2.5	Pass	
							-20	3.85	-9.313	-0.0113	-2.5 to 2.5	Pass	
							-10	3.85	-9.999	-0.0121	-2.5 to 2.5	Pass	
							0	3.85	-5.035	-0.0061	-2.5 to 2.5	Pass	
							10	3.85	-8.111	-0.0098	-2.5 to 2.5	Pass	
							30	3.85	-7.596	-0.0092	-2.5 to 2.5	Pass	
							40	3.85	-10.214	-0.0124	-2.5 to 2.5	Pass	
							50	3.85	-9.999	-0.0121	-2.5 to 2.5	Pass	
					836.5	15	0	20	3.27	-0.300	-0.0004	-2.5 to 2.5	Pass
									3.85	-9.298	-0.0111	-2.5 to 2.5	Pass
									4.43	-11.644	-0.0139	-2.5 to 2.5	Pass
								-30	3.85	-7.539	-0.0090	-2.5 to 2.5	Pass
								-20	3.85	8.740	0.0104	-2.5 to 2.5	Pass
								-10	3.85	-4.549	-0.0054	-2.5 to 2.5	Pass
								0	3.85	-5.550	-0.0066	-2.5 to 2.5	Pass
								10	3.85	-4.506	-0.0054	-2.5 to 2.5	Pass
								30	3.85	-8.755	-0.0105	-2.5 to 2.5	Pass
								40	3.85	-8.483	-0.0101	-2.5 to 2.5	Pass
								50	3.85	-3.548	-0.0042	-2.5 to 2.5	Pass
		847.5	15	0				20	3.27	-7.925	-0.0094	-2.5 to 2.5	Pass
									3.85	-10.614	-0.0125	-2.5 to 2.5	Pass
									4.43	-8.397	-0.0099	-2.5 to 2.5	Pass
								-30	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
								-20	3.85	-3.419	-0.0040	-2.5 to 2.5	Pass

				-10	3.85	-10.586	-0.0125	-2.5 to 2.5	Pass			
				0	3.85	-5.064	-0.0060	-2.5 to 2.5	Pass			
				10	3.85	-4.148	-0.0049	-2.5 to 2.5	Pass			
				30	3.85	-8.311	-0.0098	-2.5 to 2.5	Pass			
				40	3.85	-6.981	-0.0082	-2.5 to 2.5	Pass			
				50	3.85	-9.999	-0.0118	-2.5 to 2.5	Pass			
16QAM	825.5	15	0	20	3.27	-5.636	-0.0068	-2.5 to 2.5	Pass			
					3.85	-7.224	-0.0088	-2.5 to 2.5	Pass			
					4.43	-8.254	-0.0100	-2.5 to 2.5	Pass			
				-30	3.85	-4.835	-0.0059	-2.5 to 2.5	Pass			
				-20	3.85	-1.860	-0.0023	-2.5 to 2.5	Pass			
				-10	3.85	-3.262	-0.0040	-2.5 to 2.5	Pass			
				0	3.85	-7.324	-0.0089	-2.5 to 2.5	Pass			
				10	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass			
				30	3.85	-2.575	-0.0031	-2.5 to 2.5	Pass			
				40	3.85	-7.610	-0.0092	-2.5 to 2.5	Pass			
				50	3.85	-8.955	-0.0108	-2.5 to 2.5	Pass			
				836.5	15	0	20	3.27	-2.933	-0.0035	-2.5 to 2.5	Pass
								3.85	-7.725	-0.0092	-2.5 to 2.5	Pass
								4.43	-6.866	-0.0082	-2.5 to 2.5	Pass
							-30	3.85	-4.835	-0.0058	-2.5 to 2.5	Pass
	-20	3.85	-2.432				-0.0029	-2.5 to 2.5	Pass			
	-10	3.85	-4.478				-0.0054	-2.5 to 2.5	Pass			
	0	3.85	-10.357				-0.0124	-2.5 to 2.5	Pass			
	10	3.85	-9.112				-0.0109	-2.5 to 2.5	Pass			
	30	3.85	-1.616				-0.0019	-2.5 to 2.5	Pass			
	40	3.85	-6.037				-0.0072	-2.5 to 2.5	Pass			
	50	3.85	-4.735				-0.0057	-2.5 to 2.5	Pass			
	847.5	15	0				20	3.27	1.659	0.0020	-2.5 to 2.5	Pass
								3.85	-9.842	-0.0116	-2.5 to 2.5	Pass
								4.43	-10.042	-0.0118	-2.5 to 2.5	Pass
							-30	3.85	-3.004	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-7.138	-0.0084	-2.5 to 2.5	Pass			
				-10	3.85	-4.992	-0.0059	-2.5 to 2.5	Pass			
				0	3.85	-5.679	-0.0067	-2.5 to 2.5	Pass			
				10	3.85	-7.010	-0.0083	-2.5 to 2.5	Pass			
30				3.85	-3.433	-0.0041	-2.5 to 2.5	Pass				
40				3.85	-3.819	-0.0045	-2.5 to 2.5	Pass				
50				3.85	-7.854	-0.0093	-2.5 to 2.5	Pass				

2.3 B26b_5MHz

2.3.1 Test Result

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-2.203	-0.0027	-2.5 to 2.5	Pass
					3.85	-9.871	-0.0119	-2.5 to 2.5	Pass
					4.43	-6.051	-0.0073	-2.5 to 2.5	Pass
				-30	3.85	-7.453	-0.0090	-2.5 to 2.5	Pass
				-20	3.85	-5.937	-0.0072	-2.5 to 2.5	Pass
				-10	3.85	-4.249	-0.0051	-2.5 to 2.5	Pass
				0	3.85	-5.722	-0.0069	-2.5 to 2.5	Pass
				10	3.85	-7.181	-0.0087	-2.5 to 2.5	Pass

	836.5	25	0	30	3.85	-8.698	-0.0105	-2.5 to 2.5	Pass	
				40	3.85	-6.909	-0.0084	-2.5 to 2.5	Pass	
				50	3.85	-11.759	-0.0142	-2.5 to 2.5	Pass	
				20	3.27	-6.237	-0.0075	-2.5 to 2.5	Pass	
					3.85	-7.882	-0.0094	-2.5 to 2.5	Pass	
					4.43	-8.883	-0.0106	-2.5 to 2.5	Pass	
				-30	3.85	-10.200	-0.0122	-2.5 to 2.5	Pass	
				-20	3.85	-8.197	-0.0098	-2.5 to 2.5	Pass	
				-10	3.85	-3.448	-0.0041	-2.5 to 2.5	Pass	
				0	3.85	-8.097	-0.0097	-2.5 to 2.5	Pass	
				10	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass	
				30	3.85	-5.035	-0.0060	-2.5 to 2.5	Pass	
	40	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass				
	50	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass				
	846.5	25	0	20	3.27	-4.921	-0.0058	-2.5 to 2.5	Pass	
					3.85	-11.544	-0.0136	-2.5 to 2.5	Pass	
					4.43	-5.736	-0.0068	-2.5 to 2.5	Pass	
				-30	3.85	-6.595	-0.0078	-2.5 to 2.5	Pass	
				-20	3.85	-3.848	-0.0045	-2.5 to 2.5	Pass	
				-10	3.85	-8.554	-0.0101	-2.5 to 2.5	Pass	
				0	3.85	-4.964	-0.0059	-2.5 to 2.5	Pass	
				10	3.85	-8.039	-0.0095	-2.5 to 2.5	Pass	
				30	3.85	-5.150	-0.0061	-2.5 to 2.5	Pass	
				40	3.85	-7.424	-0.0088	-2.5 to 2.5	Pass	
				50	3.85	-8.597	-0.0102	-2.5 to 2.5	Pass	
				16QAM	826.5	25	0	20	3.27	-4.249
	3.85	-9.885	-0.0120						-2.5 to 2.5	Pass
	4.43	-5.708	-0.0069						-2.5 to 2.5	Pass
	-30	3.85	0.401					0.0005	-2.5 to 2.5	Pass
	-20	3.85	-1.516					-0.0018	-2.5 to 2.5	Pass
-10	3.85	-8.011	-0.0097					-2.5 to 2.5	Pass	
0	3.85	-5.922	-0.0072					-2.5 to 2.5	Pass	
10	3.85	-4.492	-0.0054					-2.5 to 2.5	Pass	
30	3.85	-5.293	-0.0064					-2.5 to 2.5	Pass	
40	3.85	-9.885	-0.0120					-2.5 to 2.5	Pass	
50	3.85	-2.275	-0.0028					-2.5 to 2.5	Pass	
836.5	25	0	20					3.27	-6.523	-0.0078
					3.85	-3.591	-0.0043	-2.5 to 2.5	Pass	
					4.43	-6.552	-0.0078	-2.5 to 2.5	Pass	
			-30		3.85	-9.527	-0.0114	-2.5 to 2.5	Pass	
			-20		3.85	-4.363	-0.0052	-2.5 to 2.5	Pass	
			-10		3.85	-8.740	-0.0104	-2.5 to 2.5	Pass	
			0		3.85	0.315	0.0004	-2.5 to 2.5	Pass	
			10		3.85	-7.768	-0.0093	-2.5 to 2.5	Pass	
			30		3.85	-6.895	-0.0082	-2.5 to 2.5	Pass	
			40		3.85	-7.825	-0.0094	-2.5 to 2.5	Pass	
			50		3.85	-13.633	-0.0163	-2.5 to 2.5	Pass	
			846.5		25	0	20	3.27	-9.255	-0.0109
3.85	-8.168	-0.0096						-2.5 to 2.5	Pass	
4.43	-8.941	-0.0106						-2.5 to 2.5	Pass	
-30	3.85	-9.599					-0.0113	-2.5 to 2.5	Pass	
-20	3.85	-8.612					-0.0102	-2.5 to 2.5	Pass	
-10	3.85	-12.918					-0.0153	-2.5 to 2.5	Pass	
0	3.85	-8.054					-0.0095	-2.5 to 2.5	Pass	
10	3.85	-10.071					-0.0119	-2.5 to 2.5	Pass	
30	3.85	-7.625		-0.0090			-2.5 to 2.5	Pass		
40	3.85	-5.851		-0.0069			-2.5 to 2.5	Pass		

				50	3.85	-8.783	-0.0104	-2.5 to 2.5	Pass
--	--	--	--	----	------	--------	---------	-------------	------

2.4 B26b_10MHz

2.4.1 Test Result

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-8.841	-0.0107	-2.5 to 2.5	Pass
					3.85	-5.865	-0.0071	-2.5 to 2.5	Pass
					4.43	-3.633	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-11.244	-0.0136	-2.5 to 2.5	Pass
				-20	3.85	-9.570	-0.0115	-2.5 to 2.5	Pass
				-10	3.85	-5.608	-0.0068	-2.5 to 2.5	Pass
				0	3.85	-5.879	-0.0071	-2.5 to 2.5	Pass
				10	3.85	-5.364	-0.0065	-2.5 to 2.5	Pass
				30	3.85	-9.370	-0.0113	-2.5 to 2.5	Pass
				40	3.85	-9.170	-0.0111	-2.5 to 2.5	Pass
	50	3.85	-8.683	-0.0105	-2.5 to 2.5	Pass			
	836.5	50	0	20	3.27	-6.237	-0.0075	-2.5 to 2.5	Pass
					3.85	-5.665	-0.0068	-2.5 to 2.5	Pass
					4.43	-7.796	-0.0093	-2.5 to 2.5	Pass
				-30	3.85	-3.376	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	-4.721	-0.0056	-2.5 to 2.5	Pass
				-10	3.85	-3.705	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-8.869	-0.0106	-2.5 to 2.5	Pass
				10	3.85	-5.937	-0.0071	-2.5 to 2.5	Pass
				30	3.85	-5.465	-0.0065	-2.5 to 2.5	Pass
				40	3.85	-5.465	-0.0065	-2.5 to 2.5	Pass
	50	3.85	-6.609	-0.0079	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	-7.739	-0.0092	-2.5 to 2.5	Pass
					3.85	-5.336	-0.0063	-2.5 to 2.5	Pass
					4.43	-10.371	-0.0123	-2.5 to 2.5	Pass
				-30	3.85	-6.795	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-6.924	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-7.625	-0.0090	-2.5 to 2.5	Pass
				0	3.85	-5.193	-0.0062	-2.5 to 2.5	Pass
				10	3.85	-4.163	-0.0049	-2.5 to 2.5	Pass
30				3.85	-3.991	-0.0047	-2.5 to 2.5	Pass	
40				3.85	-7.825	-0.0093	-2.5 to 2.5	Pass	
50	3.85	-5.779	-0.0068	-2.5 to 2.5	Pass				
16QAM	829	50	0	20	3.27	-9.356	-0.0113	-2.5 to 2.5	Pass
					3.85	-7.052	-0.0085	-2.5 to 2.5	Pass
					4.43	-8.883	-0.0107	-2.5 to 2.5	Pass
				-30	3.85	-4.220	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	-7.353	-0.0089	-2.5 to 2.5	Pass
				-10	3.85	-8.898	-0.0107	-2.5 to 2.5	Pass
				0	3.85	-11.845	-0.0143	-2.5 to 2.5	Pass
				10	3.85	-6.022	-0.0073	-2.5 to 2.5	Pass
				30	3.85	-8.612	-0.0104	-2.5 to 2.5	Pass
				40	3.85	-8.097	-0.0098	-2.5 to 2.5	Pass
	50	3.85	-9.727	-0.0117	-2.5 to 2.5	Pass			
	836.5	50	0	20	3.27	-7.553	-0.0090	-2.5 to 2.5	Pass
					3.85	-6.866	-0.0082	-2.5 to 2.5	Pass

					4.43	-5.364	-0.0064	-2.5 to 2.5	Pass			
				-30	3.85	-4.950	-0.0059	-2.5 to 2.5	Pass			
				-20	3.85	-6.609	-0.0079	-2.5 to 2.5	Pass			
				-10	3.85	-8.411	-0.0101	-2.5 to 2.5	Pass			
				0	3.85	-5.779	-0.0069	-2.5 to 2.5	Pass			
				10	3.85	-6.080	-0.0073	-2.5 to 2.5	Pass			
				30	3.85	-7.482	-0.0089	-2.5 to 2.5	Pass			
				40	3.85	-4.678	-0.0056	-2.5 to 2.5	Pass			
				50	3.85	-5.507	-0.0066	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	-6.437	-0.0076	-2.5 to 2.5	Pass			
3.85					-10.200	-0.0121	-2.5 to 2.5	Pass				
4.43					-7.968	-0.0094	-2.5 to 2.5	Pass				
							-30	3.85	-6.838	-0.0081	-2.5 to 2.5	Pass
							-20	3.85	-7.296	-0.0086	-2.5 to 2.5	Pass
							-10	3.85	-5.608	-0.0066	-2.5 to 2.5	Pass
							0	3.85	-9.742	-0.0115	-2.5 to 2.5	Pass
							10	3.85	-7.210	-0.0085	-2.5 to 2.5	Pass
							30	3.85	-8.755	-0.0104	-2.5 to 2.5	Pass
							40	3.85	-4.478	-0.0053	-2.5 to 2.5	Pass
							50	3.85	-10.800	-0.0128	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B26b_1.4MHz

3.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B26b_3MHz

3.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B26b_5MHz

3.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B26b_10MHz

3.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph





4. 99% & 26dB Bandwidth

4.1 Band26b_OBW


4.1.1 Test Result

Band: 26b / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.118	Pass
		836.5	6	0	1.116	Pass
		848.3	6	0	1.121	Pass
	16QAM	824.7	6	0	1.110	Pass
		836.5	6	0	1.105	Pass
		848.3	6	0	1.123	Pass
3	QPSK	825.5	15	0	2.729	Pass
		836.5	15	0	2.730	Pass
		847.5	15	0	2.737	Pass
	16QAM	825.5	15	0	2.718	Pass
		836.5	15	0	2.719	Pass
		847.5	15	0	2.731	Pass
5	QPSK	826.5	25	0	4.569	Pass
		836.5	25	0	4.601	Pass
		846.5	25	0	4.591	Pass
	16QAM	826.5	25	0	4.583	Pass
		836.5	25	0	4.603	Pass
		846.5	25	0	4.588	Pass
10	QPSK	829	50	0	9.095	Pass
		836.5	50	0	9.158	Pass
		844	50	0	9.091	Pass
	16QAM	829	50	0	9.077	Pass
		836.5	50	0	9.124	Pass
		844	50	0	9.080	Pass


4.1.2 Test Graph




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




4.2 Band26b_XDB


4.2.1 Test Result

Band: 26b / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.333	Pass
		836.5	6	0	1.332	Pass
		848.3	6	0	1.347	Pass
	16QAM	824.7	6	0	1.306	Pass
		836.5	6	0	1.327	Pass
		848.3	6	0	1.321	Pass
3	QPSK	825.5	15	0	3.012	Pass
		836.5	15	0	2.999	Pass
		847.5	15	0	2.995	Pass
	16QAM	825.5	15	0	3.000	Pass
		836.5	15	0	2.995	Pass
		847.5	15	0	2.987	Pass
5	QPSK	826.5	25	0	5.342	Pass
		836.5	25	0	5.294	Pass
		846.5	25	0	5.300	Pass
	16QAM	826.5	25	0	5.383	Pass
		836.5	25	0	5.239	Pass
		846.5	25	0	5.280	Pass
10	QPSK	829	50	0	10.286	Pass
		836.5	50	0	10.496	Pass
		844	50	0	10.383	Pass
	16QAM	829	50	0	10.326	Pass
		836.5	50	0	10.444	Pass
		844	50	0	10.129	Pass


4.2.2 Test Graph




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5. Peak-Average Ratio

5.1 B26b_1.4MHz


5.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.23	<=13	Pass
	836.5	6	0	4.95	<=13	Pass
	848.3	6	0	4.64	<=13	Pass
16QAM	824.7	6	0	5.12	<=13	Pass
	836.5	6	0	5.76	<=13	Pass
	848.3	6	0	5.43	<=13	Pass


5.1.2 Test Graph




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2 B26b_3MHz


5.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.21	<=13	Pass
	836.5	15	0	5.01	<=13	Pass
	847.5	15	0	4.77	<=13	Pass
16QAM	825.5	15	0	5.07	<=13	Pass
	836.5	15	0	5.77	<=13	Pass
	847.5	15	0	5.60	<=13	Pass


5.2.2 Test Graph




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.3 B26b_5MHz


5.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.62	<=13	Pass
	836.5	25	0	5.27	<=13	Pass
	846.5	25	0	5.03	<=13	Pass
16QAM	826.5	25	0	5.34	<=13	Pass
	836.5	25	0	5.91	<=13	Pass
	846.5	25	0	5.73	<=13	Pass


5.3.2 Test Graph




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.4 B26b_10MHz


5.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	4.65	<=13	Pass
	836.5	50	0	5.21	<=13	Pass
	844	50	0	5.08	<=13	Pass
16QAM	829	50	0	5.39	<=13	Pass
	836.5	50	0	5.90	<=13	Pass
	844	50	0	5.78	<=13	Pass


5.4.2 Test Graph




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




6. Spurious Emission

6.1 B26b_1.4MHz


6.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass


6.1.2 Test Graph




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	/	1	822.557	-41.98	-13	Pass
823	824	0.013	/	2	824.000	-23.86	-13	Pass
824	825.5	0.013	/	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	/	1	822.563	-42.11	-13	Pass
823	824	0.013	/	2	823.970	-25.29	-13	Pass
824	825.5	0.013	/	/	/	/	/	/


Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV

