

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Band5\_ERP

### 1.1.1 Test Result

Band: 5											
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict			
	Network	Subset				Result	Limit				
NTNV	RMC	12.2kbps RMC	826.4	25.48	0.54	23.87	<=38.45	Pass			
			836.6	25.55	0.54	23.94	<=38.45	Pass			
			846.6	25.59	0.54	23.98	<=38.45	Pass			
	HSDPA		Subtest 1	826.4	23.05	0.54	21.44	<=38.45	Pass		
			Subtest 2	826.4	23.03	0.54	21.42	<=38.45	Pass		
			Subtest 3	826.4	23.02	0.54	21.41	<=38.45	Pass		
			Subtest 4	826.4	23.03	0.54	21.42	<=38.45	Pass		
			Subtest 1	836.6	23.29	0.54	21.68	<=38.45	Pass		
			Subtest 2	836.6	23.29	0.54	21.68	<=38.45	Pass		
			Subtest 3	836.6	23.27	0.54	21.66	<=38.45	Pass		
			Subtest 4	836.6	23.29	0.54	21.68	<=38.45	Pass		
			Subtest 1	846.6	23.19	0.54	21.58	<=38.45	Pass		
			Subtest 2	846.6	23.18	0.54	21.57	<=38.45	Pass		
			Subtest 3	846.6	23.20	0.54	21.59	<=38.45	Pass		
			Subtest 4	846.6	23.19	0.54	21.58	<=38.45	Pass		
			HSUPA		Subtest 1	826.4	20.75	0.54	19.14	<=38.45	Pass
					Subtest 2	826.4	21.26	0.54	19.65	<=38.45	Pass
					Subtest 3	826.4	21.05	0.54	19.44	<=38.45	Pass
	Subtest 4	826.4			21.23	0.54	19.62	<=38.45	Pass		
	Subtest 5	826.4			21.23	0.54	19.62	<=38.45	Pass		
	Subtest 1	836.6			20.76	0.54	19.15	<=38.45	Pass		
	Subtest 2	836.6			21.32	0.54	19.71	<=38.45	Pass		
	Subtest 3	836.6			21.29	0.54	19.68	<=38.45	Pass		
	Subtest 4	836.6			21.09	0.54	19.48	<=38.45	Pass		
	Subtest 5	836.6			21.05	0.54	19.44	<=38.45	Pass		
	Subtest 1	846.6			20.80	0.54	19.19	<=38.45	Pass		
	Subtest 2	846.6			21.10	0.54	19.49	<=38.45	Pass		
	Subtest 3	846.6	20.85	0.54	19.24	<=38.45	Pass				
	Subtest 4	846.6	20.77	0.54	19.16	<=38.45	Pass				
	Subtest 5	846.6	21.14	0.54	19.53	<=38.45	Pass				

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Band5

#### 2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	-12.295	-0.0149	-2.5 to 2.5	Pass
			3.85	-10.536	-0.0127	-2.5 to 2.5	Pass
			4.43	-11.008	-0.0133	-2.5 to 2.5	Pass
		-30	3.85	-11.966	-0.0145	-2.5 to 2.5	Pass
		-20	3.85	-13.661	-0.0165	-2.5 to 2.5	Pass
		-10	3.85	-4.749	-0.0057	-2.5 to 2.5	Pass
		0	3.85	-6.959	-0.0084	-2.5 to 2.5	Pass
		10	3.85	-13.254	-0.0160	-2.5 to 2.5	Pass
		30	3.85	-4.785	-0.0058	-2.5 to 2.5	Pass
	40	3.85	-6.766	-0.0082	-2.5 to 2.5	Pass	
	50	3.85	-9.398	-0.0114	-2.5 to 2.5	Pass	
	836.6	20	3.27	-5.150	-0.0062	-2.5 to 2.5	Pass
			3.85	-8.605	-0.0103	-2.5 to 2.5	Pass
			4.43	-11.680	-0.0140	-2.5 to 2.5	Pass
		-30	3.85	-11.880	-0.0142	-2.5 to 2.5	Pass
		-20	3.85	-7.768	-0.0093	-2.5 to 2.5	Pass
		-10	3.85	-9.241	-0.0110	-2.5 to 2.5	Pass
		0	3.85	-12.031	-0.0144	-2.5 to 2.5	Pass
		10	3.85	-6.752	-0.0081	-2.5 to 2.5	Pass
		30	3.85	-9.484	-0.0113	-2.5 to 2.5	Pass
	40	3.85	-11.673	-0.0140	-2.5 to 2.5	Pass	
	50	3.85	-11.287	-0.0135	-2.5 to 2.5	Pass	
	846.6	20	3.27	-7.632	-0.0090	-2.5 to 2.5	Pass
			3.85	-13.604	-0.0161	-2.5 to 2.5	Pass
			4.43	-6.280	-0.0074	-2.5 to 2.5	Pass
		-30	3.85	-10.107	-0.0119	-2.5 to 2.5	Pass
		-20	3.85	-13.082	-0.0155	-2.5 to 2.5	Pass
		-10	3.85	-9.234	-0.0109	-2.5 to 2.5	Pass
		0	3.85	-12.367	-0.0146	-2.5 to 2.5	Pass
		10	3.85	-11.923	-0.0141	-2.5 to 2.5	Pass
30		3.85	-9.384	-0.0111	-2.5 to 2.5	Pass	
40	3.85	-11.287	-0.0133	-2.5 to 2.5	Pass		
50	3.85	-5.343	-0.0063	-2.5 to 2.5	Pass		
HSDPA	826.4	20	3.27	-12.510	-0.0151	-2.5 to 2.5	Pass
			3.85	-15.171	-0.0184	-2.5 to 2.5	Pass
			4.43	-11.230	-0.0136	-2.5 to 2.5	Pass
		-30	3.85	-15.821	-0.0191	-2.5 to 2.5	Pass
		-20	3.85	-16.615	-0.0201	-2.5 to 2.5	Pass
		-10	3.85	-10.371	-0.0125	-2.5 to 2.5	Pass
		0	3.85	-14.513	-0.0176	-2.5 to 2.5	Pass
		10	3.85	-13.311	-0.0161	-2.5 to 2.5	Pass
		30	3.85	-12.474	-0.0151	-2.5 to 2.5	Pass
	40	3.85	-9.391	-0.0114	-2.5 to 2.5	Pass	
	50	3.85	-13.268	-0.0161	-2.5 to 2.5	Pass	
	836.6	20	3.27	-8.426	-0.0101	-2.5 to 2.5	Pass
			3.85	-14.055	-0.0168	-2.5 to 2.5	Pass
			4.43	-15.993	-0.0191	-2.5 to 2.5	Pass
		-30	3.85	-11.337	-0.0136	-2.5 to 2.5	Pass
-20		3.85	-9.928	-0.0119	-2.5 to 2.5	Pass	

		-10	3.85	-8.011	-0.0096	-2.5 to 2.5	Pass
		0	3.85	-8.512	-0.0102	-2.5 to 2.5	Pass
		10	3.85	-13.719	-0.0164	-2.5 to 2.5	Pass
		30	3.85	-6.616	-0.0079	-2.5 to 2.5	Pass
		40	3.85	-10.428	-0.0125	-2.5 to 2.5	Pass
	50	3.85	-14.441	-0.0173	-2.5 to 2.5	Pass	
	846.6	20	3.27	-14.298	-0.0169	-2.5 to 2.5	Pass
			3.85	-11.215	-0.0132	-2.5 to 2.5	Pass
			4.43	-16.265	-0.0192	-2.5 to 2.5	Pass
		-30	3.85	-13.039	-0.0154	-2.5 to 2.5	Pass
		-20	3.85	-14.548	-0.0172	-2.5 to 2.5	Pass
		-10	3.85	-15.471	-0.0183	-2.5 to 2.5	Pass
		0	3.85	-15.078	-0.0178	-2.5 to 2.5	Pass
		10	3.85	-12.760	-0.0151	-2.5 to 2.5	Pass
		30	3.85	-14.155	-0.0167	-2.5 to 2.5	Pass
40		3.85	-9.320	-0.0110	-2.5 to 2.5	Pass	
50	3.85	-14.663	-0.0173	-2.5 to 2.5	Pass		
HSUPA	826.4	20	3.27	-10.736	-0.0130	-2.5 to 2.5	Pass
			3.85	-8.805	-0.0107	-2.5 to 2.5	Pass
			4.43	-7.367	-0.0089	-2.5 to 2.5	Pass
		-30	3.85	-8.998	-0.0109	-2.5 to 2.5	Pass
		-20	3.85	-13.683	-0.0166	-2.5 to 2.5	Pass
		-10	3.85	-8.433	-0.0102	-2.5 to 2.5	Pass
		0	3.85	-10.293	-0.0125	-2.5 to 2.5	Pass
		10	3.85	-8.497	-0.0103	-2.5 to 2.5	Pass
		30	3.85	-10.836	-0.0131	-2.5 to 2.5	Pass
		40	3.85	-6.588	-0.0080	-2.5 to 2.5	Pass
	50	3.85	-14.234	-0.0172	-2.5 to 2.5	Pass	
	836.6	20	3.27	-13.905	-0.0166	-2.5 to 2.5	Pass
			3.85	-13.096	-0.0157	-2.5 to 2.5	Pass
			4.43	-15.614	-0.0187	-2.5 to 2.5	Pass
		-30	3.85	-13.218	-0.0158	-2.5 to 2.5	Pass
		-20	3.85	-13.075	-0.0156	-2.5 to 2.5	Pass
		-10	3.85	-13.089	-0.0156	-2.5 to 2.5	Pass
		0	3.85	-11.852	-0.0142	-2.5 to 2.5	Pass
		10	3.85	-14.570	-0.0174	-2.5 to 2.5	Pass
		30	3.85	-12.882	-0.0154	-2.5 to 2.5	Pass
		40	3.85	-16.186	-0.0193	-2.5 to 2.5	Pass
	50	3.85	-12.088	-0.0144	-2.5 to 2.5	Pass	
	846.6	20	3.27	-11.723	-0.0138	-2.5 to 2.5	Pass
			3.85	-17.266	-0.0204	-2.5 to 2.5	Pass
			4.43	-11.866	-0.0140	-2.5 to 2.5	Pass
-30		3.85	-8.969	-0.0106	-2.5 to 2.5	Pass	
-20		3.85	-24.133	-0.0285	-2.5 to 2.5	Pass	
-10		3.85	-28.811	-0.0340	-2.5 to 2.5	Pass	
0		3.85	-24.219	-0.0286	-2.5 to 2.5	Pass	
10		3.85	-22.609	-0.0267	-2.5 to 2.5	Pass	
30		3.85	-19.047	-0.0225	-2.5 to 2.5	Pass	
40		3.85	-19.498	-0.0230	-2.5 to 2.5	Pass	
50	3.85	-16.208	-0.0191	-2.5 to 2.5	Pass		



### 3. Modulation Characteristics

#### 3.1 Band5

##### 3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

### 3.1.2 Test Graph



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV

WCDMA UE TX Measurement 1 - V3.7.20 - Base V 3.7.22

Multi Evaluation
  TPC Measurement
  PRACH
  DPCCH Open Loop Power
  Out-of-Sync Handling

UL Frequency: 836.600000 MHz    Ref. Level: 16.80 dBm    Connector: RF1COM    Meas. Period: Full Slot

WCDMA

Multi Evaluation

RDY

---

RF Settings

---

Trigger

---

Display

---

Signaling Parameter

---

WCDMA 1 Signaling

ON

Statistic Count:  20 / 20

1st Measured Slot No	0
<b>Statistics @ Pre. ...</b>	<b>CurrentStdDev</b>
Power [dBm]	-2.75   3.41
Power Steps [dB]	NCAP   NCAP
EVM RMS [%]	11.81   4.07
EVM Peak [%]	100.00   40.22
Magn. Error RMS [%]	11.63   4.35
Magn. Error Peak [%]	100.00   40.41
Phase Error RMS [°]	1.34   0.42
Phase Error Peak [°]	9.17   2.38
IQ Origin Offset [dB]	-52.42   1.86
IQ Imbalance [dB]	-61.14   4.38
CF Error [Hz]	-8.53   3.71
Phase Disc. [°]	NCAP

HSDPA+     CPC    Circuit Switched:

HSUPA     CM    Registered

Packet Switched:

Connection Established

Power:

Sync:

Go To Local

Show Remote Screen

Page 6 / 47



## 4. 99% & 26dB Bandwidth

### 4.1 Band5\_OBW

#### 4.1.1 Test Result


Band: 5					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.189	Pass
			836.6	4.179	Pass
			846.6	4.184	Pass
	HSDPA	Subtest 1	826.4	4.211	Pass
			836.6	4.223	Pass
			846.6	4.218	Pass
	HSUPA	Subtest 1	826.4	4.215	Pass
			836.6	4.225	Pass
			846.6	4.226	Pass

### 4.1.2 Test Graph







Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV





## 4.2 Band5\_XDB


### 4.2.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.751	Pass
			836.6	4.711	Pass
			846.6	4.751	Pass
	HSDPA	Subtest 1	826.4	5.054	Pass
			836.6	5.738	Pass
			846.6	4.987	Pass
	HSUPA	Subtest 1	826.4	5.487	Pass
			836.6	5.627	Pass
			846.6	5.216	Pass


## 4.2.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV







Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV





## 5. Peak-Average Ratio

### 5.1 Band5


#### 5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.75	<=13	Pass
			836.6	3.04	<=13	Pass
			846.6	3.05	<=13	Pass
	HSDPA	Subtest 1	826.4	5.75	<=13	Pass
			836.6	6.01	<=13	Pass
			846.6	6.15	<=13	Pass
	HSUPA	Subtest 1	826.4	5.78	<=13	Pass
			836.6	6.06	<=13	Pass
			846.6	6.35	<=13	Pass


### 5.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV







## 6. Spurious Emission

### 6.1 Band5


#### 6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass


### 6.1.2 Test Graph




Band5\_RMC\_LCH\_826.4MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_LCH\_826.4MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_LCH\_826.4MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV



Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV







Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV







Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.3622	0.0340	ppm	4M23F9W	24E	25.59

### 7.2 Form731\_ERP

#### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2500	0.0340	ppm	4M23F9W	24E	23.98