




8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV






## 6.2 CSE



### 6.2.1 Test Result



Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	3.32	-16.68	Pass
		2441	DH5	1	3.32	-16.68	Pass
		2480	DH5	1	3.32	-16.68	Pass
		HOPP	DH5	1	3.32	-16.68	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.74	-18.26	Pass
		2441	2DH5	1	1.74	-18.26	Pass
		2480	2DH5	1	1.74	-18.26	Pass
		HOPP	2DH5	1	1.74	-18.26	Pass
8DPSK	SISO	2402	3DH5	1	1.89	-18.11	Pass
		2441	3DH5	1	1.89	-18.11	Pass
		2480	3DH5	1	1.89	-18.11	Pass
		HOPP	3DH5	1	1.89	-18.11	Pass



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

### 6.2.2 Test Graph













Pi/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV







Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV


















8DPSK\_3DH5\_HCH\_2480MHz\_Ant1\_NTNV



8DPSK\_3DH5\_HOPP\_Ant1\_NTNV





## 7. Form731

### 7.1 Form731

#### 7.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0022	3.42



Test Report Number: BTF230725R01101



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,  
Bao'an District, Shenzhen, China

[www.btf-lab.com](http://www.btf-lab.com)

**-- END OF REPORT --**